



motionpoint

Connector for Drupal CMS (7)

Version 1.1.0

Updated May 5, 2022



Table of Contents

Introduction	3
Getting Started.....	3
Necessary items required to complete installation:.....	3
Installing MotionPoint Translation Connector	3
Uploading MotionPoint Connector Package	3
Configure MotionPoint Translation for Drupal.....	4
Create MotionPoint Translation Provider Configuration.....	4
Overview of the existing job items	6
Testing the Connector	7
Appendix: Language Codes.....	8
Troubleshooting.....	9
Contacting MotionPoint Connector Support.....	10
Submitting a Support ticket.....	10

Introduction

This document explains how to install, configure and use MotionPoint Translation Connector modules that integrate with Drupal Version 7. It also details how to create and submit translation content from Drupal to MotionPoint.

Getting Started

Necessary items required to complete installation:

- This documentation supports Drupal CMS Version 7.
- Install MotionPoint Translation Connector (version) from <https://www.drupal.org/project/tmgmt>
- Please contact MotionPoint Support at: support@motionpoint.com to receive the API Username and API ID which will be used to login to MotionPoint's Control Center to retrieve their API key.

Installing MotionPoint Translation Connector

Uploading MotionPoint Connector Package

Choose the provider of your preference. **Note:** D7, D8 and D9 means the version of Drupal that is compatible with the translation management provider module.

For Drupal 7, please install the following modules before installing the MotionPoint Connector

To use Translation Management Tool on Drupal 7, you need to install and activate the following modules. TMGMT on Drupal does not require any extra dependencies but includes support for various other modules like Paragraphs, Webform and so on:

- [Entity API](#)
- [Views](#)
- [Chaos Tools \(Base for Views\)](#)
- [Views Bulk Operations](#)
- Content Translation (for the content translation source)
- Locale
- [Internationalization/i18n](#) (for string translation)
- [Entity translation](#) (for the entity source)
- [Rules](#) (for node translation)

After installing the above modules, please install TMGMT module version supported for CMS Version 7.

<https://ftp.drupal.org/files/projects/tmgmt-7.x-1.0-rc3.tar.gz>

Once above modules are installed and activated, please proceed to the next section to install MotionPoint Drupal Connector for Drupal 7. See the link below to proceed with the installation:

<https://ftp.drupal.org/files/projects/motionpointtranslation-7.x-1.2.tar.gz>

On your Drupal site, select **Extend** and click **+ Add new module**

Install new module ☆

[Home](#) » [Administration](#) » [Extend](#)

Installing modules and themes requires **FTP access** to your server. See [Extending Drupal 8](#) for other installation methods.

You can find [modules](#) and [themes](#) on [drupal.org](#). The following file extensions are supported: *tar* *tgz* *gz* *bz2* *zip*.

Install from a URL

For example: <https://ftp.drupal.org/files/projects/name.tar.gz>

Or

Upload a module or theme archive to install

 No file chosen

For example: *name.tar.gz* from your local computer

Install

Click **Install**.

This process will install the MotionPoint Translator as one of the Translation Providers in Drupal Translation Management System.

TRANSLATION MANAGEMENT

<input checked="" type="checkbox"/>	Config Entity Source	Config entity source plugin for the Translation Management system.
<input checked="" type="checkbox"/>	Content Entity Source	Content entity source plugin for the Translation Management system.
<input checked="" type="checkbox"/>	Drupal user	Allows local users to provide translation services.
<input checked="" type="checkbox"/>	Export / Import File	A translator which allows you to export source data into a file and import the translated in return.
<input checked="" type="checkbox"/>	Locales Source	Locales source plugin for the Translation Management system.
<input checked="" type="checkbox"/>	MotionPoint Translator	MotionPoint plugin for TMGMT.
<input checked="" type="checkbox"/>	Translation Language abilities	Provides a field that allows users to select language combinations.
<input checked="" type="checkbox"/>	Translation Management Core	Core functionality for the Translation Management Suite.
<input checked="" type="checkbox"/>	Translation Management Demo	All elements for a functioning demo.

Configure MotionPoint Translation for Drupal

The following steps document how to select MotionPoint as a translation option when submitting your translation request.

NOTE: It's important that this section must be done in the outlined order. If not, issues may arise in the future.

Create MotionPoint Translation Provider Configuration

Go To Administration - > Configuration -> Translation Management Translators

In the screen below, click **Add Translator**.

Home » Administration » Configuration » Regional and language

[+ Add Translator](#) [+ Import Translator](#)

[Show row weights](#)

LABEL	PLUGIN	CONFIGURED	STATUS	OPERATIONS
+ File translator (auto created) (Machine name: file) File translator that exports and imports files.	File translator	Yes	Custom	edit clone delete export
+ Local Translator (auto created) (Machine name: local) Allows local users to process translation jobs.	Local Translator	Yes	Custom	edit clone delete export
+ MotionPoint translator (auto created) (Machine name: motionpoint) MotionPoint Translator service.	MotionPoint translator	Yes	Custom	edit clone delete export
+ motionpoint_single (Machine name: motionpoint_single)	MotionPoint translator	Yes	Custom	edit clone delete export
+ MotionPoint translator Sandbox (Machine name: motionpoint_translator_sandbox) MotionPoint Translator service.	MotionPoint translator	Yes	Custom	edit clone delete export
+ motionpoint_translator_selenium (Machine name: motionpoint_translator_selenium) MotionPoint Translator service.	MotionPoint translator	Yes	Custom	edit clone delete export
+ MP_zs_to_de_autoaccept (Machine name: mp_zs_to_de_autoaccept) this provider has auto accept; also has remote language mapping from zh-hans to de. To test with this provider zh-hans language will be submitted to motioncore en.de.10 german queue.	MotionPoint translator	Yes	Custom	edit clone delete export

After clicking the Add Translator, the page below lists the configuration screen for the provider. Please choose Translator Plugin value as “MotionPoint”.

Please enter the MotionPoint username, API Key and MotionPoint API ID provided by the MotionPoint Support Team (support@motionpoint.com) and click **Connect**.

Connect operation will authenticate the information entered and if it is successful.

Click **Save** button to save the configuration.

Once the connection with the translation provider is done, you are ready to start submitting translation for any possible content from your Drupal’s site.

Translator plugin *

MotionPoint

MotionPoint translation service.

MOTIONPOINT PLUGIN SETTINGS

MotionPoint API URL *

 Please enter MotionPoint API base URL.

Your Username *

 Please enter username

API Key *

 Please enter API-Key

MotionPoint API ID *

 Please enter MotionPoint API ID

Use Sandbox
 Check to use MotionPoint Sandbox environment.

Default Submit Setting *

Single Job - all pages are combined into one MotionPoint job

Multiple Jobs - an individual MotionPoint job is created for each page

Default Submit Setting of the project selected in job checkout.

✔ Successfully connected!

Provider plugin *
 Motionpoint ▼
Motionpoint translation service.

▼ MOTIONPOINT PLUGIN SETTINGS

MotionPoint API URL *

Please enter MotionPoint API base URL.

Your Username *

Please enter username

API Key *

Please enter API-Key

MotionPoint Client ID *

Please enter Client ID

Use Sandbox
Check to use the Sandbox environment.

Connect

If connection is unsuccessful and displaying the following error after doing multiple tries, please contact support@motionpoint.com

This stops the rendering process and automatically accepts all translations as soon as they are received by the translation provider.

✘ Authorization denied. Please contact support@motionpoint.com.

Overview of the existing job items

If a translation request has been made to a provider, the job will show up under this screen. Here you can filter the jobs by states, source and target language. Also you can view the job by clicking the view link that is located next to the job or Abort the job.

Job overview JOBS SOURCES CART (1)

Home » Administration

State: - Any -
 From: - Any -
 To: - Any -
 Translator: - Any -
Apply

OPERATIONS

- Choose an operation -
Execute

<input type="checkbox"/>	LABEL	FROM	TO	STATE	TRANSLATOR	PROGRESS	WORD COUNT	CHANGED	OPERATIONS
<input type="checkbox"/>	septwonline article and 1 more	English	Chinese, Simplified	Finished	MP_zs_to_de_autoaccept	4/0/0/0	11	10/01/2021 - 15:55	manage delete
<input type="checkbox"/>	First Drupal Selenium Test Source	English	Italian	Active	motionpoint_translator_selenium	0/0/0/2	6	10/01/2021 - 14:41	manage abort
<input type="checkbox"/>	First Drupal Selenium Test Source	English	Italian	Active	motionpoint_translator_selenium	0/0/0/2	14	10/01/2021 - 13:27	manage abort
<input type="checkbox"/>	First Drupal Selenium Test Source	English	Italian	Active	motionpoint_translator_selenium	0/0/0/2	14	10/01/2021 - 11:57	manage abort
<input type="checkbox"/>	First Drupal Selenium Test Source	English	Italian	Active	motionpoint_translator_selenium	0/0/0/2	14	10/01/2021 - 11:55	manage abort
<input type="checkbox"/>	First Drupal Selenium Test Source	English	Italian	Active	motionpoint_translator_selenium	0/0/0/2	14	10/01/2021 - 11:53	manage abort
<input type="checkbox"/>	First Drupal Selenium Test Source	English	Italian	Active	motionpoint_translator_selenium	0/0/0/2	14	10/01/2021 - 11:29	manage abort
<input type="checkbox"/>	First Drupal Selenium Test Source	English	Italian	Active	motionpoint_translator_selenium	0/0/0/2	14	10/01/2021 - 11:25	manage abort
<input type="checkbox"/>	First Drupal Selenium Test Source	English	Italian	Active	motionpoint_translator_selenium	0/0/0/2	14	10/01/2021 - 11:23	manage abort


Jobs

Manage and review existing translation jobs. Under this screen, you will find all the translation requests that have been made to a provider. It details the content that was requested for translation, source and target language, the provider, the progress, the number of words that are being translated, etc. It also shows the state of the translation. There are different

states: Unprocessed, In progress, Primary review, Secondary review and Needs review. The states will be updated accordingly to match any of the possible options. You can also Manage a job that has been submitted and that is in progress by choosing **Delete** or **Abort** from the Manage drop-down list.

Sources

View translation status of your site and create new jobs. On this screen, you can see a list of the content that is available on your Drupal's site and that can be translated. The languages that were added during installation and configuration of TMGMT Drupal show up on this screen. Different source status may show up under each of the available languages: Original language, Not translated, Translated and Translation Outdated. In the case of a content where the translation is in progress, the status may display under the language the content is being translated into: In progress, Primary review, Secondary review or Needs review. These states are configurable.



Testing the Connector

After you complete the configuration, the MotionPoint Connector is ready for testing. We recommend sending only a few pages for translation, in one language, as an initial test. Once successful, you can send as many languages as required. Please coordinate with your translation provider for this test process.

If you have any concerns or questions, please contact MotionPoint's Support Team. You must test the end-to-end process, from content creation to publishing, to ensure that the Connector is working as expected and configured to support your business needs.

In addition to following the guidelines below, you should also include any internal test or use cases that would normally be applied to any software that is deployed to the Drupal System. This saves time and project costs, since the process of troubleshooting issues during the production phase is costly and delays your translation timelines.

Recommendations:

- Complete your testing in a pre-production environment before deploying the Connector to your production environment.
- If you must perform testing in your production environment, create test content that can be deleted after completing the tests.
- Consider any changes in functionality, configuration, or customization between pre-production and production environments in this final test pass.

Testing the Connector:

1. Verify that the Connector is configured to send all required content types for all required languages.
2. Ensure that the Connector sends only translatable content for translation.

Appendix: Language Codes

Update Remote Language Mapping Section in MotionPoint Configuration with Drupal and MotionPoint's language code using the below mapping table.

▼ REMOTE LANGUAGES MAPPINGS

Here you can specify mappings of your local language codes to the translator language codes.

English (en)

German (de)

Spanish (es)

French (fr)

Italian (it)

[Save](#) [Delete](#)

Below is a list of the language codes supported by the Connector. Please contact MotionPoint if a needed language is not displayed here.

CURRENTLY USED IN MotionPoint AND MATCH Drupal	AS THEY APPEAR IN MotionPoint
ar=Arabic (ar)	AR
ar_bh=Arabic (ar_bh)	AR_BH
ar_ma=Arabic (ar_ma)	AR_MA
ar_sa=Arabic (ar_sa)	AR_SA
bg=Bulgarian (bg)	BG
	CP
cs=Czech (cs)	CS
	CZ
da=Danish (da)	DA
de=German (de)	DE
el=Greek (el)	EL
en=English (en)	EN
en_au=English (en_au)	EN_AU
en_ca=English (en_ca)	EN_CA
en_gb=English (en_gb)	EN_GB
	EN_HK
en_ie=English (en_ie)	EN_IE
	EN_SG
	EN_UK
en_us=English (en_us)	EN_US
es=Spanish (es)	ES
es_cl=Spanish (es_cl)	ES_CL
es_co=Spanish (es_co)	ES_CO
es_es=Spanish (es_es)	ES_ES
es_mx=Spanish (es_mx)	ES_MX
es_pr=Spanish (es_pr)	ES_PR
et=Estonian (et)	ET
fa=Farsi (Persian) (fa)	FA
fi=Finnish (fi)	FI
fr=French (fr)	FR

fr_ca=French (fr_ca)	FR_CA
fr_fr=French (fr_fr)	FR_FR
	FR_MA
he=Hebrew (he)	HE
hi=Hindi (hi)	HI
hr=Croatian (hr)	HR
hu=Hungarian (hu)	HU
id=Indonesian (id)	ID
is=Icelandic (is)	IS
it=Italian (it)	IT
	IW
ja=Japanese (ja)	JA
ko=Korean (ko)	KO
lt=Lithuanian (lt)	LT
lv=Latvian (lv)	LV
ms=Malay (ms)	MS
nl=Dutch (nl)	NL
nl_be=Dutch (nl_be)	NL_BE
	NO
	PA
pl=Polish (pl)	PL
pt=Portuguese (pt)	PT
pt_br=Portuguese (pt_br)	PT_BR
pt_pt=Portuguese (pt_pt)	PT_PT
ro=Romanian (ro)	RO
ru=Russian (ru)	RU
sk=Slovak (sk)	SK
sl=Slovenian (sl)	SL
	SO
	SP
sr=Serbian (sr)	SR
sv=Swedish (sv)	SV
	TA
th=Thai (th)	TH
	TL
tr=Turkish (tr)	TR
uk=Ukrainian (uk)	UK
ur=Urdu (ur)	UR
vi=Vietnamese (vi)	VI
zh=Chinese (zh)	ZH
zh_hk=Chinese (Traditional) (zh_hk)	ZH_HK
zh_tw=Chinese (Traditional) (zh_tw)	ZH_TW
	ZS

Troubleshooting

In the event of an issue, the error message will display on the screen. Please take a screenshot to provide to Support Team.
 Connection issue – Review your API credentials and if unsuccessful on retry, contact support@motionpoint.com. Please provide your username.

Cannot submit job in language selected – Review the Remote Language Mappings specified on the Appendix of this document, if issue persists contact support@motionpoint.com.

Contacting MotionPoint Connector Support


MotionPoint’s Support Team can be reached via email or phone at any time. You can also request service by creating a MotionPortal Support ticket.

Email: support@motionpoint.com


Telephone: 954-421-0890

Submitting a Support ticket

To request assistance, submit a ticket via MotionPoint’s MotionPortal system. Log into support.motionpoint.com with your credentials *(to request login credentials, please email support@motionpoint.com)*.



Upon successful login, select **Create New Ticket**.



A **Create New Ticket** form will appear. Please provide the requested information in the form below:

The screenshot shows a web browser window titled "Create New Ticket - Google Chrome" with the URL "motionportal.motionpoint.com/issue_add.aspx?c_id=0&p_id=0&l_id=0&ref_value=ctl00_Body_cntrl_btnRefreshMyIssues". The form contains the following fields:

- * Customer: [Dropdown]
- * Project: [Dropdown]
- Access: MotionPoint Only [Dropdown]
- * Title: [Text Input]
- * Ticket Type: [Dropdown]
- URL: [Text Input]
- Status: New [Dropdown]
- * Priority: Standard [Dropdown]
- Assigned To: [Dropdown]
- Start Date: 11/18/2015 [Calendar Icon]
- Due Date: 11/20/2015 [Calendar Icon]
- CC: MotionPoint Users [Dropdown], 24/7 Facilities, 24/7 Support, Aaron de Berry, Account Management Support, Adam Rubenstein, Ailyn Reyes (MP Support), MotionPoint Groups [Dropdown]

Information to include:

- Project name
- Content system name and version (ie Drupal version #)
- Connector version installed
- Name of job for which the issue occurs
- Date of job submission
- Detailed description of the issue
- Any error text, if applicable

Files to attach to the Support ticket:

- Content log files for the date the issue occurred
- Screen capture of the issue