

```
<script type="text/javascript">jQuery.extend(Drupal.settings, {"devel":{"request_id":136815}});</script>
<div class="dev-query">Executed 19 queries in 6.27 ms. Queries exceeding 5 ms are <span
class="marker">highlighted</span>.</div><div class='devel-querylog devel-querylog-header clear-block'><div
class="cell cell-1">ms</div><div class="cell cell-2">#</div><div class="cell cell-3">where</div><div class="cell
cell-4">ops</div><div class="cell cell-5">query</div><div class="cell cell-6">target</div></div><div class='devel-
querylog devel-querylog-odd clear-block'><div class="cell cell-1">0.31</div><div class="cell cell-2">4</div><div
class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::getMultiple/7">DrupalDatabaseCache::getMultiple</a>
</div><div class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="0">P</a> <a
href="/" title="Show arguments" class="dev-arguments" qid="0">A</a> <a href="/" title="Show EXPLAIN" class="dev-
explain" qid="0">E</a></div><div id="devel-query-0" class="cell cell-5"><div class="dev-placeholders">SELECT cid,
data, created, expire, serialized FROM cache_bootstrap WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div
class="cell cell-1">1.15</div><div class="cell cell-2">4</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::getMultiple/7">DrupalDatabaseCache::getMultiple</a>
</div><div class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="1">P</a> <a
href="/" title="Show arguments" class="dev-arguments" qid="1">A</a> <a href="/" title="Show EXPLAIN" class="dev-
explain" qid="1">E</a></div><div id="devel-query-1" class="cell cell-5"><div class="dev-placeholders">SELECT cid,
data, created, expire, serialized FROM cache_bootstrap WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div
class="cell cell-1">0.09</div><div class="cell cell-2">2</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/drupal_get_filename/7">drupal_get_filename</a></div><div class="cell cell-
4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="2">P</a> <a href="/" title="Show arguments"
class="dev-arguments" qid="2">A</a> <a href="/" title="Show EXPLAIN" class="dev-explain" qid="2">E</a></div><div
id="devel-query-2" class="cell cell-5"><div class="dev-placeholders">SELECT filename FROM system WHERE name = :name
AND type = :type</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div
class="cell cell-1">0.17</div><div class="cell cell-2">2</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/drupal_get_filename/7">drupal_get_filename</a></div><div class="cell cell-
4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="3">P</a> <a href="/" title="Show arguments"
class="dev-arguments" qid="3">A</a> <a href="/" title="Show EXPLAIN" class="dev-explain" qid="3">E</a></div><div
id="devel-query-3" class="cell cell-5"><div class="dev-placeholders">SELECT filename FROM system WHERE name = :name
AND type = :type</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div
class="cell cell-1">0.42</div><div class="cell cell-2">4</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::getMultiple/7">DrupalDatabaseCache::getMultiple</a>
</div><div class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="4">P</a> <a
href="/" title="Show arguments" class="dev-arguments" qid="4">A</a> <a href="/" title="Show EXPLAIN" class="dev-
explain" qid="4">E</a></div><div id="devel-query-4" class="cell cell-5"><div class="dev-placeholders">SELECT cid,
data, created, expire, serialized FROM cache_bootstrap WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div
class="cell cell-1">0.1</div><div class="cell cell-2">1</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/drupal_lookup_path/7">drupal_lookup_path</a></div><div class="cell cell-4">
<a href="/" title="Show placeholders" class="dev-placeholders" qid="5">P</a> <a href="/" title="Show arguments"
class="dev-arguments" qid="5">A</a> <a href="/" title="Show EXPLAIN" class="dev-explain" qid="5">E</a></div><div
id="devel-query-5" class="cell cell-5"><div class="dev-placeholders">SELECT source FROM url_alias WHERE alias =
:alias AND language IN (:language, :language_none) ORDER BY language ASC, pid DESC</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div
class="cell cell-1">0.43</div><div class="cell cell-2">1</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::getMultiple/7">DrupalDatabaseCache::getMultiple</a>
</div><div class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="6">P</a> <a
href="/" title="Show arguments" class="dev-arguments" qid="6">A</a> <a href="/" title="Show EXPLAIN" class="dev-
explain" qid="6">E</a></div><div id="devel-query-6" class="cell cell-5"><div class="dev-placeholders">SELECT cid,
```

```
data, created, expire, serialized FROM cache_menu WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div
class="cell cell-1">0.49</div><div class="cell cell-2">1</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/menu_get_item/7">menu_get_item</a></div><div class="cell cell-4"><a
href="/" title="Show placeholders" class="dev-placeholders" qid="7">P</a> <a href="/" title="Show arguments"
class="dev-arguments" qid="7">A</a> <a href="/" title="Show EXPLAIN" class="dev-explain" qid="7">E</a></div><div
id="devel-query-7" class="cell cell-5"><div class="dev-placeholders">SELECT * FROM menu_router WHERE path IN
(:ancestors_0, :ancestors_1, :ancestors_2, :ancestors_3, :ancestors_4, :ancestors_5) ORDER BY fit DESC LIMIT 0,
1</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div
class="cell cell-1">0.19</div><div class="cell cell-2">1</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::set/7">DrupalDatabaseCache::set</a></div><div
class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="8">P</a> <a href="/"
title="Show arguments" class="dev-arguments" qid="8">A</a></div><div id="devel-query-8" class="cell cell-5"><div
class="dev-placeholders">SELECT 1 AS expression
FROM
cache_menu cache_menu
WHERE ( (cid = :db_condition_placeholder_0) ) FOR UPDATE</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div
class="cell cell-1">0.26</div><div class="cell cell-2">1</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::set/7">DrupalDatabaseCache::set</a></div><div
class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="9">P</a> <a href="/"
title="Show arguments" class="dev-arguments" qid="9">A</a></div><div id="devel-query-9" class="cell cell-5"><div
class="dev-placeholders">INSERT INTO cache_menu (cid, serialized, created, expire, data) VALUES
(:db_insert_placeholder_0, :db_insert_placeholder_1, :db_insert_placeholder_2, :db_insert_placeholder_3,
:db_insert_placeholder_4)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div
class="cell cell-1">0.26</div><div class="cell cell-2">1</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::getMultiple/7">DrupalDatabaseCache::getMultiple</a>
</div><div class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="10">P</a> <a
href="/" title="Show arguments" class="dev-arguments" qid="10">A</a> <a href="/" title="Show EXPLAIN" class="dev-
explain" qid="10">E</a></div><div id="devel-query-10" class="cell cell-5"><div class="dev-placeholders">SELECT cid,
data, created, expire, serialized FROM cache_path WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div
class="cell cell-1">0.1</div><div class="cell cell-2">4</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::getMultiple/7">DrupalDatabaseCache::getMultiple</a>
</div><div class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="11">P</a> <a
href="/" title="Show arguments" class="dev-arguments" qid="11">A</a> <a href="/" title="Show EXPLAIN" class="dev-
explain" qid="11">E</a></div><div id="devel-query-11" class="cell cell-5"><div class="dev-placeholders">SELECT cid,
data, created, expire, serialized FROM cache_rules WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div
class="cell cell-1">0.25</div><div class="cell cell-2">4</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::getMultiple/7">DrupalDatabaseCache::getMultiple</a>
</div><div class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="12">P</a> <a
href="/" title="Show arguments" class="dev-arguments" qid="12">A</a> <a href="/" title="Show EXPLAIN" class="dev-
explain" qid="12">E</a></div><div id="devel-query-12" class="cell cell-5"><div class="dev-placeholders">SELECT cid,
data, created, expire, serialized FROM cache_rules WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div
class="cell cell-1">0.09</div><div class="cell cell-2">4</div><div class="cell cell-3"><a
href="http://api.drupal.org/api/function/DrupalDatabaseCache::getMultiple/7">DrupalDatabaseCache::getMultiple</a>
</div><div class="cell cell-4"><a href="/" title="Show placeholders" class="dev-placeholders" qid="13">P</a> <a
```

href="/" title="Show arguments" class="dev-arguments" qid="13">A E</div><div id="devel-query-13" class="cell cell-5"><div class="dev-placeholders">SELECT cid, data, created, expire, serialized FROM cache_rules WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div class="cell cell-1">0.45</div><div class="cell cell-2">4</div><div class="cell cell-3">DrupalDatabaseCache::getMultiple</div><div class="cell cell-4">P A E</div><div id="devel-query-14" class="cell cell-5"><div class="dev-placeholders">SELECT cid, data, created, expire, serialized FROM cache_bootstrap WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div class="cell cell-1">0.8</div><div class="cell cell-2">1</div><div class="cell cell-3">dblog_watchdog</div><div class="cell cell-4">P A</div><div id="devel-query-15" class="cell cell-5"><div class="dev-placeholders">INSERT INTO watchdog (uid, type, message, variables, severity, link, location, referer, hostname, timestamp) VALUES (:db_insert_placeholder_0, :db_insert_placeholder_1, :db_insert_placeholder_2, :db_insert_placeholder_3, :db_insert_placeholder_4, :db_insert_placeholder_5, :db_insert_placeholder_6, :db_insert_placeholder_7, :db_insert_placeholder_8, :db_insert_placeholder_9)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div class="cell cell-1">0.1</div><div class="cell cell-2">4</div><div class="cell cell-3">DrupalDatabaseCache::getMultiple</div><div class="cell cell-4">P A E</div><div id="devel-query-16" class="cell cell-5"><div class="dev-placeholders">SELECT cid, data, created, expire, serialized FROM cache_rules WHERE cid IN (:cids_0)</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-even clear-block'><div class="cell cell-1">0.23</div><div class="cell cell-2">1</div><div class="cell cell-3">_drupal_session_write</div><div class="cell cell-4">P A</div><div id="devel-query-17" class="cell cell-5"><div class="dev-placeholders">SELECT 1 AS expression
FROM
sessions sessions
WHERE ((sid = :db_condition_placeholder_0) AND (ssid = :db_condition_placeholder_1)) FOR UPDATE</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div><div class='devel-querylog devel-querylog-odd clear-block'><div class="cell cell-1">0.38</div><div class="cell cell-2">1</div><div class="cell cell-3">_drupal_session_write</div><div class="cell cell-4">P A</div><div id="devel-query-18" class="cell cell-5"><div class="dev-placeholders">UPDATE sessions SET uid=:db_update_placeholder_0, cache=:db_update_placeholder_1, hostname=:db_update_placeholder_2, session=:db_update_placeholder_3, timestamp=:db_update_placeholder_4
WHERE ((sid = :db_condition_placeholder_0) AND (ssid = :db_condition_placeholder_1))</div>
<div class="dev-arguments" style="display: none;"></div>
<div class="dev-explain" style="display: none;"></div>
</div><div class="cell cell-6">default</div></div>