Modules LIST UPDATE UNINSTALL

Home » Administration

Modules

No update information available. Run cron or check manually.

Download additional contributed modules to extend Drupal's functionality.

Regularly review and install <u>available updates</u> to maintain a secure and current site. Always run the <u>update script</u> each time a module is updated.

• Install new module

Enabled	Name	Version	Description	Operation	ns	
	Aggregat	or7.14	Aggregates syndicated content (RSS, RDF, and Atom feeds).			
₩	Block	7.14	Controls the visual building blocks a page is constructed with. Blocks are boxes of content rendered into an area, or region, of a web page. Required by: Dashboard (enabled), Homebox (disabled), Homebox example (disabled), Homebox OG (disabled), Block languages (disabled), Menu translation (disabled), Mega Menu (disabled), Nivo Slider (disabled), Nodes in block (disabled)	Help	Permissions	Configur
	Blog	7.14	Enables multi-user blogs.			
	Book	7.14	Allows users to create and organize related content in an outline.			

Allows administrators to change the color Color 7.14 Help 1 scheme of compatible themes. Required by: Stylizer (disabled) Allows users to comment on and discuss published content. Requires: Text (enabled), Field (enabled), Field SQL storage (enabled) Required by: Forum (disabled), Advanced Forum (disabled), Advanced Forum More Styles (disabled), Comment Anonymizer (disabled), Comment allow anonymous (disabled), Comment Easy Reply (disabled), Comment goodness (disabled), Comment limit (disabled), Comment subjects (disabled), Comment Trust (disabled), Comment Form Settings (disabled), Comments block (disabled), Dialog Comment (disabled), Fail2Ban (disabled), Flat comments (disabled), i18n comments (disabled), Comment 7.14 Configure 1 <u>Help</u> **Permissions** Multilingual forum (disabled), Inline Comments (disabled), More Buttons Comment (disabled), Merge comments (disabled), Migrate Example (disabled), More Comments (disabled), One comment (disabled), Private Comments (disabled), Quote (disabled), Required comment subject (disabled), Support (disabled), Support charting (disabled), Support Mail Commands (disabled), Support

		Overview (disabled), Support Project Management (disabled), Support Reference (disabled), Talk (disabled), Two level comment (disabled), Tracker (disabled), Watcher (disabled)			
	Contact 7.14	Enables the use of both personal and site-wide contact forms. Required by: Contact Form On Node (disabled), Contact link (disabled), Contact translation (disabled)			
	Content 7.14 translation	Allows content to be translated into different languages. Requires: Locale (disabled) Required by: i18n comments (disabled), Multilingual content (disabled), Multilingual forum (disabled), Synchronize translations (disabled), Content Source (disabled), Content Source User Interface (disabled), Translation overview (disabled)			
V	Contextual 7.14 links	Provides contextual links to perform actions related to elements on a page. Required by: Dialog contextual Links (disabled), Apply skins UI (disabled)	<u>Help</u>	<u>Permissions</u>	
▽	Dashboard 7.14	Provides a dashboard page in the administrative interface for organizing administrative tasks and tracking information within your site.	<u>Help</u>	<u>Permissions</u>	Configure

Database 7.14 1 logging

Requires: Block (enabled) Logs and records

system events to the database.

Required by: Nodejs

Help

Watchdog (disabled) Field API to add fields to entities like nodes and users. Requires: Field SQL storage (enabled), Field (enabled) Required by: Drupal, Field SQL storage (enabled), Field (enabled), Options (enabled), Taxonomy (enabled), Text (enabled), Comment (enabled), Forum (disabled), Advanced Forum (disabled), Advanced Forum More Styles (disabled), Comment Anonymizer (disabled), Anonymous Posting Field (disabled), Anonymous Posting (disabled), List (enabled), References (disabled), Node Reference (disabled), Node Reference Count (disabled), Node Reference URL Widget (disabled), Number (enabled), Answers (disabled), Field UI (enabled), CCK (disabled), File (enabled), Image (enabled), Cloud Zoom (disabled), Comment allow anonymous (disabled), Comment Easy Reply (disabled), Comment goodness (disabled), Comment limit (disabled), Comment subjects (disabled), Comment Trust (disabled), Comment Form Settings (disabled), Comments block (disabled),

Computed Field

(disabled), Content Approval Field (disabled), Content Approval (disabled), Custom breadcrumbs for taxonomy (disabled), Dynamic display block (disabled), Deep Zoom (disabled), Dialog Comment (disabled), Enterprise Blog (disabled), Enterprise Blog Content (disabled), Fail2Ban (disabled), Fancybox (disabled), Featured Content (disabled), Features Tests (disabled), Fieldgroup (enabled), Field Slideshow (disabled), File entity (disabled), Filters Image Effect (filtersie) (disabled), Flat comments <u>Help</u> (disabled), HTML Tidy (disabled), i18n comments (disabled), Field translation (disabled), Taxonomy translation (disabled), Multilingual forum (disabled), Image preview (disabled), Imagecache Profile Pictures (disabled), Inline Comments (disabled), Linkit Taxonomy (disabled), More Buttons Comment (disabled), Media (disabled), Media Embedded (disabled), Hide Widget (disabled), Overlay Formatter (disabled), Text Formatter (disabled), Media Internet Sources (disabled), Merge comments (disabled), Migrate Example (disabled), migrate example baseball (disabled), Migrate example - Oracle (disabled), More Comments (disabled), Multistep (disabled), Name Field (disabled),

Nivo Slider (disabled),

Field

1

7.14

Nodereference Variables (disabled), Onecomment (disabled), Piecemaker Blocks (disabled), Pirobox Media (disabled), Private Comments (disabled), Quote (disabled), Required comment subject (disabled), Node reference tabs (disabled), Smartqueue taxonomy (disabled), Support (disabled), Support charting (disabled), Support Mail Commands (disabled), Support Overview (disabled), Support Project Management (disabled), Support Reference (disabled), Tagmap (disabled), Talk (disabled), Taxonomy Access Control (disabled), Taxonomy Manager (disabled), Two level comment (disabled), Tracker (disabled), User Reference (disabled), Video (disabled), Video UI (disabled), Views Slideshow Xtra Example (disabled), Watcher (disabled), Workbench Access (disabled), Workbench Media (disabled), WP Blog (disabled)

Stores field data in an SQL database.

Requires: Field (enabled),
Field SQL storage
(enabled)
Required by: Drupal,
Field SQL storage
(enabled), Field
(enabled), Field
(enabled), Options
(enabled), Taxonomy
(enabled), Text (enabled),
Comment (enabled),
Forum (disabled),
Advanced Forum

(disabled), Advanced Forum More Styles (disabled), Comment Anonymizer (disabled), Anonymous Posting Field (disabled), Anonymous Posting (disabled), List (enabled), References (disabled), Node Reference (disabled), Node Reference Count (disabled), Node Reference URL Widget (disabled), Number (enabled), Answers (disabled), Field UI (enabled), CCK (disabled), File (enabled), Image (enabled), Cloud Zoom (disabled), Comment allow anonymous (disabled), Comment Easy Reply (disabled), Comment goodness (disabled), Comment limit (disabled), Comment subjects (disabled), Comment Trust (disabled), Comment Form Settings (disabled), Comments block (disabled), Computed Field (disabled), Content Approval Field (disabled), Content Approval (disabled), Custom breadcrumbs for taxonomy (disabled), Dynamic display block (disabled), Deep Zoom (disabled), Dialog Comment (disabled), Enterprise Blog (disabled), Enterprise Blog Content (disabled), Fail2Ban (disabled), Fancybox (disabled), Featured Content (disabled), Features Tests (disabled), Fieldgroup (enabled), Field Slideshow (disabled), File entity (disabled), Filters Image Effect (filtersie)

1

(disabled), HTML Tidy

(disabled), i18n comments

(disabled), Flat comments

(disabled), Field

translation (disabled),

Taxonomy translation

(disabled), Multilingual

forum (disabled), Image

preview (disabled),

Imagecache Profile

Pictures (disabled), Inline

Comments (disabled),

Linkit Taxonomy

(disabled), More Buttons

Comment (disabled),

Media (disabled), Media

Embedded (disabled),

Hide Widget (disabled),

Overlay Formatter

(disabled), Text Formatter

(disabled), Media Internet

Sources (disabled),

Merge comments

(disabled), Migrate

Example (disabled),

migrate example baseball

(disabled), Migrate

example - Oracle

(disabled), More

Comments (disabled),

Multistep (disabled),

Name Field (disabled),

Nivo Slider (disabled),

Nodereference Variables

(disabled), Onecomment

(disabled), Piecemaker

Blocks (disabled),

Pirobox Media (disabled),

Private Comments

(disabled), Quote

(disabled), Required

comment subject

(disabled), Node

reference tabs (disabled),

Smartqueue taxonomy

(disabled), Support

(disabled), Support

charting (disabled),

Support Mail Commands

(disabled), Support

Overview (disabled),

Support Project

Management (disabled),

Support Reference

(disabled), Tagmap

<u>Help</u>

(disabled), Talk (disabled), Taxonomy Access Control (disabled), Taxonomy Manager (disabled), Two level comment (disabled), Tracker (disabled), User Reference (disabled), Video (disabled), Video UI (disabled), Views Slideshow Xtra Example (disabled), Watcher (disabled), Workbench Access (disabled), Workbench Media (disabled), WP Blog (disabled)

Field API.

7.14

Field UI

1

Requires: Field (enabled),

User interface for the

Field SQL storage

(enabled)

Required by: CCK

(disabled)

Defines a file field

type.

Requires: Field (enabled),

Field SQL storage

(enabled)

Required by: Image

(enabled), Cloud Zoom

(disabled), Dynamic

display block (disabled),

Deep Zoom (disabled),

Enterprise Blog

(disabled), Enterprise

Blog Content (disabled),

Fancybox (disabled),

Features Tests (disabled),

Field Slideshow

(disabled), Filters Image

Effect (filtersie) (disabled),

Image preview (disabled),

Imagecache Profile

Pictures (disabled), Media

(disabled), Media

Embedded (disabled),

Hide Widget (disabled),

The Waget (disuble

Overlay Formatter

(disabled), Text Formatter (disabled), Media Internet

Sources (disabled),

✓ File 7.14

Help

<u>Help</u>

Filter	7.14	Pirobox Media (disabled), Support (disabled), Support charting (disabled), Support Mail Commands (disabled), Support Overview (disabled), Support Project Management (disabled), Support Reference (disabled), Video (disabled), Video UI (disabled), Views Slideshow Xtra Example (disabled), Workbench Media (disabled) Filters content in preparation for display. Required by: Drupal, Collapse Text (disabled), Content locking (edit lock) (disabled), Content locking (edit lock) timeouts (disabled), Freelinking (disabled), Freelinking Prepopulate (disabled), Mail System (disabled), HTML Mail (disabled), HTML Tidy (disabled), insertFrame (disabled), Internal Links (disabled), Mime Mail Action (disabled), Mime Mail Action (disabled), Mime Mail Action (disabled), Mime Mail Action (disabled), Sanitizable (disabled), Custom tokens (disabled) Provides discussion forums.	Help	Permissions	Configure
Forum	7.14	Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Comment (enabled), Text (enabled)			

▼	Help	7.14	Forum (disabled), Advanced Forum More Styles (disabled), Multilingual forum (disabled) Manages the display of online help. Provides image manipulation tools. Requires: File (enabled), Field (enabled), Field SQL storage (enabled) Required by: Drupal (Field type(s) in use - see Field list), Cloud Zoom (disabled), Dynamic display block (disabled), Deep Zoom (disabled), Enterprise Blog (disabled), Enterprise Blog Content (disabled), Fancybox (disabled), Field Slideshow (disabled), Filters Image Effect (filtersie) (disabled), Image preview (disabled), Image preview (disabled), Imagecache Profile Pictures (disabled), Media (disabled), Media Embedded (disabled), Hide Widget (disabled), Overlay Formatter (disabled), Text Formatter (disabled), Media Internet Sources (disabled), Migrate Example (disabled), Migrate example - Oracle (disabled), Nivo Slider (disabled), Piecemaker Blocks (disabled), Video (disabled)	Help	Permissions	Configure
V	List	7.14	Defines list field types. Use with Options to create selection lists. Requires: Field (enabled), Field SQL storage	<u>Help</u>		

(enabled), Options (enabled) Required by: Answers (disabled), Migrate Example (disabled)

Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Internationalization (disabled), String translation (disabled), Block languages (disabled), Content translation (disabled), i18n comments (disabled), Contact translation (disabled), Field translation (disabled), Translation sets (disabled), Taxonomy translation (disabled), Multilingual content (disabled), Multilingual forum (disabled), Menu translation (disabled), Path translation (disabled), Translation redirect (disabled), Multilingual select (disabled), Synchronize translations (disabled), Variable translation (disabled), Views translation (disabled),

Locale 7.14

Language icons (disabled), Rules translation (disabled), Translation Management Core (disabled), Entity Source (disabled), Translation Management UI (disabled), Entity Source User Interface (disabled), Export / Import File (disabled), il 8n String Source (disabled), Local Translator (disabled), Microsoft Translator (disabled), myGengo

			Translator (disabled), Nativy Translator (disabled), Content Source (disabled), Content Source User Interface (disabled), Supertext Translator (disabled), Translation overview (disabled)			
	Menu	7.14	Allows administrators to customize the site navigation menu. Required by: Admin Tools (disabled), Answers (disabled), Devel node access (disabled), Giga Menu (disabled), Menu translation (disabled), Mega Menu (disabled), Menu Minipanels (disabled), Menu Views (disabled), Nivo Slider (disabled), Quickbar (disabled), Quickbar: Extras (disabled), Quickbar: Extras (disabled), Quickbar: Help (disabled), Superfish (disabled)	<u>Help</u>	Permissions	Configure
✓	Node	7.14	Allows content to be submitted to the site and displayed on pages. Required by: Drupal, Content locking (edit lock) (disabled), Content locking (edit lock) timeouts (disabled), Node Accessibility Statistics (disabled), Watcher (disabled)	Help	Permissions	Configure
▽	Number	7.14	Defines numeric field types. Requires: Field (enabled), Field SQL storage (enabled) Required by: Answers (disabled), Migrate Example (disabled), migrate_example_baseball (disabled)	<u>Help</u>		
	OpenID	7.14	Allows users to log into your site using OpenID. Required by: OpenID			

Admin (disabled) Defines selection, check box and radio button widgets for text and numeric fields. Requires: Field (enabled), Field SQL storage (enabled) Required by: Taxonomy (enabled), Forum (disabled), Advanced Forum (disabled), Advanced Forum More Styles (disabled), List (enabled), References (disabled), Node Reference (disabled), Node Reference Count (disabled), Node Reference URL Widget (disabled), Answers (disabled), Custom breadcrumbs for taxonomy (disabled), **Options** 7.14 <u>Help</u> Enterprise Blog (disabled), Enterprise Blog Content (disabled), Featured Content (disabled), Taxonomy translation (disabled), Multilingual forum (disabled), Linkit Taxonomy (disabled), Migrate Example (disabled), Nodereference Variables (disabled), Node reference tabs (disabled), Smartqueue taxonomy (disabled), Tagmap (disabled), Taxonomy Access Control (disabled), Taxonomy Manager (disabled), User Reference (disabled), Workbench Access (disabled), WP Blog (disabled) Displays the Drupal administration **Overlay** 7.14 interface in an <u>Help</u> **Permissions** overlay.

1

1

			Allows users to			
V	Path	7.14	rename URLs. Required by: File Aliases (disabled), Pathauto (disabled)	<u>Help</u>	<u>Permissions</u>	Configure
	PHP filter	7.14	Allows embedded PHP code/snippets to be evaluated.			
	Poll	7.14	Allows your site to capture votes on different topics in the form of multiple choice questions.			
V	RDF	7.14	Enriches your content with metadata to let other applications (e.g. search engines, aggregators) better understand its relationships and attributes.	<u>Help</u>		
V	Search	7.14	Enables site-wide keyword searching. Required by: Search 404 (disabled), Search Autocomplete (disabled), Search Configuration (disabled)	<u>Help</u>	Permissions	Configure
V	Shortcut	7.14	Allows users to manage customizable lists of shortcut links.	<u>Help</u>	<u>Permissions</u>	Configure
	Statistics	7.14	Logs access statistics for your site. Required by: Most Popular - Drupal (disabled)			
	Syslog	7.14	Logs and records system events to syslog.			
✓	System	7.14	Handles general site configuration for administrators. Required by: Drupal, Administration menu (disabled), Admin Menu Hider (disabled), Administration menu Toolbar style (disabled) Enables the categorization of content.	Help	Permissions	Configure

Requires: Options (enabled), Field (enabled), Field SQL storage (enabled) Required by: Drupal (Field type(s) in use - see Field list), Forum (disabled), Advanced Forum (disabled), Advanced Forum More Styles (disabled), Custom breadcrumbs for taxonomy (disabled), Enterprise Blog 1 Taxonomy 7.14 <u>Help</u> **Permissions Configure** (disabled), Enterprise Blog Content (disabled), Featured Content (disabled), Taxonomy translation (disabled), Multilingual forum (disabled), Linkit Taxonomy (disabled), Migrate Example (disabled), Smartqueue taxonomy (disabled), Tagmap (disabled), Taxonomy Access Control (disabled), Taxonomy Manager (disabled), Workbench Access (disabled), WP Blog (disabled) Provides a **Testing** 7.14 framework for unit and functional testing. Defines simple text field types. Requires: Field (enabled), Field SQL storage (enabled) Required by: Drupal (Field type(s) in use - see Field list), Comment (enabled), Forum (disabled), Advanced Forum (disabled), Advanced Forum More Styles (disabled), Comment Anonymizer (disabled), Comment allow anonymous (disabled), Comment Easy Reply (disabled), Comment goodness (disabled), Comment limit

	Text	7.14	(disabled), Comment subjects (disabled), Comment Trust (disabled), Comment Form Settings (disabled), Comments block (disabled), Dialog Comment (disabled), Flat comments (disabled), Flat comments (disabled), Flat comments (disabled), Multilingual forum (disabled), Inline Comments (disabled), More Buttons Comment (disabled), More Buttons Comment (disabled), Migrate Example (disabled), More Comments (disabled), Onecomment (disabled), Private Comments (disabled), Private Comments (disabled), Private Comments (disabled), Support (disabled), Support (disabled), Support (disabled), Support Coverview (disabled), Support Overview (disabled), Support Overview (disabled), Support Project Management (disabled), Support Reference (disabled), Talk (disabled), Two level comment (disabled), Tracker (disabled), Watcher (disabled)	Help	
V	Toolbar	7.14	Provides a toolbar that shows the top-level administration menu items and links from other modules. Required by: Administration pane (disabled), Toolbar Hider (disabled)	<u>Help</u>	<u>Permissions</u>
	Tracker	7.14	Enables tracking of recent content for users. Requires: Comment		

	Trigger	7.14	(enabled), Text (enabled), Field (enabled), Field Enables actions to be fired on certain system events, such as when new content is created. Required by: Mime Mail Action (disabled), Nodejs Actions (disabled), Session Limit (disabled), Workflow actions and triggers (disabled)			
V	Update manager	7.14	7.14 Checks for available updates, and can securely install or update modules and themes via a web interface. Required by: Apps (disabled)			Configure
V	User	7.14	Manages the user registration and login system. Required by: Drupal, View profiles permissions (disabled)	Help	<u>Permissions</u>	Configure

Enabled	Name	Version	Description	Operations
	Node Accessibility Statistics	7.x-1.0	Provides statistical information from the node accessibility module validation reports using the Phplot API. Requires: Node (enabled), Node_accessibility (missing), Phplot_api (missing), Cf (missing), Cf_menu (missing)	

- Adminis	stration ———			
Enabled	Name	Version	Description	Operations
	Actions permissions	7.x-3.0-rc1	Integrates actions with the permission system.	l
	Admin	7.x-2.x-dev	UI helpers for Drupal admins and managers. Required by: Admin Tools (disabled)	
	Admin Menu 7.x-3.x-dev		Shows/hides admin menu with the press of a key. Requires: Administration menu (disabled), System (enabled)	
			Provides integration of the admin_menu flush cache features in	

Admin Tools	7.x-1.1	the Admin module without having Admin Menu installed. Requires: Menu (enabled), Admin (disabled)
Administration Development tools	7.x-3.0- rc2+6-dev	Administration and debugging functionality for developers and site builders.
	7.x-3.0- rc2+6-dev	Provides a dropdown menu to most administrative tasks and other common destinations (to users with the proper permissions). Requires: System (enabled) Required by: Admin Menu Hider (disabled), Administration menu Toolbar style (disabled)
Administration Menu select		Allows users to choose which Administration menu module to use.
Administration menu Toolbar style	7.x-3.0- rc2+6-dev	A better Toolbar. Requires: Administration menu (disabled), System (enabled)
Administration theme	7.x-1.0	Enable the administration theme on more pages than possible with Drupal's default administration page.
Administration views	7.x-3.0-rc1	Replaces all system object management pages in Drupal core with real views. Requires: Views (disabled), Chaos tools (enabled), Views Bulk Operations (disabled), Entity API (enabled)
Administrative pages	7.x-1.0	Allows users to configure which pages are to be considered administrative.
Automated Logout	7.x-2.0- beta1+2-dev	Adds automated timed logout
DQX AdminMenu		Alternative to the 'Administration Menu' module. Requires: Page API (disabled)
Eazy Launch	7.x-1.1	A text-driven launcher for navigating the entire menu system of your Drupal site. On any page, hit Ctrl+Z (or Ctrl+Shift+Z) and start typing.
Fast Permissions Administration	1.X - 2.2	Provides quick access to a content type's or field's permissions.
Fasttoggle	7.x-1.0	Enables fast toggling of binary settings.
Filter permissions	7.x-1.x-dev	Provides role and module filters to simplify the user permissions page.
Toolbar Hider	7.x-1.0	Shows/hides toolbar with the press of a key. Requires: Toolbar (enabled)

Whammy Bar 7.x-1.x-dev	You will hate this module, but your
·	users will like it. It adds a nice menu
	designed for non-techies.

Enabled	Name Versio	n Description	Operations
		Provides a question and answer service	
		Requires: Eva (disabled), Views (disabled), Chaos tools	1
		(enabled), Features (disabled), List (enabled), Field	
		(enabled), Field SQL storage (enabled), Options	
	Answers 7.x-3.0	(enabled), Menu (enabled), Node Reference (disabled),	
		References (disabled), Node Reference Count	
		(disabled), Node Reference URL Widget (disabled),	
		Number (enabled), Strongarm (disabled)	

Enabled	Name	Version	Description	Operations
	ССК	7.x-2.x- dev	Miscellaneous field functions not handled by core. Requires: Field UI (enabled), Field (enabled), Field SQL storage (enabled)	,
	Conter Migrat	nt 7.x-2.x- e dev	Migrate fields and field data from CCK D6 format to the D7 field format. Required to migrate data, can be disabled once all fields have been migrated.	

Enabled	Name	Version	Description	Operations
	Bulk Export	7.x-1.0	Performs bulk exporting of data objects known about by Chaos tools. Requires: Chaos tools (enabled)	
			A library of helpful tools by Merlin of Chaos. Required by: Address Field (disabled), Views (disabled), Views Bulk Operations (disabled), Administration views (disabled), Advanced Forum (disabled), Advanced Forum More Styles (disabled), Eva (disabled), Strongarm (disabled), Answers (disabled), Bulk Export (disabled), Chart API Views Integration (disabled), Comments block (disabled), Context (disabled), Context layouts (disabled), Context UI (disabled), Custom rulesets (disabled), Chaos Tools (CTools) AJAX Example (disabled), Custom content panes (disabled), Panels (disabled), Page manager (disabled), Chaos Tools (CTools) Plugin Example (disabled), Custom breadcrumbs for panels (disabled), Custom breadcrumbs for views (disabled), Date Context (disabled), Date Views (disabled), Display Suite (enabled), Extras (disabled), Forms (disabled), Search display (disabled), Enterprise Blog (disabled), Enterprise Blog Content (disabled), Entity Reference	

Chaos tools 7.x-1.0

1

(disabled), Entity Reference Behavior Example (disabled), Entity reference prepopulate (disabled), Entity Reference View Widget (disabled), Features Tests (disabled), Fieldgroup (enabled), Kaltura Media Views (disabled), Kaltura Module (disabled), Kaltura as a field (disabled), File entity (disabled), Flag abuse (disabled), Services (disabled), Flag Service (disabled), Footnotes with Views (disabled), Form flow (disabled), Form flow UI (disabled), Form flow example (disabled), Heartbeat activity (disabled), Heartbeat plugins (disabled), Heartbeat comments (disabled), Heartbeat activity defaults (disabled), Heartbeat Node is (disabled), Rules for Heartbeat Activity (disabled), Heartbeat UI (disabled), Views translation (disabled), Inline Comments (disabled), Linkit (disabled), Linkit File (disabled), Linkit Node (disabled), Linkit Panel Pages (disabled), Linkit Permissions (disabled), Linkit Picker (disabled), Linkit Taxonomy (disabled), Linkit User (disabled), Linkit Views (disabled), Media (disabled), Media Embedded (disabled), Hide Widget (disabled), Overlay Formatter (disabled), Text Formatter (disabled), Media Internet Sources (disabled), MediaFront (disabled), Mini panels (disabled), Menu Minipanels (disabled), Menu Views (disabled), Meta tags (disabled), Open Graph meta tags (disabled), minPlayer (disabled), MuchoMenu (disabled), Multistep (disabled), Node Embed (disabled), Nodequeue Service (disabled), Nodespotbox (disabled), Nodespotbox filter (disabled), Open Standards Media Player (disabled), Panels Hash Cache (disabled), Panels In-Place Editor (disabled), Panel nodes (disabled), Panels tabs (disabled), Piecemaker Blocks (disabled), Pirobox Media (disabled), Profile Picture Changer (disabled), Quicktabs (disabled), Quicktabs Styles (disabled), Node reference tabs (disabled), Renderable elements (enabled), REST Server (disabled), OAuth Authentication (disabled), Services Test Resource (disabled), Services Views (disabled), Skinr Context (disabled), Skinr Context UI (disabled), Skinr Panels (disabled), Stylizer (disabled), Tagmap (disabled), Translation Management UI (disabled), Entity Source User Interface (disabled), Local Translator (disabled), Content Source User Interface (disabled), UUID Services (disabled), UUID Services Example (disabled), Variable views (disabled), Views content panes (disabled), Views exporter (disabled), Views Field View (disabled), Views Infinite Scroll (disabled), Views Load More (disabled), Views Nivo Slider (disabled), Views Roundabout (disabled), Views Slideshow (disabled), Views Slideshow: Cycle (disabled), Views slideshow: DDblock (disabled), Views Slideshow Xtra (disabled), Views Slideshow Xtra Overlay (disabled), Views Slideshow Xtra Example (disabled), Views UI (disabled), Views Visual

	Search (disabled), Workbench (disabled), Workbench Files (disabled), Workbench Media (disabled), Workflow views (disabled), WP Blog (disabled), XMLRPC Server (disabled)
Chaos Tools (CTools)7.x-1.0 AJAX Example	Shows how to use the power of Chaos AJAX. Requires: Chaos tools (enabled) Required by: Form flow example (disabled)
Chaos Tools (CTools) 7.x-1.0 Plugin Example	Shows how an external module can provide ctools plugins (for Panels, etc.). Requires: Chaos tools (enabled), Panels (disabled), Page manager (disabled), Advanced help (disabled)
Custom content 7.x-1.0 panes	Create custom, exportable, reusable content panes for applications like Panels. Requires: Chaos tools (enabled)
Custom 7.x-1.0	Create custom, exportable, reusable access rulesets for applications like Panels. Requires: Chaos tools (enabled)
Page 7.x-1.0 manager	Provides a UI and API to manage pages within the site. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled), Custom breadcrumbs for panels (disabled), Linkit Panel Pages (disabled)
Stylizer 7.x-1.0	Create custom styles for applications such as Panels. Requires: Chaos tools (enabled), Color (enabled)
Views content 7.x-1.0 panes	Allows Views content to be used in Panels, Dashboard and other modules which use the CTools Content API. Requires: Chaos tools (enabled), Views (disabled)

Charting					
Enabled	Name	Version	Description	Operations	
	Chart API	7.x-1.1	Google Chart API integration. Required by: Chart API Views Integration (disabled), Google Analytics Reports (disabled), Support charting (disabled), Drupal System Charting (disabled)		
	Chart API Views Integration	7.x-1.1	Provides a Google Chart API Views style. Requires: Chart API (disabled), Views (disabled), Chaos tools (enabled)		
	Drupal System Charting	7.x-1.1	Charting for various core modules. Requires: Chart API (disabled)		

Enabled	Name	Version	Description	Operations
	Cloud Zoom	7.x-1.0	Cloud Zoom (Professor Cloud) integration Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled)	

Enabled	Name	Version	Description	Operations
	Comment Easy Reply	7.x-1.1	Provides comment numeration and a new way to reply to comments. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)	

Enabled	Name	Version	Description	Operations
	Nodespoth	oox 7.x-1.6	Create spotboxes (blocks) from nodes using views to display content. Requires: Views (disabled), Chaos tools (enabled) Required by: Nodespotbox filter (disabled)	
	Nodespoth filter	7. x-1.6	Implements a filter/limit the displays shown in the node edit form for spotboxes Requires: Nodespotbox (disabled), Views (disabled), Chaos tools (enabled)	

Enabled	Name	Version	Description	Operations
		7.x-3.0- beta2+12- dev	Provide modules with a cache that lasts for a single page request. Requires: Chaos tools (enabled) Required by: Context layouts (disabled), Context UI (disabled), Date Context (disabled), Skinr Context (disabled)	
	Context layouts	7.x-3.0- beta2+12- dev	Allow theme layer to provide multiple region layouts and integrate with context. Requires: Context (disabled), Chaos tools (enabled)	
	Context UI	7.x-3.0- beta2+12- dev	Provides a simple UI for settings up a site structure using Context. Requires: Context (disabled), Chaos tools (enabled) Required by: Skinr Context UI (disabled)	

- <u>Curlypa</u>	<u>ige</u>			
Enabled	Name	Version	Description	Operations
	Curlypage	7.x-1.3	Add a peel away ad (magic corner, peelad) to your website. Required by: Curlypage clicks (disabled), Curlypage scheduler (disabled), Domain Curlypage (disabled)	

Curlypage clicks	/.X-1.3	Adds clicks track to curlypages. Requires: Curlypage (disabled)
Curlypage scheduler	7.x-1.3	Adds scheduling options to curlypages. Requires: Curlypage (disabled)

Enabled	Name	Version	Description	Operations
	Custom breadcrumbs	7.x-2.x- sdev	Allows administrators to define custom breadcrumb trails for node types. Required by: Custom breadcrumbs identifiers (disabled), Custom breadcrumbs for panels (disabled), Custom breadcrumbs for paths (disabled), Custom breadcrumbs for taxonomy (disabled), Custom breadcrumbs for views (disabled), Custom breadcrumbs API (disabled)	
	Custom breadcrumbs API	7.x-2.x- dev	Provides a simple API to set breadcrumbs on module pages not served by other custom breadcrumbs submodules. Requires: Custom breadcrumbs (disabled)	3
	Custom breadcrumbs for panels	7.x-2.x- dev	Provides custom breadcrumbs for panels pages. Requires: Custom breadcrumbs (disabled), Panels (disabled), Chaos tools (enabled), Page manager (disabled)	
	Custom breadcrumbs for paths	7.x-2.x- dev	Provides custom breadcrumbs for specific paths. Requires: Custom breadcrumbs (disabled)	;
	Custom breadcrumbs for taxonomy	37.x-2.x- dev	Enables taxonomy based breadcrumbs and allows for node assosciations with taxonomy terms. Requires: Custom breadcrumbs (disabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	
	Custom breadcrumbs for views	7.x-2.x- dev	Provides custom breadcrumbs for views pages. Requires: Custom breadcrumbs (disabled), Views (disabled), Chaos tools (enabled)	
	Custom breadcrumbs identifiers	7.x-2.x- dev	Provides special identifiers for custom breadcrumbs. Requires: Custom breadcrumbs (disabled)	

<u>Data visualization</u>				
Enabled	Name	Version	Description	Operations
	Tagma	p ^{7.x-1.0-} rc1	Provides tagmap style plugin for views and tag visualization on Google Map Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Views (disabled), Chaos tools (enabled)	

Enabled	Name	Version	Description	Operations
	Date	7.x-2.5	Makes date/time fields available. Requires: Date API (disabled) Required by: Date All Day (disabled), Date Context (disabled), Date Migration (disabled), Date Repeat Field (disabled), Date Migration Example (disabled), Date Tools (disabled), Rate Expiration (disabled)	
	Date All Day	7.x-2.5	Adds 'All Day' functionality to date fields, including an 'All Day' theme and 'All Day' checkboxes for the Date select and Date popup widgets. Requires: Date API (disabled), Date (disabled)	
	Date API	7.x-2.5	A Date API that can be used by other modules. Required by: Date (disabled), Date All Day (disabled), Date Context (disabled), Date Migration (disabled), Date Repeat API (disabled), Date Repeat Field (disabled), Date Migration Example (disabled), Date Popup (disabled), Date Tools (disabled), Date Views (disabled), Rate Expiration (disabled), Revision operation scheduler (disabled)	ı
	Date Context	7.x-2.5	Adds an option to the Context module to set a context condition based on the value of a date field. Requires: Date (disabled), Date API (disabled), Context (disabled), Chaos tools (enabled)	
	Date Migration	7.x-2.5	Provides support for importing into date fields with the Migrate module. Requires: Migrate (disabled), Date (disabled), Date API (disabled) Required by: Date Migration Example (disabled)	
	Date Popup	7.x-2.5	Enables jquery popup calendars and time entry widgets for selecting dates and times. Requires: Date API (disabled) Required by: Revision operation scheduler (disabled)	
	Date Repeat API	7.x-2.5	A Date Repeat API to calculate repeating dates and times from iCal rules. Requires: Date API (disabled) Required by: Date Repeat Field (disabled), Date Migration Example (disabled)	
	Date Repeat Field	7.x-2.5	Creates the option of Repeating date fields and manages Date fields that use the Date Repeat API. Requires: Date API (disabled), Date (disabled), Date Repeat API (disabled) Required by: Date Migration Example (disabled)	
	Date Tools	7.x-2.5	Tools to import and auto-create dates and calendars. Requires: Date (disabled), Date API (disabled)	

Date	7.x-2.5	functionality.
Views		Requires: Date API (disabled), Views (disabled),
		Chaos tools (enabled)

Enabled	Name	Version	Description	Operations
	Demonstration site	7.x-1.0	Create snapshots and reset the site for demonstration or testing purposes. Required by: Demonstration site reset (disabled)	
	Demonstration site reset	7.x-1.0	Allows to reset the site on cron runs and to reset the site WITHOUT CONFIRMATION. Only supposed to be used on public demonstration sites. Use at your own risk. Requires: Demonstration site (disabled)	
	7.x- 1.2+33- dev		Various blocks, pages, and functions for developers. Required by: Devel generate (disabled), Drupal Ipsum Devel Generate (disabled), Views Slideshow Xtra Example (disabled)	
	Devel generate	7.x- 1.2+33- dev	Generate dummy users, nodes, and taxonomy terms. Requires: Devel (disabled) Required by: Drupal Ipsum Devel Generate (disabled)	
	Devel node access	7.x- 1.2+33- dev	Developer blocks and page illustrating relevant node_access records. Requires: Menu (enabled)	
	Drupal Ipsum 7.x-1.7		Drupal-flavourd lorem ipsum filler text generator Required by: Drupal Ipsum Devel Generate (disabled)	
	Drupal Ipsum Devel 7.x-1.7 Generate		Devel Generate integration for Drupal Ipsum Requires: Drupal Ipsum (disabled), Devel generate (disabled), Devel (disabled)	
	Drupal Reset	7.x-1.3	Resets the current site by doing one or both of deleting the site files directory, and deleting all database tables and redirecting to install.php.	
	Feedback	7.x-2.x- dev	Allows site visitors and users to report issues about this site.	
	■ Inspect 7.x-2.4		Inspect variables, traces and execution times. Get concise and well formatted var dumps and stack traces, logged to database (watchdog -> Reports / Recent log messages) or as strings.	
	Journal	7.x-1.0	Maintain a custom log of performed setup and configuration actions.	

Migrate	7.x-2.3	Required by: Date Migration (disabled), Date Migration Example (disabled), Migrate Example (disabled), migrate_example_baseball (disabled), Migrate example - Oracle (disabled), Migrate UI (disabled)
Migrate Example	7.x-2.3	Example migration data. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Image (enabled), File (enabled), Comment (enabled), Text (enabled), Migrate (disabled), List (enabled), Number (enabled)
Migrate UI	7.x-2.3	UI for managing migration processes Requires: Migrate (disabled)
Nodequeue generate	7.x-2.0- beta1	Bulk assign nodes into queues for quickly populating a site. Requires: Nodequeue (disabled)
Performance Logging	7.x-1.0	Logs detailed and/or summary page generation time and memory consumption for page requests.
ThemeKey Example	7.x-2.0	Implements parts of the ThemeKey API as an example for Developers. Requires: ThemeKey (disabled)

Display	Suite —			
Enabled	Name	Version	Description	Operations
V	Display Suite	7.x-2.x- dev	Extend the display options for every entity type. Requires: Chaos tools (enabled) Required by: Extras (disabled), Forms (disabled), Search display (disabled)	Permissions Configure
	Extras	7.x-2.x- dev	Contains additional features. Requires: Display Suite (enabled), Chaos tools (enabled)	
	Forms	7.x-2.x- dev	Manage the layout of forms. Requires: Display Suite (enabled), Chaos tools (enabled)	
Search 7.x-2.x-display dev			Extend the display options for search results for Drupal Core or Apache Solr. Requires: Display Suite (enabled), Chaos tools (enabled)	

<u>Distribution Management</u>					
Enabled	Name	Version	Description	Operations	
	Apps	7.x-1.0- beta6+5-dev	Provides Interface for Install Apps from A drupal app server Requires: Update manager (enabled)		

Enabled	Name	Version	Description	Operations
	Domain Curlypage	7.x-1.3	Provides domain specific visibility settings for curlypages using publishing options in domain access module. Requires: Domain (missing), Curlypage (disabled)	

<u>Drupalace</u>				
Enabled	Name	Version	Description	Operations
	Twitter Profile Widget	7.x-1.6	Helps to customize Twitter Profile Widget. Made by Maslouski Yauheni	

Example modules				
Enabled	Name	Version	Description	Operations
	Variable example	7.x-1.2	An example module showing how to use the Variable API and providing some variables. Requires: Variable (disabled), Variable store (disabled)	

Enabled	Name	Version	Description	Operations
	Date Migration Example	7.x-2.5	Examples of migrating with the Date module Requires: Date (disabled), Date API (disabled), Date Repeat API (disabled), Date Repeat Field (disabled), Date Migration (disabled), Migrate (disabled), Features (disabled)	
	Debut	7.x-1.0- rc1+1-dev	Core components for the Debut features set. Requires: Features (disabled)	
	Features	7.x-1.0-rc2	Provides feature management for Drupal. Required by: Answers (disabled), Date Migration Example (disabled), Debut (disabled), Enterprise Blog (disabled), Enterprise Blog (disabled), Features Tests (disabled), Features tools (disabled), Features tools (disabled), Migrate example - Oracle (disabled), ThemeKey Features (Experimental!) (disabled), UUID default entities example (disabled)	

	Features tools	7.x-1.4	Provides feature management auto download button.
	Migrate example - Oracle	7.x-2.3	Content type supporting example of Oracle migration Requires: Features (disabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Migrate (disabled)
	migrate_example_baseball	7.x-2.3	Import baseball box scores. Requires: Features (disabled), Migrate (disabled), Number (enabled), Field (enabled), Field SQL storage (enabled)
	UUID default entities	7.x-1.0- alpha3+31- dev	Example feature mainly used for testing. Requires: Entity API (enabled), Features (disabled), Universally Unique ID (disabled)
	UUID Services Example	7.x-1.0- alpha3+31- dev	Example feature of a UUID service. Works well with the Deploy Example feature as a client. Requires: REST Server (disabled), Services (disabled), Chaos tools (enabled), Universally Unique ID (disabled), UUID Services (disabled), Entity API (enabled)

Fields -				
Enabled	Name	Version	Description	Operations
	Address Field	7.x-1.x- dev	Manage a flexible address field, implementing the xNAL standard. Requires: Chaos tools (enabled)	
	Anonymous Posting Field	s 7.x-1.0- beta 7+0- dev	Handle the anonymous author field definitions which hold datas (name, email, homepage and hostname) for the Anonymous Posting module. Requires: Field (enabled), Field SQL storage (enabled) Required by: Anonymous Posting (disabled)	
	Computed Field	7.x-1.0- beta1+2- dev	Defines a field type that allows values to be "computed" via PHP code. Requires: Field (enabled), Field SQL storage (enabled)	
	Content		Handle required field definitions for the Content Approval module.	

	Approval Field	7.x-1.1	Requires: Field (enabled), Field SQL storage (enabled) Required by: Content Approval (disabled)	
	Email	7.x-1.0	Defines an email field type.	
	Entity Reference	7.x-1.0- beta5+6- dev	Provides a field that can reference other entities. Requires: Entity API (enabled), Chaos tools (enabled) Required by: Entity Reference Behavior Example (disabled), Entity reference prepopulate (disabled), Entity Reference View Widget (disabled)	
	Entity Reference Behavior Example	7.x-1.0- beta5+6- dev	Provides some example code for implementing Entity Reference behaviors. Requires: Entity Reference (disabled), Entity API (enabled), Chaos tools (enabled)	
	Entity reference prepopulate	7.x-1.0	Prepopulate entity reference values from URL. Requires: Entity Reference (disabled), Entity API (enabled), Chaos tools (enabled)	
V	Fieldgroup	7.x- 1.1+41- dev	Fieldgroup Requires: Field (enabled), Field SQL storage (enabled), Chaos tools (enabled) Required by: Multistep (disabled), Node reference tabs (disabled)	Permissions
	File (Field) Paths	7.x-1.0- beta3	Adds improved Token based file sorting and renaming functionalities. Requires: Token (disabled) Required by: File Aliases (disabled)	
	File Aliases	7.x-1.x- dev	Adds file aliases to FileFields and Uploads. Requires: File (Field) Paths (disabled), Token (disabled), Path (enabled)	
	Link	7.x-1.0	Defines simple link field types.	
	Multistep	7.x-1.x- dev	Adds multistep functionality to content types. Requires: Field (enabled), Field SQL storage (enabled), Fieldgroup (enabled), Chaos tools (enabled)	
	Name Field	7.x-1.5	Defines a persons name field type. Requires: Field (enabled), Field SQL storage (enabled)	
	Node Reference	7.x-2.0	Defines a field type for referencing one node from another. Requires: Field (enabled), Field SQL storage (enabled), References (disabled), Options (enabled) Required by: Node Reference Count (disabled), Node Reference URL Widget (disabled), Answers (disabled), Nodereference Variables (disabled), Node reference tabs (disabled) Defines a field type for counting the	

Node Reference Count	7.x-1.0	references to a node. Requires: Field (enabled), Field SQL storage (enabled), Node Reference (disabled), References (disabled), Options (enabled) Required by: Answers (disabled)
Node reference tabs	7.x-1.x- dev	Adds a setting to the "rendered node" formatter for node references, which renders nodes in horizontal tabs. Requires: Node Reference (disabled), Field (enabled), Field SQL storage (enabled), References (disabled), Options (enabled), Fieldgroup (enabled), Chaos tools (enabled), Field_formatter_settings (missing)
Node Reference URL Widget	7.x-1.12	Adds an additional widget to the Node Reference field that prepopulates a reference by the URL. Requires: Node Reference (disabled), Field (enabled), Field SQL storage (enabled), References (disabled), Options (enabled) Required by: Answers (disabled)
References	7.x-2.0	Defines common base features for the various reference field types. Requires: Field (enabled), Field SQL storage (enabled), Options (enabled) Required by: Node Reference (disabled), Node Reference Count (disabled), Node Reference URL Widget (disabled), Answers (disabled), Node reference Variables (disabled), Node reference tabs (disabled), User Reference (disabled)
References Manager	7.x-1.0- beta1	Alternative widget for sorting node reference fields.
User Reference	7.x-2.0	Defines a field type for referencing a user from a node. Requires: Field (enabled), Field SQL storage (enabled), References (disabled), Options (enabled)

Filters				
Enabled	Name	Version	Description	Operations
	Custom filter	7.x-1.0	Allows the users with the right permission to create custom filters.	

Flags -				
Enabled	Name	Version	Description	Operations
	Flag	7.x-2.0- beta6	Create customized flags that users can set on content. Required by: Flag abuse (disabled), Flag actions (disabled), Flag Service (disabled), Flag solved (disabled)	

0	7.x-2.x- dev	Utilizes Flag and Views to create social content moderation tools. Requires: Flag (disabled), Views (disabled), Chaos tools (enabled)
Flag actions	7.x-2.0- beta6	Execute actions on Flag events. Requires: Flag (disabled) Required by: Flag solved (disabled)
Flag solved	7.x-1.0	Utilizes Flag to mark forum topic as solved. Requires: Flag (disabled), Flag actions (disabled)

Enabled	Name	Version	Description	Operations
	Apply skins	7.x-2.0- beta1+0- dev	Provides a way to define and skin Drupal UI components, such as blocks and menus. Required by: Apply skins for pages and regions (disabled), Apply skins UI (disabled)	
	Apply skins for pages and regions	7.x-2.0- beta1+0- dev	Adds a new tab to the administrative interface to edit skins for pages and regions. Requires: Apply skins (disabled)	
	Apply skins UI	7.x-2.0- beta1+0- dev	Administrative interface to edit skins for Drupal UI components. Without this module, you cannot edit your skins or rules. Requires: Apply skins (disabled), Contextual links (enabled)	
	Fusion grid tools	7.x-2.0- beta1+0- dev	Provides dynamic grid generation for responsive layouts.	
	Fusion labels	7.x-2.0- beta1+0- dev	Toggle buttons are added for administrators to visualize regions and grids in a theme.	
	Responsive layouts for IE 6-8	7.x-2.0- beta1+0- dev	Provides simulated support for CSS media queries in Internet Explorer versions 6-8. Requires: Libraries (disabled)	

Enabled	Name	Version	Description	Operations
	Heartbea activity	at 7.x-1.0	Logs user activity when certain events occur triggering actions. The logged data is accessable through heartbeat displays. Requires: Chaos tools (enabled) Required by: Heartbeat plugins (disabled), Heartbeat comments (disabled), Heartbeat activity defaults (disabled), Heartbeat Node.js (disabled), Rules for Heartbeat Activity (disabled), Heartbeat UI (disabled)	
			Default streams and heartbeat message	

Heartbeat activity 7.x-1.0 defaults	templates ready to go. When rules enabled, there are default rules executions as well. Requires: Heartbeat activity (disabled), Chaos tools (enabled)
Heartbeat 7.x-1.0 comments	Required by Rules for Heartheat Activity (disabled) Crives the possibility react on messages. For activity in node context, node comments can be used. Requires: Heartheat activity (disabled), Chaos tools (enabled), Heartheat plugins (disabled)
Heartbeat 7.x-1.0	Heartbeat Node.js integration Requires: Heartbeat activity (disabled), Chaos tools (enabled), Nodejs integration (disabled)
Heartbeat plugins 7.x-1.0 functionality and integration with contributions such as: flag, flag_f comments, user relationships. Requires: Heartbeat activity (disabled), (enabled)	Requires: Heartbeat activity (disabled), Chaos tools
Heartbeat 7.x-1.0	Manage heartbeat activity streams and message templates through UI. Requires: Heartbeat activity (disabled), Chaos tools (enabled)
Rules for Heartbeat 7.x-1.0 Activity	Integrates heartbeat with the rules module. Activity can get logged triggered by rules and heartbeat rules defines a couple of rules triggers as well. Requires: Heartbeat activity (disabled), Chaos tools (enabled), Heartbeat activity defaults (disabled), Rules (disabled), Entity tokens (disabled), Entity API (enabled)

Homebox —				
Enabled	Name	Version	Description	Operations
	Homebox	7.x-2.0- beta6	Provides user with a page like iGoogle, Netvibes or bbc.co.uk front page Requires: Block (enabled) Required by: Homebox example (disabled), Homebox OG (disabled)	
	Homebox example	7.x-2.0- beta6	An example implementation of the Homebox API Requires: Homebox (disabled), Block (enabled)	
	Homebox OG	7.x-2.0- beta6	Provides integration with Organic Groups and Homebox Requires: Homebox (disabled), Block (enabled), Og (missing)	

HTML:	5 Media –			
Enabled	Name	Version	Description	Operations
			A module to begin implementation of	

HTML5	7.x-1.0	HTML5 rich media handling in core.
Media		Required by: minPlayer (disabled)

<u>Image</u>				
Enabled	Name	Version	Description	Operations
	Image preview		A jQuery-based hover preview feature for imagefields. Bigger preview on hover+zoom in feature Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Libraries (disabled)	
	PNG Behave	7.x-1.9	Uses CSS Class Selectors to fix PNG Alpha Transparency through Windows IE 5.5+ behaviors.	

Enabled	Name	Version	Description	Operations
	Collapse Text	7.x-2.x- dev	Input filter allowing text sections to become collapsible. Requires: Filter (enabled)	
	Flexifilter	7.x-1.0- beta2+1- dev	Allows creatation of flexible input filters entirely through the user interface.	
	Freelinking	7.x-3.1	A filter that allows flexible linking of content Requires: Filter (enabled) Required by: Freelinking Prepopulate (disabled)	
	Freelinking Prepopulate	7.x-3.1	A Freelinking module providing Prepopulate-based plugins. Requires: Freelinking (disabled), Filter (enabled), Prepopulate (disabled)	
	HTML Tidy	7.x-1.0- beta1+1- dev	Fix invalid HTML and improve the layout and indent style of the resulting markup Requires: Field (enabled), Field SQL storage (enabled), Filter (enabled)	
	insertFrame	7.x-2.1	A filter that includes iFrame in a node with auto-height feature Requires: Filter (enabled)	
	Pathologic	7.x-1.4	Helps avoid broken links and incorrect paths in content.	
	WYSIWYG Filter	7.x-1.x- dev	Provides an input filter that allows site administrators configure which HTML elements, attributes and style properties are allowed.	

- <u>Jammer</u>				
Enabled	Name	Version	Description	Operations
	Content			

Form	7.x-1.2	Remove or hide parts of forms.
Jammer Feed Icon Jammer	7.x-1.2	Remove the feed icon from themes that use the PHPTemplate engine. No configuration needed.
Generic Jammer	7.x-1.2	Remove configured form elements from forms.
Message Jammer	7.x-1.2	Filter status messages set by drupal_set_message().

Г	<u>JQuery</u>				
]	Enabled	Name	Version	Description	Operations
-		jRumbl	e7.x-1.1	Drupal jQuery plugin that rumbles, vibrates, shakes, and rotates any element you choose.	

– JS Kit				
Enabled	Name	Version	Description	Operations
	JS Kit	7.x-1.0-	Integrate the JS-Kit Echo system with your	
	Echo	beta2	Drupal website.	

Enabled	Name	Version	Description	Operations
	Kaltura as a field	7.x-2.0- beta+42- dev	provides a field for kaltura media Requires: Kaltura Module (disabled), Views (disabled), Chaos tools (enabled), Kaltura Media Views (disabled)	
		7.x-2.0- beta+42- dev	View your top videos, most viewed, users videos, etc'. Requires: Views (disabled), Chaos tools (enabled) Required by: Kaltura Module (disabled), Kaltura as a field (disabled)	
	Kaltura Module	7.x-2.0- beta+42- dev	Infrastructure for managing video, audio and photos - allows to upload and import media files, manage them, and even allow users to collaboratively add and remix media Requires: Views (disabled), Chaos tools (enabled), Kaltura Media Views (disabled) Required by: Kaltura as a field (disabled)	

Linkit -				
Enabled	Name	Version	Description	Operations
	Linkit File	7.x-1.3	Extend Linkit with support for file links. Requires: Linkit (disabled), Chaos tools (enabled), Entity API (enabled)	
	Linkit Node	7.x-1.3	Extend Linkit with support for node links. Requires: Linkit (disabled), Chaos tools (enabled), Entity API (enabled)	
	Linkit	7.x-1.3	Extend Linkit with permissions for plugins. Requires: Linkit (disabled), Chaos tools (enabled),	

Permissions Linkit Picker	7.x-1.0+2- dev	Entity API (enabled) Linkit Picker adds the possibility to "browse" links like Node Picker had. Requires: Linkit (<2.0) (incompatible with version 7.x-2.5), Chaos tools (enabled), Entity API (enabled), Views (disabled)
Linkit Taxonomy	7.x-1.3	Extend Linkit with support for taxonomy links. Requires: Linkit (disabled), Chaos tools (enabled), Entity API (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)
Linkit User	7.x-1.3	Extend Linkit with support for user links. Requires: Linkit (disabled), Chaos tools (enabled), Entity API (enabled)
Linkit Views	7.x-1.2	Extend Linkit with views links Requires: Linkit (disabled), Chaos tools (enabled), Entity API (enabled), Views (disabled)

Enabled	Name	Version	Description	Operations
	HTML Mail	7.x-2.65	Enables HTML in system emails. Requires: Mail System (disabled), Filter (enabled)	
	Mail System	7.x-2.34	Provides a user interface for permodule and site-wide mail_system selection. Requires: Filter (enabled) Required by: HTML Mail (disabled), Mime Mail (disabled), Mime Mail Action (disabled), Mime Mail CSS Compressor (disabled)	
	Mime Mail	7.x-1.0- alpha1+9- dev	Send MIME-encoded emails with embedded images and attachments. Requires: Mail System (disabled), Filter (enabled) Required by: Mime Mail Action (disabled), Mime Mail CSS Compressor (disabled)	
	Mime Mail Action	7.x-1.0- alpha1+9- dev	Provide actions for Mime Mail. Requires: Mime Mail (disabled), Mail System (disabled), Filter (enabled), Trigger (disabled)	
	Mime Mail CSS Compressor	7.x-1.0- alpha1+9- dev	Converts CSS to inline styles in an HTML message. (Requires the PHP DOM extension.) Requires: Mime Mail (disabled), Mail System (disabled), Filter (enabled)	
	PHPMailer	7.x-3.x- dev	Integrates the PHPMailer library for SMTP e-mail delivery. Requires: Libraries (disabled)	
	SMTP Authentication Support	n 7.x-1.0- beta1	Allow for site emails to be sent through an SMTP server of your choice.	

<u>Mainter</u>	nance —			
Enabled	Name	Version	Description	Operations
	Maintenar Countdow	nce 7.x-1.1	This module provides the maintenance page with nice countdown timer. So now you may set time for your maintenance work and your visitors will see when it's will over.	
	Maintenai Seven	nce 7.x-1.0	This module provides the maintenance page with nice countdown timer. So now you may set time for your maintenance work and your visitors will see when it's will over. And, puts the site in maintenance mode with a file.	

<u>Media</u>				
Enabled	Name	Version	Description	Operations
	File entity	7.x-1.1	Extends Drupal file entities to be fieldable and viewable. Requires: Field (enabled), Field SQL storage (enabled), Chaos tools (enabled) Required by: Media (disabled), Media Embedded (disabled), Hide Widget (disabled), Overlay Formatter (disabled), Text Formatter (disabled), Media Internet Sources (disabled), Piecemaker Blocks (disabled), Pirobox Media (disabled), Workbench Media (disabled)	
	Filters Image Effect (filtersie)	7.x-1.0	Add some filtering image effects to be used in your image style. Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled)	
	IMCE	7.x-1.5	An image/file uploader and browser supporting personal directories and user quota. Required by: IMCE Crop (disabled), IMCE Directory Manager (disabled), IMCE File Path (disabled), IMCE Mkdir (disabled), IMCE Rename (disabled), IMCE Search (disabled), IMCE Wysiwyg API bridge (disabled)	
	IMCE Crop	7.x-1.0	Adds image cropping functionality to IMCE Requires: IMCE (disabled)	
	IMCE Directory Manager		Allows for per user management of directory restrictions in IMCE Requires: IMCE (disabled)	
	IMCE File Path	7.x-1.0	Provides a status bar like interface for displaying the file path of the currently selected file Requires: IMCE (disabled)	

IMCE Mkdir	7.x-1.0	Allows users manage directories in IMCE Requires: IMCE (disabled)
IMCE Rename	7.x-1.2	Adds file and directory renaming functionality to IMCE Requires: IMCE (disabled)
IMCE Search	7.x-1.0	Provides an autocomplete search box for finding files through the IMCE browser Requires: IMCE (disabled)
Media	7.x-1.1	Provides the core Media API Requires: File entity (disabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled) Required by: Media Embedded (disabled), Hide Widget (disabled), Overlay Formatter (disabled), Text Formatter (disabled), Media Internet Sources (disabled), Piecemaker Blocks (disabled), Pirobox Media (disabled), Workbench Media (disabled)
Media Internet Sources	7.x-1.1	Provides an API for accessing media on various internet services Requires: Media (disabled), File entity (disabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled)
Pirobox	7.x-1.0- beta2+0- dev	Enables the Pirobox jQuery plugin. Required by: Pirobox Media (disabled)
Pirobox Media	7.x-1.0- beta2+0- dev	Provides Media module support for the Pirobox module. Requires: Media (disabled), File entity (disabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled), Mediafield (missing), Pirobox (disabled)
Video	7.x-2.5	Upload and manage video content with Drupal Requires: File (enabled), Field (enabled), Field SQL storage (enabled), Image (enabled) Required by: Video UI (disabled)
Video Embed Field	7.x-1.0- beta1	Expose a field type for embedding videos from youtube or vimeo.
Video UI	7.x-2.5	Administrative interface to Video. Without this module you cannot configure the video module. Requires: Video (disabled), File (enabled), Field (enabled), Field SQL storage (enabled), Image (enabled)
Zencodei API	7.x-2.5	This module provides the Zencoder API. Only enable this module when another module needs it. Requires: Libraries (disabled)
API	7.x-2.5	module needs it.

Enabled	Name	Version	Description	Operations
	Hide Widget	7.x-1.x- dev	A widget for the media field that adds the option to hide the linked media fields. Requires: Media (disabled), File entity (disabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled), Media Embedded (disabled), Entity API (enabled)	
	Media Embedded	7.x-1.x- Idev	Adds links from a text field as media files into the media field. Requires: Media (disabled), File entity (disabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled), Entity API (enabled) Required by: Hide Widget (disabled), Overlay Formatter (disabled), Text Formatter (disabled)	
	Overlay Formatter	7.x-1.x- dev	A Formatter to display the linked media fields as preview at the bottom of the node. If you click on the preview, an overlay will be loaded with the media field. Requires: Media (disabled), File entity (disabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled), Media Embedded (disabled), Entity API (enabled)	
	Text Formatter	7.x-1.x-	A Formatter to replace the URLs that are linked to Media fields, needs the URL Filter. Requires: Media (disabled), File entity (disabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled), Media Embedded (disabled), Entity API (enabled)	

MediaFront —						
Enabled	Name	Version	Description	Operations		
	MediaFron	⁷ .x-2.0- beta1+3-dev	A front end media solution for Drupal. Requires: Chaos tools (enabled) Required by: minPlayer (disabled), Open Standards Media Player (disabled)			

Enabled	Name	Version	Description	Operations
	minPlayer	7.x-2.0- beta1+3- dev	A minimalistic, HTML5, plugin based media player. Requires: MediaFront (disabled), Chaos tools (enabled), HTML5 Media (disabled)	
	Open Standards Media Player	7.x-2.0- beta1+3- dev	The Open Standards Media player plugin for the MediaFront module. Requires: MediaFront (disabled), Chaos tools (enabled)	

Enabled	Name	Version	Description	Operations
	Menu Minipanel	7.x-1.0- Is rc6	Specify a mini panel to appear when a user hovers over a menu item. Uses the qTip jQuery library to handle the popup effects. Requires: Menu (enabled), Mini panels (disabled), Panels (disabled), Chaos tools (enabled)	

Menus				
Enabled	Name	Version	Description	Operations
	Mega Menu	7.x-1.x- dev	Transform any menu into a Megamenu (aka megamenu-dropdown), a jQuery-based menu with third level links grouped under the second level. Requires: Menu (enabled), Block (enabled)	

Enabled	Name	Version	Description	Operations
	Meta tags	7.x-1.0- alpha5+1-dev	Adds support and an API to implement meta tags. Requires: Token (disabled), Chaos tools (enabled) Required by: Open Graph meta tags (disabled)	
	Open Graph meta tags		Provides support for open graph meta tags. Requires: Meta tags (disabled), Token (disabled), Chaos tools (enabled)	

More Buttons —					
Enabled	Name	Version	Description	Operations	
	More Buttons	7.x-1.x- dev	The More Buttons (MB) module allows to use additional buttons with Drupal. Required by: More Buttons Comment (disabled), More Buttons Content (disabled), More Buttons Extra (disabled), More Buttons User (disabled)		
	More Buttons Comment	7.x-1.x- dev	Provides an <i>Cancel</i> button for comments. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), More Buttons (disabled)		
	More Buttons Content	7.x-1.x- dev	Provides additional buttons for nodes such as <i>Cancel</i> and <i>Save and continue</i> . Requires: More Buttons (disabled)		
	More Buttons Extra	7.x-1.x- dev	Provides various functions for the expansion of core modules. Requires: More Buttons (disabled)	l	
	More Buttons User	7.x-1.x- dev	Provides additional buttons for content in user context such as <i>Cancel</i> and <i>Save and continue</i> . Requires: More Buttons (disabled)		

Enabled	Name	Version	Description	Operations
	Most Popular - AddThis.com	7.x-1.1	Uses the AddThis.com Analytics API to provide Most Popular data. Requires: Most Popular Core (disabled), Entity API (enabled)	
	Most Popular - Disqus	7.x-1.1	Uses the Disqus API to provide Most Popular data. Requires: Most Popular Core (disabled), Entity API (enabled)	
	Most Popular - Drupal	7.x-1.1	Uses the Drupal statistics module to provide Most Popular data. Requires: Most Popular Core (disabled), Entity API (enabled), Statistics (disabled)	
	Most Popular - Google Analytics	7.x-1.1	Uses the Google Analytics API to provide Most Popular data. Requires: Most Popular Core (disabled), Entity API (enabled), Google Analytics (disabled), Google Analytics API (disabled), OAuth (disabled)	
	Most Popular Core	7.x-1.1	Most Popular provides a block where site users can see the top stories and other metrics. This module provides an extensible framework so that additional services, such as Google Analytics, can be plugged in as statistics providers. Requires: Entity API (enabled) Required by: Most Popular - AddThis.com (disabled), Most Popular - Disqus (disabled), Most Popular - Drupal (disabled), Most Popular - Google Analytics (disabled)	,

- <u>Multilar</u>	<u>iguage</u> —			
Enabled	Name	Version	Description	Operations
	GTranslate 7.x-1.7		Uses Google power to translate your web site.	

- <u>Multilin</u>	gual ———			
Enabled	Name	Version	Description	Operations
	Translation overview	7.x-2.x- dev	Provides an overview of the translation status of the site's content. Requires: Content translation (disabled), Locale (disabled)	

_ <u>Multili</u>	ngual - Interna	ationalization ——		
Enabled	Name	Version	Description	Operations
			Enables language selector	for

Block languages	7.x-1.5	blocks and optional block translation. Requires: Block (enabled), String translation (disabled), Locale (disabled), Internationalization (disabled), Variable (disabled)
Contact translation	7.x-1.5	Required by: Menu translation (disabled) Makes contact categories and replies available for translation. Requires: Contact (disabled), String translation (disabled), Locale (disabled), Internationalization (disabled), Variable (disabled)
Field translation	7.x-1.5	Translate field properties Requires: Field (enabled), Field SQL storage (enabled), String translation (disabled), Locale (disabled), Internationalization (disabled), Variable (disabled)
i18n comments	7.x-1.0- alpha3	Displays all comments for a node in a language-independent way. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), Content translation (disabled), Locale (disabled)
Internationalization	17.x-1.5	Extends Drupal support for multilingual features. Requires: Locale (disabled), Variable (disabled) Required by: String translation (disabled), Block languages (disabled), Contact translation (disabled), Field translation (disabled), Translation sets (disabled), Taxonomy translation (disabled), Multilingual content (disabled), Multilingual forum (disabled), Menu translation (disabled), Path translation (disabled), Translation redirect (disabled), Multilingual select (disabled), Synchronize translations (disabled), Variable translation (disabled), Views translation (disabled), Rules translation (disabled), il 8n String Source (disabled)
Language icons	7.x-1.0	Adds icons to language links. Requires: Locale (disabled)
Menu translation	7.x-1.5	Supports translatable custom menu items. Requires: Internationalization (disabled), Locale (disabled), Variable (disabled), Menu (enabled), Block languages (disabled), Block (enabled), String translation (disabled), Translation sets (disabled)

Multilingual content	7.x-1.5	Extended node options for multilingual content Requires: Content translation (disabled), Locale (disabled), Internationalization (disabled), Variable (disabled), String translation (disabled) Required by: Multilingual forum
Multilingual forum	7.x-1.5	translates names and containers. Requires: Forum (disabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Comment (enabled), Text (enabled), Taxonomy translation (disabled), String translation (disabled), Locale (disabled), Internationalization (disabled), Variable (disabled), Translation sets (disabled), Multilingual content (disabled), Content translation (disabled)
Multilingual select	7.x-1.5	API module for multilingual content selection Requires: Internationalization (disabled), Locale (disabled), Variable (disabled)
Path translation	7.x-1.5	Define translations for generic paths Requires: Translation sets (disabled), Internationalization (disabled), Locale (disabled), Variable (disabled)
Rules translation	7.x-2.1	Allows translating rules. Requires: Rules (disabled), Entity tokens (disabled), Entity API (enabled), String translation (disabled), Locale (disabled), Internationalization (disabled), Variable (disabled)
String translation	7.x-1.5	Provides support for translation of user defined strings. Requires: Locale (disabled), Internationalization (disabled), Variable (disabled) Required by: Block languages (disabled), Contact translation (disabled), Field translation (disabled), Taxonomy translation (disabled), Multilingual content (disabled), Multilingual forum (disabled), Menu translation (disabled), Views translation (disabled), Rules translation (disabled), il 8n String Source (disabled)
Synchronize translations	7.x-1.5	Synchronizes taxonomy and fields accross translations of the same content. Requires: Internationalization (disabled), Locale (disabled), Variable (disabled),

Taxonomy translation	7.x-1.5	Content translation (disabled) Enables multilingual taxonomy. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), String translation (disabled), Locale (disabled), Internationalization (disabled), Variable (disabled), Translation sets (disabled) Required by: Multilingual forum (disabled)
Translation redirec	et 7.x-1.5	Redirect to translated page when available. SEO for multilingual sites. Requires: Internationalization (disabled), Locale (disabled), Variable (disabled)
Translation sets	7.x-1.5	Simple translation sets API for generic objects Requires: Internationalization (disabled), Locale (disabled), Variable (disabled) Required by: Taxonomy translation (disabled), Multilingual forum (disabled), Menu translation (disabled), Path translation (disabled)
Variable translatio	n 7.x-1.5	Multilingual variables that switch language depending on page language. Requires: Internationalization (disabled), Locale (disabled), Variable (disabled), Variable store (disabled), Variable realm (disabled)
Views translation	7.x-3.x- dev	Translation of views strings and content selection for views. Requires Views 3.x Requires: Views (disabled), Chaos tools (enabled), String translation (disabled), Locale (disabled), Internationalization (disabled), Variable (disabled)

Enabled	Name	Version	Description	Operations
	Comment Form Settings	7.x-2.x- dev	Multiple changes to comments forms for better usability. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)	
	Node Form Settings	7.x-2.x- dev	Multiple changes to node form and comment form for better usability.	

- <u>Nodejs</u>				
Enabled	Name	Version	Description	Operations
			Provides actions that dispatch realtime	

Nodejs Actions		user notifications via node.js. Requires: Nodejs integration (disabled), Trigger
Nodejs Buddylist	7.x-1.0- rc1+1-dev	Alfows for dynamic buddy list and user blocks Requires: Nodejs integration (disabled), Flag_friend (missing)
Nodejs Config		Helps to configure the nodejs module. Requires: Nodejs integration (disabled)
Nodejs integration	7.x-1.0- rc1+1-dev	Adds Node.js support to Drupal Required by: Heartbeat Node.js (disabled), Nodejs Actions (disabled), Nodejs Buddylist (disabled), Nodejs Config (disabled), Nodejs Notifications (disabled), Nodejs subscribe (disabled), Nodejs Watchdog (disabled)
Nodejs Notifications	7.x-1.0- rc1+1-dev	Adds a client to pages for displaying realtime notification from node.js. Requires: Nodejs integration (disabled)
Nodejs subscribe	7.x-1.0- rc1+1-dev	Adds realtime notifications for subscribed content. Requires: Nodejs integration (disabled)
Nodejs Watchdog	7.x-1.0- rc1+1-dev	Adds watchdog messages to the dblog page in realtime. Requires: Nodejs integration (disabled), Nodejs/AJAX framework integration (disabled), Database logging (enabled)
Nodejs/AJAX framework integration	7.x-1.0- rc1+1-dev	Adds support for the Drupal AJAX framework to the Nodejs module Required by: Nodejs Watchdog (disabled)

Nodequ	eue ——			
Enabled	Name	Version	Description	Operations
	Nodequeue	7.x-2.0- beta1	Create queues which can contain nodes in arbitrary order Required by: Nodequeue generate (disabled), Nodequeue Service (disabled), Smartqueue taxonomy (disabled)	
	Nodequeue Service	7.x-2.0- beta1	Provides a nodequeue service. Requires: Services (disabled), Chaos tools (enabled), Nodequeue (disabled)	
	Smartqueue taxonomy	e7.x-2.0- beta1	Creates a node queue for each taxonomy vocabulary Requires: Nodequeue (disabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	I

<u>OAuth</u>				
Enabled	Name	Version	Description	Operations
			Provides OAuth functionality Required by: Google Analytics API (disabled), Google	

OAuth 7.x-3.0	Analytics Counter (disabled), Google Analytics Reports (disabled), Most Popular - Google Analytics (disabled), OAuth Provider UI (disabled), OAuth Authentication (disabled)
OAuth Provider 7.x-3.0 UI	Provides a UI for when OAuth is acting as a provider. Requires: OAuth (disabled)

Enabled	Name	Version	Description	Operations
	OM Maps	7.x-1.x- dev	OM Maps, all image menus Requires: OM Maximenu (disabled)	
	OM Maximenu	7.x-1.43	OM Maximenu, add any block inside your menus Required by: OM Maps (disabled)	
	OM Subthemen	7.x-1.x-	Creates configurable subthemes for all base themes, e.g. OM Base Theme	
	OM Tools	7.x-2.13	OM Base Theme Tools Collection	

Enabled	Name Versio	n Description	Operations
		A multi-user full featured blog app. Has	
		many of the features of WordPress.	
		Requires: Enterprise_base (missing), Features	
		(disabled), Image (enabled), File (enabled), Field	
	Enterprise 7.x-1.0	- (enabled), Field SQL storage (enabled), Options	
	Blog rc1	(enabled), Real name (disabled), Token (disabled),	
		Save draft (missing), Scheduler (disabled), Strongarr	n
		(disabled), Chaos tools (enabled), Taxonomy	
		(enabled)	
		Required by: Enterprise Blog Content (disabled)	

Enabled	Name	Version	Description	Operations
	Enterprise Blog Content	27.x-1.0- rc1	Default Content for Enterprise Blog Requires: Enterprise Blog (disabled), Enterprise_base (missing), Features (disabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Options (enabled), Real name (disabled), Token (disabled), Save_draft (missing), Scheduler (disabled), Strongarm (disabled), Chaos tools (enabled), Taxonomy (enabled)	

Organic groups						
Enabled	Name	Version	Description	Operations		
	Profile2		Adds Organic groups permissions to control profile access on the group level.			

group access 7.x-1.2	Requires: Profile2 (disabled), Entity API
	(enabled), Og (missing)

Enabled	Name	Version	Description	Operations
	Absolute Messages	7.x-1.3	Displays system messages in colored horizontal bars on top of the page.	
	Administration pane	7.x-1.0- beta2	Contains an adminstration pane that works with the core Toolbar. Requires: Toolbar (enabled)	
	Advanced Forum	7.x-2.0	Enables the look and feel of other popular forum software. Requires: Forum (disabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Comment (enabled), Text (enabled), Chaos tools (enabled), Views (disabled) Required by: Advanced Forum More Styles (disabled)	
	Advanced Forum More Styles	7.x-2.0- alpha1	Additional Advanced Forum Styles Requires: Advanced Forum (disabled), Forum (disabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Comment (enabled), Text (enabled), Chaos tools (enabled), Views (disabled)	
	Advanced help	7.x-1.0	Allow advanced help and documentation. Required by: Chaos Tools (CTools) Plugin Example (disabled), Advanced help example (disabled)	
	Advanced help example	7.x-1.0	A example help module to demonstrate the advanced help module. Requires: Advanced help (disabled)	
	Anonymous Posting	7.x-1.0- beta7+0- dev	Add the ability to anonymous user to submit their contact informations (name, mail and homepage) when posting any content type. Requires: Anonymous Posting Field (disabled), Field (enabled), Field SQL storage (enabled)	
	Author Pane	7.x-2.0- alpha3+6- dev	Gathers information from core and user related contrib modules and displays it in a template.	
	b2 Nice Comments	7.x-1.0	Replaces the comment section with a simple textbox, and expands the original form when clicked.	
	Best Reply	7.x-1.3	allows users to mark comments as the best reply to their topic.	

Better Formats	7.x-1.x- dev	Enhances the core input format system by managing input format defaults and settings.
Block Class	7.x-1.1	Allows assigning CSS classes to blocks.
Block tab	7.x-1.0	Transfer all blocks in a region into tabs.
Block Theme	7.x-1.0	Provides a configuration option to select custom themes for blocks
Blog Aid	7.x-1.0- beta1	Helper modul for bloging with Drupal core
Browscap	7.x-1.3	Provides a replacement for PHPs get_browser() function and collects visitor browser statistics.
Buzz Post	7.x-2.0- beta1	Post to Google buzz Requires: GBuzz (disabled)
Check Profile	7.x-1.0- beta1	Creates and implements a role that forces a user to resubmit their profile.
Colorbox	7.x-1.3	A light-weight, customizable lightbox plugin for jQuery 1.4.3+.
Comment abuse	7.x-1.0	This module provides control and sending complaints to the comments
Comment allow anonymous	7.x-1.0	TODO: Description of module Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
Comment Anonymizer	7.x-1.0	Enables authenticated users to post comments anonymously. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
Comment closer	7.x-1.x- dev	Schedule automatic closing of comments for selected node types based on the age of the node
Comment goodness	7.x-1.3	Provides comment sorting, comment form placement and comment form configuration settings Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
Comment limit	7.x-1.x- dev	Limits comments per node type Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
Comment subjects	7.x-2.0- alpha2	Provides a default comment subject like: "Re: [parent comment/node title]", auto-incremental numbering, and optional integration with token for author, date, etc.

Comment Trust	7.x-1.0	Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled) Auto-approves comments by anonymous users with previously- approved comments. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL
Complete profile	7.x-1.0- beta1+0- dev	Forces users with incomplete profiles to complete their profiles.
Contact Form On Node	7.x-1.1	Add a contact link/form under a node. Requires: Contact (disabled)
Contact link	7.x-1.x- dev	Adds an author contact link to content and comments with a link to the author's contact page. Requires: Contact (disabled)
Content Approval	7.x-1.1	Permit to define which content type must be approved by adminstrators before their publication. Requires: Content Approval Field (disabled), Field (enabled), Field SQL storage (enabled)
Content locking (edit lock)	7.x-1.3	Prevents multiple users from trying to edit a single node simultaneously to prevent edit conflicts. Requires: Filter (enabled), Node (enabled) Required by: Content locking (edit lock) timeouts (disabled)
Content locking (edit lock) timeouts	7.x-1.3	Provides mechanisms for automatically unlocking nodes that have been locked for a certain length of time. Requires: Content locking (edit lock) (disabled), Filter (enabled), Node (enabled)
Curvy Corners	7.x-1.0	Curvy Corners is a free JavaScript program that will create on-the-fly rounded corners for any HTML DIV element, that look as good as any graphically created corners.
Custom Page	7.x-1.0- alpha3	Allows creation of custom pages wrapped into page.tpl.php and attached to any available path. Required by: Custom Page Admin UI (disabled)
Custom Page Admin UI	7.x-1.0- alpha3	Administration user interface for Custom Page module. Requires: Custom Page (disabled)

Custom tokens	7.x-2.0- beta1+0-	Allow users to define custom tokens to use thoughout the site
Deep Zoom	dev 7.x-1.1	Requires: Filter (enabled) Deep Zoom provides the ability to create interactively viewable high- resolution images. Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Libraries (disabled)
DHTML Menu	7.x-1.x- dev	Opens menus dynamically to reduce page reloads.
Diff	7.x-2.0	Show difference between node revisions.
Disqus	7.x-1.9	Uses the Disqus web service to enhance comments.
Dynamic display block	7.x-1.0	Displays dynamic content in a block. Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Libraries (disabled)
Easy Social	7.x-2.8	Simple module that adds share buttons to nodes. The most common ones are included by defauly and any module can define others. Requires: Variable (disabled)
Edit profile	7.x-1.0- beta2	Creates separate "Edit account" and "Edit profile" tabs for each user, with custom user fields configured under "Edit profile."
Empty Page	7.x-1.0	A simple empty page solution. Assists in creating empty menu callbacks, mostly used for pages that only consist of blocks.
Encrypt	7.x-1.0	Provides an API for two-way encryption Required by: Webform Encrypt (disabled)
Encrypt Submissions	7.x-1.1	Encrypt form submissions using the jCryption library.
		Enables modules to work with any entity type and to provide entities. Required by: Views Bulk Operations (disabled), Administration views (disabled), Entity tokens (disabled), Entity Reference (disabled), Entity Reference Behavior Example (disabled), Entity reference prepopulate (disabled), Entity Reference View Widget (disabled), Rules (disabled), Rules for Heartbeat Activity (disabled), Linkit (disabled), Linkit File (disabled), Linkit Node (disabled), Linkit Panel Pages

(disabled), Linkit Permissions (disabled), Linkit Picker (disabled), Linkit Taxonomy (disabled), Linkit User (disabled), Linkit Views (disabled), LoginToboggan Rules Integration (disabled), Media Embedded (disabled), Hide Widget (disabled), Overlay Formatter (disabled), Text Formatter (disabled), Most Popular Core (disabled), Most Popular - AddThis.com (disabled), Most Popular - Disgus (disabled), Most Popular - Drupal (disabled), Most Popular - Google 7.x-1.0-Analytics (disabled), Profile2 (disabled), **Entity API** 1 rc2 Profile2 Apache Solr Integration (disabled), Profile2 group access (disabled), Profile2 pages (disabled), Profile2 Privacy (disabled), Profile2 Registration Path (disabled), Reply Entity (disabled), Rules UI (disabled), Rules translation (disabled), Rules Scheduler (disabled), Support (disabled), Support charting (disabled), Support Mail Commands (disabled), Support Overview (disabled), Support Project Management (disabled), Support Reference (disabled), Translation Management Core (disabled), Entity Source (disabled), Translation Management UI (disabled), Entity Source User Interface (disabled), Export / Import File (disabled), i18n String Source (disabled), Local Translator (disabled), Microsoft Translator (disabled), myGengo Translator (disabled), Nativy Translator (disabled), Content Source (disabled), Content Source User Interface (disabled), Supertext Translator (disabled), UUID default entities example (disabled), UUID Services (disabled), UUID Services Example (disabled), Voting Rules (disabled), Workflow rules (disabled) Provides a complex widget that embeds a view for selecting items. **Entity Reference** 7.x-1.x-Requires: Entity Reference (disabled), View Widget dev Entity API (enabled), Chaos tools (enabled), Views (disabled) Provides token replacements for all properties that have no tokens and are known to the entity API. Requires: Entity API (enabled) Required by: Rules (disabled), Rules for 7.x-1.0-Heartbeat Activity (disabled), **Entity tokens** rc2 LoginToboggan Rules Integration (disabled), Rules UI (disabled), Rules translation (disabled), Rules Scheduler (disabled), Voting Rules (disabled),

		Workflow rules (disabled)
Extended Path Aliases	7.x-1.0	Automatically extend path aliases to include tabs, like "about-us/edit" for "node/123/edit". Allow these aliases to be entered in page specification wild-cards ("about-us*"), e.g for block visibility.
External Links	7.x-3.x-	Adds an icon to external and mailto
Filter	dev	links. This module writes avales entries
□ Fail2Ban	7.x-1.1	This module writes syslog entries that can be interpreted by the fail2ban system utility. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
■ Fancy Insert	7.x-1.0	Assists in inserting files, images, or other media into the body field or other text areas. Requires: Insert (disabled)
Featured Content	7.x-1.5	Provides configurable Featured Content blocks. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)
Field Slideshow	7.x-1.6	Provides a Slideshow format for displaying Image or Media fields. Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Libraries (disabled)
☐ File hash	7.x-1.2	Generate hashes for each uploaded file.
Filter tips dialog	7.x-1.x- dev	Moves the filter tips page into a modal dialog. Requires: Dialog API (disabled)
■ Flat comments	7.x-2.0	Make all comments replies to the main post, regardless of the reply link used. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
Footnotes	7.x-2.5	Add automatically numbered footnotes to your posts. Required by: Footnotes with Views (disabled), Footnotes Wysiwyg (disabled)
_ Footnotes with	7.x-2.5	Add views support to the footnotes module by allowing you to cut the footnotes from the rest of the body
Views		(or teaser). Requires: Footnotes (disabled), Views (disabled), Chaos tools (enabled)

Change	rc2	to change their password
Form flow	7.x-1.1	Chain forms together into multisteps forms Requires: Chaos tools (enabled) Required by: Form flow UI (disabled), Form flow example (disabled)
Form flow example	7.x-1.1	Form flow example plugin Requires: Form flow UI (disabled), Form flow (disabled), Chaos tools (enabled), Chaos Tools (CTools) AJAX Example (disabled)
Form flow UI	7.x-1.1	Admin interface for building multisteps forms Requires: Form flow (disabled), Chaos tools (enabled) Required by: Form flow example (disabled)
Form Tips	7.x-1.x- dev	Form Tips module unclutters forms by turning form descriptions into hover-activated tooltips.
GBuzz	7.x-2.0- beta1	Enable user to associate user account with Google Buzz Required by: Buzz Post (disabled)
getID3()	7.x-1.0	getID3() extracts useful information from multimedia file formats.
Giga Menu	7.x-1.x- dev	Allow setting a menu to behave like a Megamenu. Requires: Menu (enabled)
Global Redirect	7.x-1.4	Searches for an alias of the current URL and 301 redirects if found. Stops duplicate content arising when path module is enabled.
GoAway	7.x-1.2	Allows ban/redirects of anon users based on IP address
Google Webfont Loader API	7.x-1.10	Provide a way to safely load font- face into your theme
Gravatar	7.x-1.1	Integrate Gravatar pictures registered at Gravatar.com in Drupal sites
Hidden Comment	7.x-1.7+4- dev	This module allows site admin to hide certain comments contents, without unpublish or delete them
HTML Purifier	7.x-2.x- dev	Filter that removes malicious HTML and ensures standards compliant output.
htmLawed (X)HTML filter/purifier	7.x-3.2	Restrict HTML markup and make content secure, and standard- and admin. policy-compliant
Ideal Comments	7.x-1.0- beta3+0- dev	Set the node comments layout.

iFrame Filter	7.x-1.0	Creates a filter which will convert content into an iFrame and link to it. Useful for speeding up external content load times.
Imagecache Profile Pictures	7.x-1.0	Utilizes image styles for user profile pictures. Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled)
Inline Comments	7.x-1.0- beta2+1- dev	A views handler that lets you display comments with ajax retrieval and post comments inline via ajax. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), Views (disabled), Chaos tools (enabled)
Insert	7.x-1.1	Assists in inserting files, images, or other media into the body field or other text areas. Required by: Fancy Insert (disabled)
Internal Links	7.x-1.1	Input filters which add node titles, as HTML 'title' attribute, to internal, root-relative links; also re-writes 'normal' Drupal paths (node/123) as path aliases. A second filter can strip links to unpublished nodes. Requires: Filter (enabled)
IP address manager	7.x-1.3	Manage user IP addresses.
Legal	7.x-1.2	Display Terms and Conditions statement on the registration page.
Libraries	7.x-2.0- alpha2+1- dev	Allows version dependent and shared usage of external libraries. Required by: Dynamic display block (disabled), Deep Zoom (disabled), Fancybox (disabled), Field Slideshow (disabled), Responsive layouts for IE 6-8 (disabled), Image preview (disabled), MediaElement.js (disabled), Nivo Slider (disabled), PHPMailer (disabled), Piecemaker (disabled), Piecemaker Blocks (disabled), Poshy Tip (disabled), qTip (disabled), Superfish (disabled), Views Roundabout (disabled), Views Slideshow: Cycle (disabled), Views slideshow: DDblock (disabled), Views Visual Search (disabled), YoxView (disabled), Zencoder API (disabled)
		Provides an easy interface for inserting links to internal content, files and external pages by providing autocomplete search for several

Linkit	7.x-2.5	WYSIWYG-editors. Requires: Chaos tools (enabled), Entity API (enabled) Required by: Linkit File (disabled), Linkit Node (disabled), Linkit Panel Pages (disabled), Linkit Permissions (disabled), Linkit Picker (disabled), Linkit Taxonomy (disabled), Linkit User (disabled), Linkit Views (disabled)
Linkit Panel Pages	7.x-2.0	Extend Linkit with page links from page_manager Requires: Linkit (disabled), Chaos tools (enabled), Entity API (enabled), Page manager (disabled)
loginlogout	7.x-1.x- dev	Replaces any link to just user/login with user/login? destination=destination so user returns from whence they came. Verifies user has access to logout place, else returns then to homepage. Nice with lightbox login!
LoginToboggan	7.x-1.3	Improves Drupal's login system. Required by: LoginToboggan Content Access Integration (disabled), LoginToboggan Rules Integration (disabled), LoginToboggan Variable Integration (disabled)
LoginToboggan Content Access Integration	7.x-1.3	Integrates LoginToboggan with Content Access module, so that Non-validated users are handled correctly Requires: LoginToboggan (disabled), Content_access (missing)
LoginToboggan Rules Integration	7.x-1.3	Integrates LoginToboggan with Rules module Requires: LoginToboggan (disabled), Rules (disabled), Entity tokens (disabled), Entity API (enabled)
LoginToboggan Variable Integration	7.x-1.3	Integrates LoginToboggan with Variable module Requires: LoginToboggan (disabled), Variable (disabled)
Logout Tab	7.x-1.0	Adds a logout tab to the user profile.
Maintenance Exempt	7.x-1.0	Set certain IP addreses as exempt from maintenance mode to allow for thorough testing.
Maintenance File	7.x-1.0	Put the site in maintenance mode with a file.
Manifest	7.x-1.0	Keep lists of users for administration purposes.
		Provide MediaElement.js to be used

	MediaElement.js	7.x-1.2	on the entire site or just with Filefields.
	Merge comments	7.x-1.0	Requires: Libraries (disabled) Automatically merges two consecutive comments made by the same user on the same node Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
	Module filter	7.x-1.6	Filter the modules list.
	Mollom	7.x-1.1	Automatically moderates user- submitted content and protects your site from spam and profanity.
	More Comments	7.x-1.x- dev	Replace comment pager with a more comment pager like twitter or facebook does Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
	MuchoMenu	7.x-1.x- dev	Enables "mega menus" functionality in Drupal Requires: Chaos tools (enabled), Mini panels (disabled), Panels (disabled)
	Multi path autocomplete	7.x-1.1	Find paths on menu item creation, shortcut creation or url alias creation via autocomplete.
	Nivo Slider	7.x-1.4	Provides a user interface for building a rotating banner powered by the Nivo Slider jQuery plugin. Requires: Block (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Libraries (disabled), Menu (enabled)
	Node clone	7.x-1.x- dev	Allows users to clone (copy then edit) an existing node.
	Node Convert	7.x-1.0	Converts one or more nodes between different node types.
	Node Embed	7.x-1.0- rc2+0-dev	Module providing an embed node widget Requires: Views (disabled), Chaos tools (enabled)
	Node Form Settings Tests	7.x-2.x- dev	I use this module to test some stuff, DON'T use it Requires: Bad_judgement (missing)
	Nodeblock	7.x-1.2	Enables use of specified node types as custom blocks.
	Nodereference Variables	7.x-1.x- dev	Presents nodes referenced using fields created with the core Field Module as jQuery UI Tabs in the node view Requires: References (disabled), Field

		(enabled), Field SQL storage (enabled), Options (enabled), Node Reference (disabled)
Nodes in block	7.x-1.0	Use nodes as content in one or more regions. Requires: Block (enabled)
Noggin	7.x-1.0	Allows site builders to easily change the header image for core Drupal themes.
Not So Fast	7.x-1.x- dev	Marks comments by anonymous users in the approval queue as 'unverified' until they click a link in an email to prove their address is real.
On The Web	7.x-1.2	A block that provides linked icons to your other presences on the web.
Onecomment	7.x-1.x- dev	Restrict comments to one per user per node. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
OpenID Admin	7.x-1.0	Allows bulk operations for OpenID administration. Requires: OpenID (disabled)
Page API	7.x-1.0- alpha1+1- dev	Introduces a hook that is invoked before hook_preprocess_page() Required by: DQX AdminMenu (disabled)
Pathauto	7.x-1.0	Provides a mechanism for modules to automatically generate aliases for the content they manage. Requires: Path (enabled), Token (disabled)
Permissions Lock	7.x-1.0	Lock permissions on the permissions administration pages for certain roles
Phonetic Wordfilter	7.x-2.0- alpha2	Filter profanity words and similar sounding synomyms out of user generated content.
Prepopulate	7.x-2.x- dev	Allows form elements to be prepopulated from the URL. Required by: Freelinking Prepopulate (disabled)
Private Comments	7.x-1.x- dev	A node author can see all of the comments, but comment authors can only see the comments they've posted Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
Profile Fields Force Filling	7.x-1.0- alpha1	Force users to fill any profile field at login. Provides entions for users to
		Provides options for users to

Profile Privacy	7.x-1.x- dev	override visibility of their own profile fields.
Profile2	7.x-1.2	Supports configurable user profiles. Requires: Entity API (enabled) Required by: Profile2 Apache Solr Integration (disabled), Profile2 group access (disabled), Profile2 pages (disabled), Profile2 Privacy (disabled), Profile2 Registration Path (disabled)
Profile2 pages	7.x-1.2	Adds separate pages for viewing and editing profiles. Requires: Profile2 (disabled), Entity API (enabled)
Profile2 Privacy	7.x-1.3	Create sets of fields within privacy levels that users can select. Requires: Profile2 (disabled), Entity API (enabled)
Profile2 Registration Path	7.x-1.9	Attach profile2 profile forms to profile-specific registration urls. Requires: Profile2 (disabled), Entity API (enabled)
Qforms	7.x-1.0- beta1	Quick creation of custom forms like surveys, questionnaires, etc.
Quant	7.x-1.0- beta2	Display quantitative analytical charts of your site's activity over time periods
Question/Answer	·7.x-1.6	Convert one node type into Question/Answer
Quicktabs	7.x-3.4	Render content with tabs and other display styles Requires: Chaos tools (enabled) Required by: Quicktabs Styles (disabled)
Quicktabs Styles	7.x-3.4	Adds predefined tab styles to choose from per Quicktabs instance. Requires: Quicktabs (disabled), Chaos tools (enabled)
Quotations	7.x-1.4	Allows you to quickly stylize quotations that appear on your site.
Quote	7.x-1.1- beta1+0- dev	Allows users to quote posts or comments. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
Real name	7.x-1.0- rc2+1-dev	Provides token-based name displays for users. Requires: Token (disabled) Required by: Enterprise Blog (disabled), Enterprise Blog Content (disabled)
Redirect 403 to User Login	7.x-1.5	Redirect anonymous users from 403 Access Denied pages to the

V	Renderable elements	7.x-1.0- alpha1+9- dev	Registerian Parild to make more or all elements available on Field UI Requires: Chaos tools (enabled)	Permissions
	Reply Entity	7.x-1.x- dev	Reply entity for posting comments on other entities. Requires: Entity API (enabled)	
	Required comment subject	7.x-1.0	You can set the comment subject field to mandatory. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)	
	Revision All	7.x-1.1	Enables centralized revisioning of content	
	Revision operation scheduler	7.x-1.x- dev	Schedule operations of node revisions for future dates. Requires: Date Popup (disabled), Date API (disabled)	
	Revisioning	7.x-1.4	Allows the creation and modification of content while the current revision remains unchanged and publicly visible until the changes have been reviewed by a moderator. Required by: Revisioning Scheduler (disabled)	
	Revisioning Scheduler	7.x-1.4	Allows revisions to be published or reverted at specified times. Requires: Revisioning (disabled)	
	robots.txt	7.x-1.0	Generates the robots txt file dynamically and gives you the chance to edit it, on a per-site basis, from the web UI.	
	Sanitizable	7.x-1.x- dev	Allows to configure a text format to be applied to formatted text before storage. Requires: Filter (enabled)	
	Scheduler	7.x-1.0	This module allows nodes to be published and unpublished on specified dates and time. Required by: Enterprise Blog (disabled), Enterprise Blog Content (disabled)	
	Search 404	7.x-1.1	Automatically search for the keywords in URLs that result in 404 errors and show results instead of Page-Not-Found. Requires: Search (enabled)	
	Secure Login	7.x-1.2	Enables secure login. Required by: Secure Login Logout (disabled)	
	Secure Login Logout		Logs user out to http after secure login. Requires: Secure Login (disabled)	

Secure Pages	7.x-1.x- dev	Set which pages are always going to be used in secure mode (SSL) Warning: Do not enable this module without configuring your web server to handle SSL with this installation of Drupal
Session Limit	7.x-2.0- beta2	Limit simultaneous user sessions. Requires: Trigger (disabled)
Shadowbox	7.x-3.0- beta8	Allows content to be displayed in a JavaScript modal media viewer application.
Simple Blogroll	7.x-1.0- beta2	This 'dynamic blogroll' module displays links to latest feed items from RSS/ATOM feeds in a block through Simplepie. Requires: Simplepie (missing)
Simplified menu administration	7.x-1.x- dev	Simplifies the Menu and Shortcut modules by merging "List links" and "Edit menu" into a single administration page.
Skip Maintenance Mode By IP	7.x-1.1	Allow IP addresses to access the website while in maintenance mode
Slidebox	7.x-1.5	A slide-out box linking to the next piece of content in a sequence
Spambot	7.x-1.0	Anti-spam module that uses data from www.stopforumspam.com to protect the user registration form against known spammers and spambots.
Stager	7.x-1.2	Create a staging version of your site to make changes and sync them back when you're done.
Strongarm	7.x-2.0- rc1	Enforces variable values defined by modules that need settings set to operate properly. Requires: Chaos tools (enabled) Required by: Answers (disabled), Enterprise Blog (disabled), Enterprise Blog Content (disabled), Features Tests (disabled)
Tab Tamer	7.x-1.0	Gives additional control over what tabs are seen by a user.
Talk	7.x-1.0- beta4	Display comments on a separate talk page. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
	7.x-1.0-	Access control for user roles based on taxonomy categories.

Taxonomy Access Control	rc1+50- dev	Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)
Timeago	7.x-2.0	Converts dynamic timetamps to a 'time ago' format using jQuery with graceful degredation.
Token	7.x-1.0	Provides a user interface for the Token API and some missing core tokens. Required by: Real name (disabled), Enterprise Blog (disabled), Enterprise Blog Content (disabled), File (Field) Paths (disabled), File Aliases (disabled), Meta tags (disabled), Open Graph meta tags (disabled), Pathauto (disabled), Watcher (disabled)
Transliteration	7.x-3.0	Converts non-latin text to US-ASCII and sanitizes file names.
Two level comment	7.x-1.1	Make comment threads stop at two levels. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
Unique Comments	7.x-1.3	Provides the ability to ensure some effort in originality. With the option to either force comments to be different on a per node or sitewide basis.
User Stats	7.x-1.x- dev	Provides post count and other user statistics. Integrates well with Token and Advanced Forum (if installed).
Username Enumeration Prevention	7.x-1.0	Removes the error message produced, from the forgot password form, when an incorrect user has been supplied.
View profiles permissions	7.x-1.0	Provides permissions to view user profiles based on user roles Requires: User (enabled)
Views Roundabout	7.x-1.0- alpha3	Provides a views style plugin to integrate the jQuery Roundabout module. Requires: Views (disabled), Chaos tools (enabled), Libraries (disabled)
Watcher	7.x-1.x- dev	Watcher enables your site's users to watch nodes for changes and new comments and be notified about them. Requires: Node (enabled), Token (disabled), Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)

Whois lookup	7.x-1.2	Enables a whois lookup utility form,
Wikitools	7.x-1.x- dev	and dependence numerion in the property in the
Word Count	7.x-1.0	View stats on the nodes and comments contributed by each user.
Word Filter	7.x-1.x- dev	Replaces words inside posts with filtered versions.
WP Blog	7.x-1.1	Provides a content-type, views and various features to mimic a WordPress-style blog. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Views (disabled), Chaos tools (enabled)
YoxView	7.x-2.x- dev	YoxView provides an image viewer formatter. Requires: Libraries (disabled)

Panels				
Enabled	Name	Version	Description	Operations
	Mini panels	7.x-3.2	Create mini panels that can be used as blocks by Drupal and panes by other panel modules. Requires: Panels (disabled), Chaos tools (enabled) Required by: Menu Minipanels (disabled), MuchoMenu (disabled)	
	Panel nodes	7.x-3.2	Create nodes that are divided into areas with selectable content. Requires: Panels (disabled), Chaos tools (enabled)	
	Panels	7.x-3.2	Core Panels display functions; provides no external UI, at least one other Panels module should be enabled. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled), Custom breadcrumbs for panels (disabled), Mini panels (disabled), Menu Minipanels (disabled), MuchoMenu (disabled), Panels In-Place Editor (disabled), Panel nodes (disabled), Panels tabs (disabled), Skinr Panels (disabled)	
	Panels Hash Cache	7.x-1.0- alpha1+4- dev	Hash-based Caching for Panels Requires: Chaos tools (enabled)	
	Panels In- Place Editor	7.x-3.2	Provide a UI for managing some Panels directly on the frontend, instead of having to use the backend. Requires: Panels (disabled), Chaos tools (enabled)	
	Panels tabs	7.x-1.x- dev	Show panel panes in a region as tabs. Requires: Panels (disabled), Chaos tools (enabled)	

Enabled	Name	Version	Description	Operations
	Boost	7.x-1.0- beta1+0- dev	Caches generated output as a static file to be served directly from the webserver.	•
	Cache Expiration	7.x-1.0- on alpha3	Logic for expiring page caches	

Permissions —

<u>r Crimbi</u>	<u> </u>			
Enabled	Name	Version	Description	Operations
	Edit own user account permission	7.x-2.0- beta1	Provides a permission to control whether or not users can edit their own account	

Enabled	Name	Version	Description	Operations
			A general API for utilizing the Piecemaker	
	Diagomal	Piecemaker 7.x-1.0	3d Flash Rotator	
	riecemaker /.x-1.0	Requires: Libraries (disabled)		
			Required by: Piecemaker Blocks (disabled)	
	Piecemaker 7.x-1.0		Provides Piecemaker blocks.	
		Requires: Piecemaker (disabled), Libraries		
		(disabled), Media (disabled), File entity (disabled),		
		Field (enabled), Field SQL storage (enabled),		
		Chaos tools (enabled), Image (enabled), File		
			(enabled)	

Profile Enabled	Name	Version	Description	Operations
	Profile Complete Percentage		Configure user fields to be tagged as required for a profile to be complete. Display the percent of profile completion to the user via a block.	

<u>Pronovix</u> —

Enabled	Name	Version	Description	Operations
	Messag docs	e 7.x-1.0-rc1	Turns messages into links pointing to our server where you can find info about your problem.	

Proofread Bot -

Proofread Bot 7.x-1.6 Proofread Bot	Enabled	Name	Version	Description	Operations
		Proofread Bo	t7.x-1.6	Proofread Bo	t

	m	10	$\overline{}$	h	ar
\sim	<u>u.</u>	U.	V	$\boldsymbol{\nu}$	<u>aı</u>

Enabled	Name	Version	Description	Operations
			Add a roled-based toolbar to the top	

Quickbar	7.x-2.0- beta1+28-dev	of the page. Requires: Menu (enabled) Required by: Quickbar: Extras (disabled), Quickbar: Help (disabled)
Quickbar: Extras	7.x-2.0- beta1+28-dev	Provides additional functionality to Quickbar.
Quickbar: Help	7.x-2.0- beta1+28-dev	Add help functionality to Quickbar. Requires: Quickbar (disabled), Menu (enabled)

Enabled	Name	Version	Description	Operations
	Rules	7.x-2.1	React on events and conditionally evaluate actions. Requires: Entity tokens (disabled), Entity API (enabled) Required by: Rules for Heartbeat Activity (disabled), LoginToboggan Rules Integration (disabled), Rules UI (disabled), Rules translation (disabled), Rules Scheduler (disabled), Voting Rules (disabled), Workflow rules (disabled)	
	Rules Scheduler	7.x-2.1	Schedule the execution of Rules components using actions. Requires: Rules (disabled), Entity tokens (disabled), Entity API (enabled)	
	Rules UI	7.x-2.1	Administrative interface for managing rules. Requires: Rules (disabled), Entity tokens (disabled), Entity API (enabled)	
	Voting Rules	7.x-1.0- alpha1	Rules Integration for VotingApi Requires: Voting API (disabled), Rules (disabled), Entity tokens (disabled), Entity API (enabled)	

Search				
Enabled	Name	Version	Description	Operations
	Search Autocomplete	7.x-2.3	Provides aucompletion for Drupal search forms. Requires: Search (enabled)	
	Search Configuration	7.x-1.1- beta2+1- dev	Modify search form, including enforcing search restrictions by content type. Requires: Search (enabled)	

Search	Toolkit ———			
Enabled	Name	Version	Description	Operations
	Profile2 Apache Solr Integration	7.x-1.2	Allows profile2 entities to be picked up by apache solr. Requires: Profile2 (disabled), Entity API	

Security				
Enabled	Name	Version	Description	Operations
			Restricts logged in users to use HTTPS for their entire session.	
	Security Kit	7.x-1.3	Enhance security of your Drupal website.	

Service:		X 7	Danish diam	0
Enabled	Name	Version	Description	Operations
	Flag Service	7.x-3.x- dev	Provides services for the Flag module Requires: Services (disabled), Chaos tools (enabled), Flag (disabled)	
	Services	7.x-3.1	Provide an API for creating web services. Requires: Chaos tools (enabled) Required by: Flag Service (disabled), Nodequeue Service (disabled), REST Server (disabled), OAuth Authentication (disabled), Services Test Resource (disabled), Services Views (disabled), UUID Services (disabled), UUID Services Example (disabled), XMLRPC Server (disabled)	
	Services Test Resource	7.x-3.1	Provide test methods to check different situations. Requires: Services (disabled), Chaos tools (enabled)	
	Services Views	7.x-1.x- dev	Build service endpoints with Views. Requires: Services (disabled), Chaos tools (enabled), Views (disabled)	
	xCal and iCal formats	7.x-3.1	Provides xCal and iCal formatters for the REST server.	

Services	s - authentication			
Enabled	Name	Version	Description	Operations
	OAuth Authentication	7.x-3.1	Provides OAuth authentication for the services module Requires: Services (disabled), Chaos tools (enabled), OAuth (disabled)	

Enabled	Name	Version	Description	Operations
			Provides integration with the Services module, like exposing a UUID entity	
	UUID Services	7.x-1.0- alpha3+31- dev	resource. Requires: Services (disabled), Chaos tools (enabled), Universally Unique ID (disabled), Entity API (enabled)	
			Required by: UUID Services Example (disabled)	

Enabled	Name	Version	Description	Operations
			Provides an REST server.	
			Requires: Services (disabled), Chaos tools	
	REST Server	7.x-3.1	(enabled)	
			Required by: UUID Services Example	
			(disabled)	
	XMLRPC		Provides a XMLRPC server.	
	_	7.x-3.1	Requires: Services (disabled), Chaos tools	
_	Server		(enabled)	

Share and Bookmark Services				
Name	Version	Description	Operations	
Buzzthis	7.x-2.0- beta1	Display Google Buzz this button in nodes of enabled types.		
	Name	Name Version	Name Version Description Buzzthis 7.x-2.0- beta1 Display Google Buzz this button in nodes of enabled types.	

Skinr –				
Enabled	Name	Version	Description	Operations
	Skinr	7.x-2.0- beta1+0- dev	Provides a way to define and/or skin bits of Drupal output from the UI. Required by: Skinr Context (disabled), Skinr UI (disabled), Skinr Context UI (disabled)	
	Skinr Context	7.x-2.0- beta1+0- dev	Provides Skinr integration with Context. Requires: Context (disabled), Chaos tools (enabled), Skinr (disabled)	
	Skinr Context UI	7.x-2.0- beta1+0- dev	Administrative interface for Skinr Context. Without this module, you cannot edit your skins with context. Requires: Context UI (disabled), Context (disabled), Chaos tools (enabled), Skinr UI (disabled), Skinr (disabled)	
	Skinr Panels	7.x-2.0- beta1+0- dev	Provides Skinr integration with Panels. Requires: Panels (disabled), Chaos tools (enabled)	
	Skinr UI	7.x-2.0- beta1+0- dev	Administrative interface to skinr. Without this module, you cannot edit your skins. Requires: Skinr (disabled) Required by: Skinr Context UI (disabled)	

Sliders				
Enabled	Name	Version	Description	Operations
	Scrollable Content	7.x-1.1	Displays your content in a scrolling layout (content slider).	

- Social				
Enabled	Name	Version	Description	Operations

Buzzgrowl 7.x-1.0	Add <u>Buzzgrowl</u> support to your Drupal site!

SoundC				
Enabled	Name	Version	Description	Operations
	SoundCloud filter	7.x-2.2	SoundCloud filter for inserting a track into content	

Enabled	Name	Version	Description	Operations
	BlockAnonymousLinks	57.x-1.1	Blocks comments that contain links from anonymous users.	
	ВОТСНА	7.x-1.0	BOTCHA Spam Prevention.	
	САРТСНА	7.x-1.0- beta2+9- dev	Base CAPTCHA module for adding challenges to arbitrary forms. Required by: CAPTCHA After (disabled), Image CAPTCHA (disabled), reCAPTCHA (disabled)	
	CAPTCHA After	7.x-1.1	Show CAPTCHA After X Unsuccessful Submit Attempts. Requires: CAPTCHA (disabled)	
	Http:BL	7.x-1.x- dev	An implementation of Project Honey Pot's http:BL.	
	Image CAPTCHA	7.x-1.0- beta2+9- dev	Provides an image based CAPTCHA. Requires: CAPTCHA (disabled)	
	геСАРТСНА	7.x-1.7	Uses the reCAPTCHA web service to improve the CAPTCHA system. Requires: CAPTCHA (disabled)	
	reCAPTCHA Mailhide	7.x-1.7	Uses the reCAPTCHA web service to protect email addresses.	

Enabled	Name	Version	Description	Operations
	Google Analytics	7.x-1.2	Allows your site to be tracked by Google Analytics by adding a Javascript tracking code to every page. Required by: Most Popular - Google Analytics (disabled)	
	Google Analytics API	7.x-1.1	API to access statistics from the Google Analytics Data Export API. Requires: OAuth (disabled) Required by: Google Analytics Counter (disabled), Google Analytics Reports (disabled), Most Popular - Google Analytics (disabled)	

Google Analytics Counter	7.x-1.1	Lightweight page view counter drawing on data collected by Google Analytics. Requires: Google Analytics API (disabled), OAuth
Google Analytics Reports	7.x-1.1	Provides interface to access Google Analytics API statistics. Requires: Google Analytics API (disabled), OAuth (disabled), Chart API (disabled)

Enabled	Name	Version	Description	Operations
	Support	7.x-1.0- rc1+0-dev	A simple helpdesk and support ticketing system. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), File (enabled), Entity API (enabled) Required by: Support charting (disabled), Support Mail Commands (disabled), Support Overview (disabled), Support Project Management (disabled), Support Reference (disabled)	
	Support charting	7.x-1.0- rc1+0-dev	Charting for the helpdesk and support ticketing system. Requires: Support (disabled), Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), File (enabled), Entity API (enabled), Chart API (disabled)	
	Support Mail Commands	7.x-1.0- rc1+0-dev	Advanced support ticket editing via emil. Requires: Support (disabled), Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), File (enabled), Entity API (enabled)	
	Support Overview	7.x-1.0- rc1+0-dev	Overview summary of clients Requires: Support (disabled), Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), File (enabled), Entity API (enabled)	
	Support Project Management	7.x-1.0- rc1+0-dev	Add project management functionality to the support module Requires: Support (disabled), Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), File (enabled), Entity API (enabled)	
	Support Reference	7.x-1.0- rc1+0-dev	Tracks ticket references Requires: Support (disabled), Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled), File (enabled), Entity API (enabled)	

<u>Taxonomy</u>								
Enabled	Name	Version	Description	Operations				
			Tool for administrating taxonomy terms.					

Taxonomy	y 7.x-1.x-	Requires: Taxonomy (enabled), Options (enabled),
Manager	dev	Field (enabled), Field SQL storage (enabled)
Term merge	7.x-2.0- beta2	

Enabled	Name	Version	Description	Operations
	Feature Tests	es 7.x-1.0- rc2	Test module for Features testing. Requires: Features (disabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Strongarm (disabled), Chaos tools (enabled), Views (disabled)	

Theme	ThemeKey —				
Enabled	Name	Version	Description	Operations	
	ThemeKey	7.x-2.0	Map themes to Drupal paths or object properties. Required by: ThemeKey Compatibility (disabled), ThemeKey Debug (disabled), ThemeKey Example (disabled), ThemeKey Example (disabled), ThemeKey Example (disabled), ThemeKey UI (disabled), ThemeKey UI (disabled), ThemeKey User Profile (disabled)		
	ThemeKey Compatibility	7.x-2.0	Integration of different theme switching modules into ThemeKey and it's theme switching rule chain. Requires: ThemeKey (disabled)	-	
	ThemeKey Debug	7.x-2.0	Debug ThemeKey Requires: ThemeKey (disabled)		
	ThemeKey Features (Experimental!)	7.x-2.0	Integrates ThemeKey with Features. Warning! Don't use in production! Highly Experimental! Requires: ThemeKey (disabled), Features (disabled)		
	ThemeKey UI	7.x-2.0	Integrates ThemeKey with Drupal administration forms. Requires: ThemeKey (disabled) Required by: ThemeKey User Profile (disabled)		
	ThemeKey User Profile	7.x-2.0	Allows users to select their own theme for this site. ThemeKey User Profile replaces the corresponding feature that existed in Drupal 6 Core but has been removed in Drupal 7 Core. Requires: ThemeKey (disabled), ThemeKey UI (disabled)		

Enabled	Name	Version	Description	Operations
Comments 7.x-1.3	Moves the comments form into a block and			
		adds a default View called "Comments		
	Comme	nts _{7 v 1 2}	Block" which lists the comments.	
	/.X-1.3	Requires: Comment (enabled), Text (enabled), Field		
			(enabled), Field SQL storage (enabled), Views	
			(disabled), Chaos tools (enabled)	

Enabled	Name	Version	Description	Operations
	Content Source	7.x-1.0- alpha1+19- dev	Content Translation source plugin for the Translation Management system. Requires: Translation Management Core (disabled), Entity API (enabled), Locale (disabled), Translation Management Field (disabled), Content translation (disabled) Required by: Content Source User Interface (disabled)	
	Content Source User Interface	7.x-1.0- alpha1+19- dev	User Interface for the content translation source plugin. Requires: Content Source (disabled), Translation Management Core (disabled), Entity API (enabled), Locale (disabled), Translation Management Field (disabled), Content translation (disabled), Translation Management UI (disabled), Views Bulk Operations (disabled), Views (disabled), Chaos tools (enabled)	
	Entity Source	7.x-1.0- alpha1+19- dev	Entity source plugin for the Translation Management system. Requires: Translation Management Core	
	Entity Source User Interface	7.x-1.0- alpha1+19- dev	User Interface for the entity translation source plugin. Requires: Entity Source (disabled), Translation Management Core (disabled), Entity API (enabled), Locale (disabled), Translation Management Field (disabled), Translation Management UI (disabled), Views Bulk Operations (disabled), Views (disabled), Chaos tools (enabled), Entity_translation (missing)	
	Export / Import File	7.x-1.0- alpha1+19- dev	A translator which allows you to export source data into a file and import the	

i18n String Source	7.x-1.0- alpha1+19- dev	i18n String source plugin for the Translation Management system. Requires: Translation Management Core (disabled), Entity API (enabled), Locale (disabled), String translation (disabled),
Local Translator	7.x-1.0- alpha1+19- dev	Requires: Translation Management Core (disabled), Entity API (enabled), Locale (disabled), Views (disabled), Chaos tools (enabled)
Microsoft Translator	7.x-1.0- alpha1+19- dev	A Microsoft Translator which use Microsoft Translator service. Requires: Translation Management Core (disabled), Entity API (enabled), Locale (disabled)
myGengo Translator	7.x-1.0- alpha1+19- dev	Crowd-sourced translation service. Sign up at http://mygengo.com/! Requires: Translation Management Core (disabled), Entity API (enabled), Locale (disabled)
Nativy Translator	7.x-1.0- alpha1+19- dev	Nativy translator plugin for Translation Management module. Requires: Translation Management Core (disabled), Entity API (enabled), Locale (disabled)
Supertext Translator	7.x-1.0- alpha1+19- dev	A Supertext translator service. Requires: Translation Management Core (disabled), Entity API (enabled), Locale (disabled)
Translation Management Core	7.x-1.0- talpha1+19- dev	Core functionality for the Translation Management Suite. Requires: Entity API (enabled), Locale (disabled) Required by: Entity Source (disabled), Translation Management UI (disabled), Entity Source User Interface (disabled), Export / Import File (disabled), il 8n String Source (disabled), Local Translator (disabled), Microsoft Translator (disabled), myGengo Translator (disabled), Nativy Translator (disabled), Content Source (disabled), Content Source User Interface (disabled), Supertext Translator (disabled)
Translation Managemen Field		Implements some hooks on behalf of the core Field modules that are required in the Translation Management module. Required by: Entity Source (disabled), Entity Source User Interface (disabled), Content Source (disabled), Content Source (disabled)
Translation	7.x-1.0-	User interface. Requires: Translation Management Core (disabled), Entity API (enabled), Locale (disabled), Views Bulk Operations (disabled),

Manager	nent alpha 1+	19-Views (disabled), Chaos tools (enabled)
UI	dev	Required by: Entity Source User Interface
		(disabled), Content Source User Interface
		(disabled)

User Interface				
Enabled	Name	Version	Description	Operations
	Feedback &	7.x-1.x-	Creates a tab by the scrollbar for	
	Suggestions Tab	dev	feedback and suggestions.	

Enabled	Name	Version	Description	Operation	18	
	BeautyTips API	7.x-2.0- beta2	API for implementing jQuery beautyTips tooltip plugin Required by: BeautyTips Manager (disabled), BeautyTips UI (disabled)			
	BeautyTips Manager	7.x-2.0- beta2	Adds graphical manager for creating custom beautytips. Requires: BeautyTips API (disabled)	5		
	BeautyTips UI	7.x-2.0- beta2	Adds settings menu and contributed beautytip popups Requires: BeautyTips API (disabled)	5		
▽	CKEditor	7.x-1.9	Enables CKEditor (WYSIWYG HTML editor) for use instead of plain text fields. Required by: Paste Format (disabled)	. <u>Help</u>	<u>Permissions</u>	Configure
	CKEditor Link	x7.x-2.2	Easily create links to Drupal internal paths through CKEditor.			
	CKEditor SWI	7.x-1.0- beta1+10- dev	Enhanced Flash embedding plugin for CKEditor.			

	Collapsiblock	7.x-1.0	Makes blocks collapsible.
	Cool Message	7.x-1.0- beta2	Cool notification messages.
	Dialog API	7.x-1.x- dev	Dialog window API based on jQuery UI Dialog and CTools ajax. Required by: Dialog Comment (disabled), Dialog contextual Links (disabled), Dialog Example (disabled), Dialog User (disabled), Filter tips dialog (disabled)
	Dialog Comment	7.x-1.x- dev	Process the comments through the dialog. Requires: Dialog API (disabled), Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)
	Dialog contextual Links	7.x-1.x- dev	Makes the contextual links pop up a dialog box. Requires: Dialog API (disabled), Contextual links (enabled)
[Dialog Example	7.x-1.x- dev	Example implementations of using the Dialog API. Requires: Dialog API (disabled)
	Dialog User	7.x-1.x- dev	Provides dialog integration to the user module. Requires: Dialog API (disabled)
	Enforce revlog	7.x-1.2	Enforce log messages for every revision
			Open external links in an iframe

External iFrame	7.x-2.x- dev	with custom header Required by: External iFrame Addtoany Widget (disabled)
External iFrame Addtoany Widget	7.x-2.x- dev	Adds a Addtoany share widget to iframe header Requires: External iFrame (disabled)
External Links	7.x-1.12	Adds icon next to external links on the site. Required by: External Links Extra (disabled)
External Links Extra	7.x-1.0- beta4	Adds extra functionality to the external links module Requires: External Links (disabled)
Fancybox	7.x-1.x- dev	Provides the Fancybox jQuery plugin for displaying images, HTML content and multimedia in an elegant box. Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Libraries (disabled)
Footnotes Wysiwyg	7.x-2.5	Add a footnote button to Wysiwyg editors (TinyMCE, CKEditor) Requires: Wysiwyg (disabled), Footnotes (disabled)
hoverIntent	7.x-1.x- dev	Wrapper for the hoverIntent jQuery Plugin. Makes IMCE available as plugin for client-

IMCE Wysiwyg API bridge jCarousel	7.x-1.0 7.x-2.6	side editors integrated via Wysiwyg API. Requires: IMCE (disabled), Wysiwyg (disabled) Create jQuery- based carousel
jQuery Update	7.x-2.2	rotators. Updates jQuery to jQuery 1.5.2 and jQuery UI 1.8.11.
jQuery waypoints	7.x-1.0	Add jQuery Waypoints plugin to the site
Paste Format	7.x-1.0	Run pasted text through configured Text Format. Requires: CKEditor (enabled)
Poshy Tip	7.x-1.x- dev	Poshy Tip is a jQuery Plugin for stylish tooltips. Requires: Libraries (disabled)
qТip	7.x-2.x- dev	Stylish tooltips for your web pages. Requires: Libraries (disabled)
Superfish	7.x-1.8	jQuery Superfish plugin for your Drupal menus. Requires: Menu (enabled), Libraries (disabled)
Wysiwyg	7.x-2.1	Allows to edit content with client-side editors. Required by: Footnotes Wysiwyg (disabled), IMCE Wysiwyg API bridge (disabled)

User Management —		
Enabled Name	Version Description	Operations

Profile Picture 7.x-1.1

Allow users to change their profile pictures through a modal form Requires: Chaos tools (enabled)

Enabled	Name	Version	Description	Operations
	Universally Unique ID	7.x-1.0- alpha3+31- dev	Extends the entity functionality and adds support for universally unique identifiers. Required by: UUID default entities example (disabled), UUID Services (disabled), UUID Services Example (disabled)	

Enabled	Name	Version	Description	Operations
	Variable	7.x-1.2	Variable Information and basic variable API Required by: Easy Social (disabled), Internationalization (disabled), String translation (disabled), Block languages (disabled), Contact translation (disabled), Field translation (disabled), Translation sets (disabled), Taxonomy translation (disabled), Multilingual content (disabled), Multilingual forum (disabled), Menu translation (disabled), Path translation (disabled), Translation redirect (disabled), Multilingual select (disabled), Synchronize translations (disabled), Variable store (disabled), Variable realm (disabled), Variable translation (disabled), Views translation (disabled), LoginToboggan Variable Integration (disabled), Rules translation (disabled), Variable advanced (disabled), Variable example (disabled), Variable views (disabled)	n
	Variable admin	7.x-1.2	Variable Administration UI Requires: Variable (disabled)	
	Variable advanced		Provides access to advanced low level variables. By using this you will be able to break your site badly. Requires: Variable (disabled)	
	Variable realm	7.x-1.2	API to use variable realms from different modules Requires: Variable (disabled) Required by: Variable translation (disabled)	
	Variable store	7.x-1.2	Database storage for variable realms. This is an API module. Requires: Variable (disabled) Required by: Variable translation (disabled), Variable example (disabled)	
	Variable views	7.x-1.2	Provides views integration for variable, included a default variable argument. Requires: Variable (disabled), Views (disabled), Chao tools (enabled)	S

Enabled	Name	Version	Description	Operations
	Eva	7.x-1.1	Provides a Views display type that can be attached to entities. Requires: Views (disabled), Chaos tools (enabled)	•
	Menu Views	7.x-1.3	Required by: Answers (disabled) Provides a solution for embedding a view into a menu item. Useful for creating mega menus. Requires: Menu (enabled), Views (disabled), Chaos tools (enabled)	
	Views	7.x-3.3	Create customized lists and queries from your database. Requires: Chaos tools (enabled) Required by: Views Bulk Operations (disabled), Administration views (disabled), Advanced Forum (disabled), Eva (disabled), Answers (disabled), Chart API Views Integration (disabled), Comments block (disabled), Custom breadcrumbs for views (disabled), Date Views (disabled), Entity Reference View Widget (disabled), Entity Reference View Widget (disabled), Features Tests (disabled), Kaltura Media Views (disabled), Kaltura Module (disabled), Kaltura as a field (disabled), Flag abuse (disabled), Footnotes with Views (disabled), Views translation (disabled), Inline Comments (disabled), Linkit Picker (disabled), Linkit Views (disabled), Menu Views (disabled), Node Embed (disabled), Nodespotbox (disabled), Nodespotbox (disabled), Nodespotbox (disabled), Translation Management UI (disabled), Entity Source User Interface (disabled), Local Translator (disabled), Content Source User Interface (disabled), Views (disabled), Views content panes (disabled), Views exporter (disabled), Views Field View (disabled), Views Load More (disabled), Views Nivo Slider (disabled), Views Roundabout (disabled), Views Slideshow (disabled), Views Slideshow: Cycle (disabled), Views Slideshow Xtra (disabled), Views Slideshow Xtra (disabled), Views UI (disabled), Views Visual Search (disabled), Workbench (disabled), Workbench Media (disabled), Workflow views (disabled), Workbench Media (disabled), Workflow views (disabled), Workbench Media (disabled), Workflow views (disabled), Workbench Media (disabled)	

Views Bulk Operations		Provides a way of selecting multiple rows and applying operations to them. Requires: Entity API (enabled), Views (disabled), Chaos tools (enabled) Required by: Administration views (disabled), Translation Management UI (disabled), Entity Source User Interface (disabled), Content Source User Interface (disabled)
Views Commentcloser	/ v ()	Provides a Views handler to close and open commenting
Views exporter	7.x-3.0- beta3	Allows exporting multiple views at once. Requires: Views (disabled), Chaos tools (enabled)
Views Field View	7.x-1.0- rc2+6-dev	Embeds a view inside a view as field Requires: Views (disabled), Chaos tools (enabled)
Views Infinite Scroll	7.x-1.1	Provides an Infinite Scrolling pager for Views Requires: Views (disabled), Chaos tools (enabled)
Views Load More	7.x- 1.1+12- dev	A pager plugin for views. Gives users the option to add a 'more' button to a view and have the results appended to existing results being displayed. Requires: Views (disabled), Chaos tools (enabled)
Views Nivo Slider	7.x-2.x- dev	Display a view with Nivo Slider Requires: Views (disabled), Chaos tools (enabled)
Views Slideshow		Provides a View style that displays rows as a jQuery slideshow. This is an API and requires Views Slideshow Cycle or another module that supports the API. Requires: Views (disabled), Chaos tools (enabled) Required by: Views Slideshow: Cycle (disabled), Views slideshow: DDblock (disabled), Views Slideshow Xtra (disabled), Views Slideshow Xtra (disabled), Views Slideshow Xtra Overlay (disabled), Views Slideshow Xtra Example (disabled)
Views Slideshow Xtra	7.x-3.6	Adds additional functionality to the Views Slideshow module. NOTE: This module has been deprecated, use views_slideshow_xtra_overlay instead Requires: Views Slideshow (disabled), Views (disabled), Chaos tools (enabled)
Views		Create a Views Slideshow Xtra example content type and slide nodes. Requires: Views Slideshow Xtra Overlay

Slideshow Xtra Example	7.x-3.6	(disabled), Views Slideshow (disabled), Views (disabled), Chaos tools (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Devel (disabled)
Views Slideshow Xtra Overlay	7.x-3.6	Provides a View style and views slideshow option that displays an overlay over the slideshow. Requires: Views Slideshow (disabled), Views (disabled), Chaos tools (enabled) Required by: Views Slideshow Xtra Example (disabled)
Views Slideshow: Cycle	7.x-3.0	Adds a Rotating slideshow mode to Views Slideshow. Requires: Views Slideshow (disabled), Views (disabled), Chaos tools (enabled), Libraries (disabled)
Views slideshow: DDblock	7.x-2.x- dev	Adds ddblock functionality to Views Slideshows. Requires: Views Slideshow (disabled), Views (disabled), Chaos tools (enabled), Libraries (disabled)
Views UI	7.x-3.3	Administrative interface to views. Without this module, you cannot create or edit your views. Requires: Views (disabled), Chaos tools (enabled)
Views Visual Search	7.x-1.0	Turns the exposed filter forms into an autocomplete visual search box Requires: Views (disabled), Chaos tools (enabled), Libraries (disabled)

- <u>Visitors</u>				
Enabled	Name	Version	Description	Operations
	Visitors	7.x-1.1	This module used for displaying a visitors info. Required by: Visitors GeoIP (disabled)	5
	Visitors GeoIP	7.x-1.1	Add country reports to stats Requires: Visitors (disabled)	

Enabled	Name	Version	Description	Operations
	Rate	7.x-1.3	Flexible voting options for nodes and comments Requires: Voting API (disabled) Required by: Rate Expiration (disabled)	
	Rate Expiration	7.x-1.3	Add an expiration time to rate widgets Requires: Rate (disabled), Voting API (disabled), Date (disabled), Date API (disabled)	

Voting	7.x-2.6	modules.
API		Required by: Rate (disabled), Rate Expiration
		(disabled), Voting Rules (disabled)

Enabled	Name	Version	Description	Operations
	Webform	7.x-3.17	Enables the creation of forms and questionnaires. Required by: Webform Encrypt (disabled)	
	Webform Encrypt	7.x-1.0	Provides encryption for webform components Requires: Encrypt (disabled), Webform (disabled)	

Enabled	Name	Version	Description	Operations
	Workbench	7.x-1.1	Workbench editorial suite. Requires: Views (disabled), Chaos tools (enabled) Required by: Workbench Files (disabled), Workbench Media (disabled)	
	Workbench Access	7.x-1.0	Extensible editorial access for the Workbench suite. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	
	Workbench Files	7.x-1.0	File-related features for the Workbench editorial suite. Requires: Workbench (disabled), Views (disabled), Chaos tools (enabled)	
	Workbench Media	7.x-1.0	Media features for the Workbench editorial suite. Requires: Workbench (disabled), Views (disabled), Chaos tools (enabled), Media (disabled), File entity (disabled), Field (enabled), Field SQL storage (enabled), Image (enabled), File (enabled)	
	Workbench Moderation	/ X-I I	Provides content moderation services	

Enabled	Name	Version	Description	Operations
	Workflow	7.x-1.0	Allows the creation and assignment of arbitrary workflows to node types. Required by: Workflow access (disabled), Workflow actions and triggers (disabled), Workflow UI (disabled), Workflow rules (disabled), Workflow views (disabled)	
	Workflow access	7.x-1.0	Content access control based on workflows and roles. Requires: Workflow (disabled)	3
	Workflow		Provides actions and triggers for	

	actions and 7.x-1.0		workflows. Paguiros: Workflow (disabled). Trigger (disabled)
	triggers Workflow rules	7.x-1.0	Requires: Workflow (disabled), Trigger (disabled) Provides rules integration for workflows. Requires: Workflow (disabled), Rules (disabled), Entity tokens (disabled), Entity API (enabled)
	Workflow UI	7.x-1.0	Provides administrative UI for workflow. Requires: Workflow (disabled)
	Workflow views	7.x-1.0	Provides views integration for workflows. Requires: Workflow (disabled), Views (disabled), Chaos tools (enabled)

Save configuration