

Core

Enabled	Name	Version	Description	Operations		
☒	Aggregator	7.10	Aggregates syndicated content (RSS, RDF, and Atom feeds).	Help	Permissions	Configure
☒	Block	7.10	Controls the visual building blocks a page is constructed with. Blocks are boxes of content rendered into an area, or region, of a web page. Required by: Dashboard (enabled), Block languages (enabled), Menu translation (enabled)	Help	Permissions	Configure
☒	Blog	7.10	Enables multi-user blogs.	Help		
☒	Book	7.10	Allows users to create and organize related content in an outline.	Help	Permissions	Configure
☒	Color	7.10	Allows administrators to change the color scheme of compatible themes. Required by: Stylizer (enabled)	Help		
☒	Comment	7.10	Allows users to comment on and discuss published content. Requires: Text (enabled), Field (enabled), Field SQL storage (enabled) Required by: Forum (enabled), Multilingual forum (disabled), Tracker (enabled)	Help	Permissions	Configure
☒	Contact	7.10	Enables the use of both personal and site-wide contact forms. Required by: Contact translation (disabled)	Help	Permissions	Configure

Allows content to

@font-your-face

Enabled	Name	Version	Description	Operations
☐	@font-your-face	7.x-2.0	Manages web fonts. Required by: Font Reference (disabled), Fontdeck (disabled), Fonts.com (disabled), Font Squirrel API (disabled), @font-your-face UI (disabled), Google Fonts API (disabled), KERNEST (disabled), Local Fonts (disabled), Typekit API (disabled)	
☐	@font-your-face UI	7.x-2.0	Administrative interface for managing fonts. Requires: @font-your-face (disabled), Views (enabled), Chaos tools (enabled)	
☐	Font Squirrel API	7.x-2.0	@font-your-face provider with Font Squirrel fonts. Requires: @font-your-face (disabled)	
☐	Fontdeck	7.x-2.0	@font-your-face provider of fonts from Fontdeck.com. Requires: @font-your-face (disabled)	
☐	Fonts.com	7.x-2.0	@font-your-face provider of fonts from Fonts.com. Requires: @font-your-face (disabled)	
☐	Google Fonts API	7.x-2.0	@font-your-face provider with Google fonts. Requires: @font-your-face (disabled)	
☐	KERNEST	7.x-2.0	@font-your-face provider with KERNEST fonts. Requires: @font-your-face (disabled)	
☐	Local Fonts	7.x-2.0	@font-your-face provider with fonts installed locally on the Drupal server. Requires: @font-your-face (disabled)	
☐	Typekit API	7.x-2.0	@font-your-face provider with Typekit.com fonts. Requires: @font-your-face (disabled)	

CCK

Enabled	Name	Version	Description	Operations
☒	CCK	7.x-2.x-dev	Miscellaneous field functions not handled by core. Requires: Field UI (enabled), Field (enabled), Field SQL storage (enabled)	Permissions
☐	Content Migrate	7.x-2.x-dev	Migrate fields and field data from CCK D6 format to the D7 field format. Required to migrate data, can be disabled once all fields have been migrated.	

Chaos tool suite

Enabled	Name	Version	Description	Operations
☐	Bulk Export	7.x-1.0-rc1	Performs bulk exporting of data objects known about by Chaos tools. Requires: Chaos tools (enabled)	
☒	Chaos tools	7.x-1.0-rc1	A library of helpful tools by Merlin of Chaos. Required by: Bulk Export (disabled), Custom rulesets (enabled), Chaos Tools (CTools) AJAX Example (disabled), Custom content panes (enabled), Panels (enabled), Page manager (enabled), Chaos Tools (CTools) Plugin Example (disabled), Views (enabled), Date Views (enabled), @font-your-face UI (disabled), Panels In-Place Editor (enabled), Mini panels (disabled), Panel nodes (enabled), Premium content (enabled), Similar entries (enabled), Skinr Panels (disabled), Stylizer (enabled), Sweaver (enabled), Views content panes (enabled), Views UI (enabled)	
☐	Chaos Tools (CTools) AJAX Example	7.x-1.0-rc1	Shows how to use the power of Chaos AJAX. Requires: Chaos tools (enabled)	
☐	Chaos Tools (CTools) Plugin Example	7.x-1.0-rc1	Shows how an external module can provide ctools plugins (for Panels, etc.). Requires: Chaos tools (enabled), Panels (enabled), Page manager (enabled), Advanced_help (missing)	
☒	Custom content panes	7.x-1.0-rc1	Create custom, exportable, reusable content panes for applications like Panels. Requires: Chaos tools (enabled)	Permissions
☒	Custom rulesets	7.x-1.0-rc1	Create custom, exportable, reusable access rulesets for applications like Panels. Requires: Chaos tools (enabled)	Permissions
☒	Page manager	7.x-1.0-rc1	Provides a UI and API to manage pages within the site. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled)	Permissions
☒	Stylizer	7.x-1.0-rc1	Create custom styles for applications such as Panels. Requires: Chaos tools (enabled), Color (enabled)	Permissions
☐	Views UI		Allows Views content to be used in	

Date/Time

Enabled	Name	Version	Description	Operations
☒	Date	7.x-2.0-rc1	Makes date/time fields available. Requires: Date API (enabled) Required by: Drupal (Field type(s) in use - see Field list), Date All Day (enabled), Date Context (disabled), Date Migration (disabled), Date Repeat Field (disabled), Date Migration Example (disabled), Date Tools (enabled)	Help
☒	Date All Day	7.x-2.0-rc1	Adds 'All Day' functionality to date fields, including an 'All Day' theme and 'All Day' checkboxes for the Date select and Date popup widgets. Requires: Date API (enabled), Date (enabled)	
☒	Date API	7.x-2.0-rc1	A Date API that can be used by other modules. Required by: Date (enabled), Date All Day (enabled), Date Context (disabled), Date Migration (disabled), Date Repeat API (disabled), Date Repeat Field (disabled), Date Migration Example (disabled), Date Popup (disabled), Date Tools (enabled), Date Views (enabled)	
			Adds an option to the Context module to set a	

Development

Enabled	Name	Version	Description	Operations
☐	ThemeKey Example	7.x-2.0	Implements parts of the ThemeKey API as an example for Developers. Requires: ThemeKey (disabled)	

Features

Enabled	Name	Version	Description	Operations
☐	Date Migration Example	7.x-2.0-rc1	Examples of migrating with the Date module Requires: Date (enabled), Date API (enabled), Date Repeat API (disabled), Date Repeat Field (disabled), Date Migration (disabled), Migrate (missing), Features (missing)	

Fields

Enabled	Name	Version	Description	Operations
☐	Font Reference	7.x-2.0	Defines a field type for referencing a font from a node. Requires: @font-your-face (disabled), Field (enabled), Field SQL storage (enabled), Options (enabled)	

Media

Enabled	Name	Version	Description	Operations
☒	IMCE	7.x-1.5	An image/file uploader and browser supporting personal directories and user quota.	Permissions Configure

Multilanguage

Enabled	Name	Version	Description	Operations
☒	Translation overview	7.x-2.0-beta1	Provides an overview of the translation status of the site's content. Requires: Content translation (enabled), Locale (enabled)	Permissions

Multilingual

Enabled	Name	Version	Description	Operations
☒	Language icons	7.x-1.0-beta1	Adds icons to language links. Requires: Locale (enabled)	Help

Multilingual - Internationalization

Enabled	Name	Version	Description	Operations
☒	Block languages	7.x-1.3	Enables language selector for blocks and optional block translation. Requires: Block (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled) Required by: Menu translation (enabled)	Help
☐	Contact translation	7.x-1.3	Makes contact categories and replies available for translation. Requires: Contact (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled)	
☒	Field translation	7.x-1.3	Translate field properties Requires: Field (enabled), Field SQL storage (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled)	
			Extends Drupal support for multilingual features. Requires: Locale (enabled), Variable (enabled) Required by: String translation (enabled), Block languages	

Other

Enabled	Name	Version	Description	Operations		
	Featured Content	7.x-1.5	Provides configurable Featured Content blocks. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	Help	Configure	
	Global Redirect	7.x-1.4	Searches for an alias of the current URL and 301 redirects if found. Stops duplicate content arising when path module is enabled.	Help	Configure	
	Google Plus One +1	6.x-1.1	Adds Google +1 button to your site. Enable it per node, or as a block. This version is not compatible with Drupal 7.x and should be replaced.			
	GTranslate	6.x-1.7	Uses Google power to translate your web site. This version is not compatible with Drupal 7.x and should be replaced.			
	Pathauto	7.x-1.0	Provides a mechanism for modules to automatically generate aliases for the content they manage. Requires: Path (enabled), Token (enabled)	Help	Permissions	Configure
	Premium		Restrict access to premium			

Panels

Enabled	Name	Version	Description	Operations	
☐	Mini panels	7.x-3.0	Create mini panels that can be used as blocks by Drupal and panes by other panel modules. Requires: Panels (enabled), Chaos tools (enabled)		
☒	Panel nodes	7.x-3.0	Create nodes that are divided into areas with selectable content. Requires: Panels (enabled), Chaos tools (enabled)	Permissions	Configure
☒	Panels	7.x-3.0	Core Panels display functions; provides no external UI, at least one other Panels module should be enabled. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled), Panels In-Place Editor (enabled), Mini panels (disabled), Panel nodes (enabled), Skinr Panels (disabled)	Permissions	Configure
☒	Panels In-Place Editor	7.x-3.0	Provide a UI for managing some Panels directly on the frontend, instead of having to use the backend. Requires: Panels (enabled), Chaos tools (enabled)		Configure

Skinr

Enabled	Name	Version	Description	Operations
☒	Skinr	7.x-2.0-alpha1	Provides a way to define and/or skin bits of Drupal output from the UI. Required by: Skinr UI (enabled)	Help
☐	Skinr Panels	7.x-2.0-alpha1	Provides Skinr integration with Panels. Requires: Panels (enabled), Chaos tools (enabled)	
☒	Skinr UI	7.x-2.0-alpha1	Administrative interface to skinr. Without this module, you cannot edit your skins. Requires: Skinr (enabled)	Permissions Configure

Spam control

Enabled	Name	Version	Description	Operations		
☒	CAPTCHA	7.x-1.0-beta1	Base CAPTCHA module for adding challenges to arbitrary forms. Required by: Image CAPTCHA (enabled), reCAPTCHA (enabled)	Help	Permissions	Configure
☒	Image CAPTCHA	7.x-1.0-beta1	Provides an image based CAPTCHA. Requires: CAPTCHA (enabled)			Configure
☒	reCAPTCHA	7.x-1.7	Uses the reCAPTCHA web service to improve the CAPTCHA system. Requires: CAPTCHA (enabled)	Help	Permissions	
☒	reCAPTCHA Mailhide	7.x-1.7	Uses the reCAPTCHA web service to protect email addresses.			

Statistics

Enabled	Name	Version	Description	Operations
☐	Google Analytics	7.x-1.2	Allows your site to be tracked by Google Analytics by adding a Javascript tracking code to every page.	

ThemeKey

Enabled	Name	Version	Description	Operations
	ThemeKey	7.x-2.0	Map themes to Drupal paths or object properties. Required by: ThemeKey Compatibility (disabled), ThemeKey Debug (disabled), ThemeKey Example (disabled), ThemeKey Features (Experimental!) (disabled), ThemeKey UI (disabled), ThemeKey User Profile (disabled)	
	ThemeKey Compatibility	7.x-2.0	Integration of different theme switching modules into ThemeKey and it's theme switching rule chain. Requires: ThemeKey (disabled)	
	ThemeKey Debug	7.x-2.0	Debug ThemeKey Requires: ThemeKey (disabled)	
	ThemeKey Features (Experimental!)	7.x-2.0	Integrates ThemeKey with Features. Warning! Don't use in production! Highly Experimental! Requires: ThemeKey (disabled), Features (missing)	
	ThemeKey UI	7.x-2.0	Integrates ThemeKey with Drupal administration forms. Requires: ThemeKey (disabled) Required by: ThemeKey User Profile (disabled)	
	ThemeKey User Profile	7.x-2.0	Allows users to select their own theme for this site. ThemeKey User Profile replaces the corresponding feature that existed in Drupal 6 Core but has been removed in Drupal 7 Core. Requires: ThemeKey (disabled), ThemeKey UI (disabled)	

User interface

Enabled	Name	Version	Description	Operations		
☒	CKEditor	7.x-1.6	Enables CKEditor (WYSIWYG HTML editor) for use instead of plain text fields.	Help	Permissions	Configure
☒	External Links	7.x-1.12	Adds icon next to external links on the site.			Configure
☒	Sweaver	7.x-1.1	Visual interface for tweaking or building Drupal themes. Requires: Chaos tools (enabled)		Permissions	Configure

Views

Enabled	Name	Version	Description	Operations		
☒	Views	7.x-3.1	Create customized lists and queries from your database. Requires: Chaos tools (enabled) Required by: Date Views (enabled), @font-your-face UI (disabled), Similar entries (enabled), Views content panes (enabled), Views UI (enabled)	Permissions		
☒	Views UI	7.x-3.1	Administrative interface to views. Without this module, you cannot create or edit your views. Requires: Views (enabled), Chaos tools (enabled)			Configure

XML sitemap

Enabled	Name	Version	Description	Operations
☒	XML sitemap	7.x-2.0-rc1	Creates an XML sitemap conforming to the sitemaps.org protocol . Required by: XML sitemap custom (enabled), XML sitemap engines (enabled), XML sitemap internationalization (enabled), XML sitemap menu (enabled), XML sitemap node (enabled), XML sitemap taxonomy (enabled), XML sitemap user (enabled)	Permissions Configure
☒	XML sitemap custom	7.x-2.0-rc1	Adds user configurable links to the sitemap. Requires: XML sitemap (enabled)	Configure
☒	XML sitemap engines	7.x-2.0-rc1	Submit the sitemap to search engines. Requires: XML sitemap (enabled)	Configure
☒	XML sitemap internationalization	7.x-2.0-rc1	Enables multilingual XML sitemaps. Requires: XML sitemap (enabled), Internationalization (enabled), Locale (enabled), Variable (enabled)	
☒	XML sitemap menu	7.x-2.0-rc1	Adds menu item links to the sitemap. Requires: XML sitemap (enabled), Menu (enabled)	
☒	XML sitemap node	7.x-2.0-rc1	Adds content links to the sitemap. Requires: XML sitemap (enabled)	

Featured Content Block Settings

Featured Content Blocks are blocks that show lists of content on your site. You can either manually choose what will be shown, or you can specify content fields or filters to use to determine what will be shown along side pages when they are being viewed.

Name

Provide a descriptive name for internal use. This will show up on the [admin/structure/block](#) page.

Header Text

Will show up between block title and content.

Footer Text

Will show up after content.

Empty Text

This will show up all by itself if there is no content that can be found.

Number to Show

The number of content items to show. The maximum allowed is 10. If you enter an invalid number, 10 will be used. To configure the maximum, go to the [Featured Content settings page](#).

Sort By

What to Display in the Block

You can choose to show only a list of the titles each linked to their own page, to show the teaser for each content item which will usually include the title (linked) and the teaser summary, or the full node content for each content item.

What to Display on Read More Page

A "read more" link can be added that goes to a "read more page" that will show linked titles, teasers/summaries, or full nodes based on the chosen option.

☐ Include RSS Feed

If checked, then there will be a small RSS icon shown at the bottom of the block that links to the RSS feed for the block content.

You can choose from 4 types of content blocks: Manually-Selected Content, Content Field Selected Content, Filtered Content, and Search Results Content. When you choose a type, the type-specific settings form will change to show what you can provide for the type chosen.

Type

Manually-Selected Content Settings