▾ Administration

Enabled	Name	Version	Description
☐	**Front Page**	6.x-1.3	Allows site admins easily position front pages for the site.

▾ CCK

Enabled	Name	Version	Description
☐	**Content**	6.x-2.9	Allows administrators to define new content types. Required by: Content Copy (enabled), Content Permissions (enabled), Data (enabled), Date Tools (enabled), Email (enabled), Fieldgroup (enabled), Link (enabled), Node Reference (enabled), Number (enabled), Option Widgets (enabled), Text (enabled), User Reference (enabled)
☑	**Content Copy**	6.x-2.9	Enables ability to import/export field definitions. Depends on: Content (enabled)
☑	**Content Permissions**	6.x-2.9	Set field-level permissions for CCK fields. Depends on: Content (enabled)
☑	**Email**	6.x-1.2	Defines an email field type for cck Depends on: Content (enabled)
☑	**Fieldgroup**	6.x-2.9	Create display groups for CCK fields Depends on: Content (enabled)
☑	**Link**	6.x-2.9	Defines simple link field types. Depends on: Content (enabled)
☑	**Node Reference**	6.x-2.9	Defines a field type for referencing one node from another. Depends on: Content (enabled), Text (enabled), Option Widgets (enabled)
☑	**Number**	6.x-2.9	Defines numeric field types. Depends on: Content (enabled)
☐	**Option Widgets**	6.x-2.9	Defines selection, check box and radio button widgets for text and numeric fields. Depends on: Content (enabled) Required by: Node Reference (enabled), User Reference (enabled)
☐	**Text**	6.x-2.9	Defines simple text field types. Depends on: Content (enabled) Required by: Node Reference (enabled), User Reference (enabled)
☑	**User Reference**	6.x-2.9	Defines a field type for referencing a user from a node. Depends on: Content (enabled), Text (enabled), Option Widgets (enabled)

▾ Core - optional

Enabled	Name	Version	Description
☑	**Aggregator**	6.22	Aggregates syndicated content (RSS, RDF, and Atom feeds).
☑	**Blog**	6.22	Enables keeping easily and regularly updated user web pages or blogs.
☑	**Blog API**	6.22	Allows users to post content using applications that support XML-RPC blog APIs.
☑	**Book**	6.22	Allows users to structure site pages in a hierarchy or outline.
☐	**Color**	6.22	Allows the user to change the color scheme of certain themes.
☐	**Comment**	6.22	Allows users to comment on and discuss published content. Required by: Forum (disabled), Tracker (enabled)
☑	**Contact**	6.22	Enables the use of both personal and site-wide contact forms.
☐	**Content translation**	6.22	Allows content to be translated into different languages. Depends on: Locale (enabled)
☑	**Database logging**	6.22	Logs and records system events to the database.
☐	**Forum**	6.22	Enables threaded discussions about general topics. Depends on: Taxonomy (enabled), Comment (enabled)
☐	**Help**	6.22	Manages the display of online help.
☐	**Locale**	6.22	Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Date Locale (enabled), Content translation (disabled)
☐	**Menu**	6.22	Allows administrators to customize the site navigation menu. Required by: Menu breadcrumb (enabled)
☐	**OpenID**	6.22	Allows users to log into your site using OpenID.
☐	**Path**	6.22	Allows users to rename URLs. Required by: Pathauto (enabled)

Enabled	Name	Version	Description
			Required by: Pathauto (enabled)
☑	**PHP filter**	6.22	Allows embedded PHP code/snippets to be evaluated.
☐	**Ping**	6.22	Alerts other sites when your site has been updated.
☐	**Poll**	6.22	Allows your site to capture votes on different topics in the form of multiple choice questions.
☑	**Profile**	6.22	Supports configurable user profiles.
☑	**Search**	6.22	Enables site-wide keyword searching.
☑	**Statistics**	6.22	Logs access statistics for your site.
☑	**Syslog**	6.22	Logs and records system events to syslog.
☐	**Taxonomy**	6.22	Enables the categorization of content. Required by: Forum (disabled), Image Gallery (enabled)
☐	**Throttle**	6.22	Handles the auto-throttling mechanism, to control site congestion.
☑	**Tracker**	6.22	Enables tracking of recent posts for users. Depends on: Comment (enabled)
☑	**Trigger**	6.22	Enables actions to be fired on certain system events, such as when new content is created.
☑	**Update status**	6.22	Checks the status of available updates for Drupal and your installed modules and themes.
☑	**Upload**	6.22	Allows users to upload and attach files to content.

▸ Core - required

▾ Date/Time

Enabled	Name	Version	Description
☐	**Date**	6.x-2.7	Defines CCK date/time fields and widgets. Depends on: Content (enabled), Date API (enabled), Date Timezone (enabled) Required by: Date Tools (enabled)
☐	**Date API**	6.x-2.7	A Date API that can be used by other modules. Required by: Date (enabled), Date Locale (enabled), Date PHP4 (disabled), Date Popup (disabled), Date Repeat API (disabled), Date Timezone (enabled), Date Tools (enabled)
☑	**Date Locale**	6.x-2.7	Allows the site admin to configure multiple formats for date/time display to tailor dates for a specific locale or audience. Depends on: Date API (enabled), Locale (enabled)
☐	**Date PHP4**	6.x-2.7	Emulate PHP 5.2 date functions in PHP 4.x, PHP 5.0, and PHP 5.1. Required when using the Date API with PHP versions less than PHP 5.2. Depends on: Date API (enabled)
☐	**Date Popup**	6.x-2.7	Enables jQuery popup calendars and time entry widgets for selecting dates and times. Depends on: Date API (enabled), Date Timezone (enabled)
☐	**Date Repeat API**	6.x-2.7	A Date Repeat API to calculate repeating dates and times from iCal rules. Depends on: Date API (enabled)
☐	**Date Timezone**	6.x-2.7	Needed when using Date API. Overrides site and user timezone handling to set timezone names instead of offsets. Depends on: Date API (enabled) Required by: Date (enabled), Date Popup (disabled), Date Tools (enabled)
☑	**Date Tools**	6.x-2.7	Tools to import and auto-create dates and calendars. Depends on: Content (enabled), Date (enabled), Date API (enabled), Date Timezone (enabled)

▾ Development

Enabled	Name	Version	Description
☐	**Helpers**	6.x-1.1	A collection of helper functions. Depends on: Helpers_theme (disabled) Required by: Helpers_form (disabled)
☐	**Helpers_database**	6.x-1.1	A collection of helper functions for database. Depends on: Helpers_theme (disabled)
☐	**Helpers_form**	6.x-1.1	A collection of helper functions for form. Depends on: Helpers (disabled), Helpers_theme (disabled)
☐	**Helpers_node**	6.x-1.1	A collection of helper functions for nodes.

	Helpers_node	6.x-1.1	A collection of helper functions for nodes
	Helpers_taxonomy	6.x-1.1	A collection of helper functions for taxonomy
	Helpers_theme	6.x-1.1	A collection of helper theming functions Required by: Helpers (disabled), Helpers_database (disabled), Helpers_form (disabled)

▾ Event

Enabled	Name	Version	Description
	Calendar Signup	6.x-2.x-dev	Add signup forms in an event module calendar Depends on: Event (enabled), Signup (missing)
	Date Picker	6.x-2.x-dev	Add a date picker to event module forms Depends on: Event (enabled)
☑	Event	6.x-2.x-dev	Calendaring API, calendar display and export Required by: Calendar Signup (disabled), Date Picker (disabled)

▾ Image

Enabled	Name	Version	Description
☑	Image	6.x-1.1	Allows uploading, resizing and viewing of images Required by: Image Attach (disabled), Image Gallery (enabled), Image Import (disabled)
	Image Attach	6.x-1.1	Allows easy attaching of image nodes to other content types Depends on: Image (enabled)
☑	Image Gallery	6.x-1.1	Allows sorting and displaying of image galleries based on categories Depends on: Image (enabled), Taxonomy (enabled)
	Image Import	6.x-1.1	Allows batches of images to be imported from a directory on the server Depends on: Image (enabled)
	ImageMagick Advanced Options	6.x-1.1	Adds advanced options to the ImageMagick image toolkit

▾ Other

Enabled	Name	Version	Description
	AWStats	6.x-1.3	View web statistics generated by the AWstats tool. Depends on: Libraries (enabled)
☑	FCKeditor	6.x-2.1	Enables the usage of FCKeditor (WYSIWYG) instead of plain text fields.
☑	Frequently Asked Questions	6.x-1.10	Manages configuration of questions for a FAQ page.
	IMCE	6.x-2.2	An image/file uploader and browser supporting personal directories and user quotas. Required by: IMCE Mkdir (enabled)
☑	IMCE Mkdir	6.x-1.1	Allows users manage directories in IMCE Depends on: IMCE (enabled)
☑	Libraries	6.x-1.0	Allows version dependent and shared usage of external libraries Required by: AWStats (disabled)
☑	Menu breadcrumb	6.x-1.3	Allows you to use the menu the current page belongs to for the breadcrumb Depends on: Menu (enabled)
☑	Node Privacy By Role	6.x-1.6	Provides node level access control based on role membership.
☑	Pathauto	6.x-1.5	Provides a mechanism for modules to automatically generate aliases for the content they manage. Depends on: Path (enabled), Token (enabled)
☑	Scheduler	6.x-1.8	This module allows nodes to be published and unpublished on specified dates
	Search Restrict	6.x-1.3	Exclude specific content from search results if user doesn't have privileges
	Token	6.x-1.16	Provides a shared API for replacement of textual placeholders with actual data. Required by: Pathauto (enabled), TokenSTARTER (enabled), Token actions (enabled)
☑	Token actions	6.x-1.16	Provides enhanced versions of core Drupal actions using the Token module. Depends on: Token (enabled)
☑	TokenSTARTER	6.x-1.16	Provides additional tokens and a base on which to build your own tokens. Depends on: Token (enabled)
	Twitter	6.x-3.6-	Adds integration with the Twitter microblogging service.

Enabled	Name	Version	Description
☑	Pathauto	6.x-1.6	manage Depends on: Path (enabled), Token (enabled)
☑	Scheduler	6.x-1.6	This module allows nodes to be published and unpublished on specified dates
☐	Search Restrict	6.x-1.3	Exclude specific content from search results if user doesn't have privileges
☐	Token	6.x-1.16	Provides a shared API for replacement of textual placeholders with actual data Required by: Pathauto (enabled), Token STARTER (enabled), Token actions (enabled)
☑	Token actions	6.x-1.16	Provides enhanced versions of core Drupal actions using the Token module. Depends on: Token (enabled)
☑	Token STARTER	6.x-1.16	Provides additional tokens and a base on which to build your own tokens. Depends on: Token (enabled)
☐	Twitter	6.x-3.0-beta6	Adds integration with the Twitter microblogging service. Required by: Twitter actions (disabled), Twitter Post (disabled), Twitter Signin (disabled)
☐	Twitter actions	6.x-3.0-beta6	Exposes Drupal actions to send Twitter messages. Depends on: Twitter (disabled), Oauth (missing)
☐	Twitter Post	6.x-3.0-beta6	Enables posting to twitter. Depends on: Twitter (disabled), Oauth (missing)
☐	Twitter Signin	6.x-3.0-beta6	Adds support for "Sign in with Twitter". Depends on: Twitter (disabled), Oauth (missing)

▼ Statistics

Enabled	Name	Version	Description
☐	Google Analytics	6.x-3.2	Adds Google Analytics javascript tracking code to all your site's pages.

▼ User interface

Enabled	Name	Version	Description
☑	Javascript tools	6.x-1.0	Provides common JavaScript methods used by other modules.

▼ User interface

Enabled	Name	Version	Description
☐	Wysiwyg	6.x-2.4	Allows users to edit contents with client-side editors.

▼ Views

Enabled	Name	Version	Description
☐	Views	6.x-2.12	Create customized lists and queries from your database. Required by: Views exporter (disabled), Views UI (enabled)
☐	Views exporter	6.x-2.12	Allows exporting multiple views at once. Depends on: Views (enabled)
☑	Views UI	6.x-2.12	Administrative interface to views. Without this module, you cannot create or edit your views. Depends on: Views (enabled)

▼ Webform

Enabled	Name	Version	Description
☑	Webform	6.x-3.14	Enables the creation of forms and questionnaires.

Save configuration