

X

Breakpoints

http://d8.dev/admin/config/media/breakpoints

Home > Administration > Configuration > Media

Breakpoints

GroupsMultipliers

All breakpointsBartikSidebarAdd a new group

Name	Breakpoint	Multipliers	Source	Status	Operations
mobile	(min-width: 0px)	☐ 1.5x ☒ 2x	bartik (theme)	Enabled	Disable
narrow	all and (min-width: 740px)	☐ 1.5x ☐ 2x	bartik (theme)	Enabled	Disable
normal	(min-width: 980px)	☐ 1.5x ☒ 2x	bartik (theme)	Enabled	Disable
wide	(min-width: 1220px)	☐ 1.5x ☐ 2x	bartik (theme)	Enabled	Disable
landscape	(orientation:landscape)	☐ 1.5x ☐ 2x	user (custom)	Enabled	Disable Delete
		☐ 1.5x ☐ 2x			

Save

The above table also include drag & drop of the rows, to change the order off the breakpoints. On all group pages the order can be changed as well specifically for each group separately.

Multipliers can be checked on each page, but they're a global setting, so checking them inside one group will also check them for all other groups.

[Home](#) > [Administration](#) > [Configuration](#) > Media

Breakpoints

Groups

Multipliers

All breakpoints

Bartik

Sidebar

Add a new group

Name	Breakpoint	Multipliers	Source	Status
mobile	(min-width: 0px)	☐ 1.5x ☒ 2x	bartik (theme)	Enabled
narrow	all and (min-width: 740px)	☐ 1.5x ☐ 2x	bartik (theme)	Enabled
normal	(min-width: 980px)	☐ 1.5x ☒ 2x	bartik (theme)	Enabled
wide	(min-width: 1220px)	☐ 1.5x ☐ 2x	bartik (theme)	Enabled

Save

Override theme breakpoints

Reload theme breakpoints

[Duplicate group](#)

This makes a copy of all breakpoints defined by the theme, so a user can change their definition. The source will change from "bartik (theme)" to "bartik (custom)"

This reloads all breakpoints defined inside theme.info, replacing all others. Handy for themers.

Breakpoints

←

→

×

🏠

http://d8.dev/admin/config/media/breakpoints

🔍

Home > Administration > Configuration > Media

Breakpoints

Groups

Multipliers

All breakpoints

Bartik

Sidebar

Add a new group

Name	Breakpoint	Multipliers	Source	Status
mobile	(min-width: 0px)	☐ 1.5x ☒ 2x	bartik (custom)	Enabled
narrow	all and (min-width: 740px)	☐ 1.5x ☐ 2x	bartik (custom)	Enabled
normal	(min-width: 980px)	☐ 1.5x ☒ 2x	bartik (custom)	Enabled
wide	(min-width: 1220px)	☐ 1.5x ☐ 2x	bartik (custom)	Enabled

Save

Export breakpoints to theme

Revert theme breakpoints

[Edit group breakpoints](#)

[Duplicate group](#)

This reloads all breakpoints defined inside theme.info and re-attaches them to this group.

Can be changed now

(Custom) instead of (theme)



[Home](#) > [Administration](#) > [Configuration](#) > Media

Breakpoints

Groups Multipliers

All breakpoints

Bartik

Sidebar

Add a new group

Group name

Sidebar

Machine name: sidebar

Select the breakpoints you want to use in this group

- ☒ mobile (min-width: 0px)
- ☐ narrow all and (min-width: 740px)
- ☒ normal (min-width: 980px)
- ☐ wide (min-width: 1220px)
- ☐ landscape (orientation:landscape)

Save

[Cancel](#)

All breakpoints are shown here, both enabled and disabled.

Breakpoints

←

→

×

🏠

http://d8.dev/admin/config/media/breakpoints

🔍

[Home](#) > [Administration](#) > [Configuration](#) > Media

Breakpoints

Groups

Multipliers

All breakpoints

Bartik

Sidebar

Add a new group

Name	Breakpoint	Multipliers	Source	Status
mobile	(min-width: 0px)	☐ 1.5x ☒ 2x	bartik (theme)	Enabled
normal	(min-width: 980px)	☐ 1.5x ☒ 2x	bartik (theme)	Enabled

Save

Export breakpoints to theme

Edit group breakpoints

Duplicate group

Delete this group

This creates a new group containing the same breakpoints in the same order.

This only deletes the group, the breakpoints

[Home](#) > [Administration](#) > [Configuration](#) > Media

Breakpoints

[Groups](#) [Multipliers](#)

All breakpoints

Bartik

Sidebar

Add a new group

Copy/Paste the following inside your theme.info file.

```
breakpoints[mobile] = (min-width: 0px)
breakpoints[normal] = (min-width: 980px)
```

Name	Breakpoint	Multipliers	Source	Status
mobile	(min-width: 0px)	☐ 1.5x ☒ 2x	bartik (theme)	Enabled
normal	(min-width: 980px)	☐ 1.5x ☒ 2x	bartik (theme)	Enabled

Save

Export breakpoints to theme

[Edit group breakpoints](#)[Duplicate group](#)[Delete this group](#)