

37 features (**36 success 1 fail**)
 124 scenarios (**123 success 1 fail**)
 1508 steps (**1504 success 3 skipped 1 fail**)

[+] all [-] all

Suite : default

Feature: Create default testing users. |-

@init @tools @local @development @staging

Scenario: Create the test_authenticated user. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "authenticated.test@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_authenticated" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Create new account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_authenticated is already taken."	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@init @tools @local @development @staging

Scenario: Create the test_editor user. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "editor.test@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_editor" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Editor"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

```

And I press "Create new account"           Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_editor is already taken."
                                                    Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

@init @tools @local @development @staging

Scenario: Create the test_content_admin user. |-

```

Given I am a logged in user with the "webmaster" user           VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/create"                             Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"                                     Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "content.admin.test@vardot.com" for "Email address"
                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_content_admin" for "Username"             Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"                   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"
                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Content Admin"                             Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Create new account"                               Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_content_admin is already taken."
                                                    Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

@init @tools @local @development @staging

Scenario: Create the test_seo_admin user. |-

```

Given I am a logged in user with the "webmaster" user           VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/create"                             Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"                                     Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "seo.admin.test@vardot.com" for "Email address"
                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_seo_admin" for "Username"                 Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"                   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"
                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "SEO Admin"                                 Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Create new account"                               Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

```

Then I should not see "The name test_seo_admin is already taken."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@init @tools @local @development @staging

Scenario: Create the test_site_admin user. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people/create"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Add user"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "site.admin.test@vardot.com" for "Email address"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "test_site_admin" for "Username"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Password"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Confirm password"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I check the box "Site Admin"

Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press "Create new account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "The name test_site_admin is already taken."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@init @tools @local @development @staging

Scenario: Create the test_super_admin user. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people/create"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Add user"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "super.admin.test@vardot.com" for "Email address"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "test_super_admin" for "Username"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Password"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Confirm password"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I check the box "Super Admin"

Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press "Create new account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "The name test_super_admin is already taken."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Add Arabic language if we do not have it to languages in the system. |-

@init @tools @local @development @staging @arabic

Scenario: Add Arabic language if we do not have it to languages in the system. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/regional/language"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Arabic"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
But I should see "Add language"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Add language"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add a language to be supported by your site."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "ar" from "Language name"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press "Add language"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I go to "/admin/config/regional/language"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Arabic"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Website Base Requirements - User Registration - Only admins login |-

As an anonymous user I will not be able to register as a user in the website So that I will need a site admin or super admin to add me to the website

@local @development @staging @production

Scenario: Check that create new account options does not appear for anonymous users. |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Create new account"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@local @development @staging @production

Scenario: Check that only admin can create an account. |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user/register"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@local @development @staging @production

Scenario: Verify that anonymous users cannot access admin pages. |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/admin"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Website Base Requirements - User Roles - Simple Roles |-

As a logged in user with the User ID number 1 I want to be able to see the list of User Roles So that they must be (Editor, Site Admin, Content Admin, Super Admin)

@local @development @staging @production

Scenario: Check that all default list of roles are present. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/people/roles"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Content Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "SEO Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Site Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Super Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Editing - Rich Text Editor - Input formats |-

As a logged in user with a permission to edit content I want to be able to switch between input formats So that can use different type of rich text editors.

@javascript @local @development @staging @production

Scenario: Check if Site Admin user can change the text format for the body of Basic page. |-

Given I am a logged in user with the "test_site_admin"	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

```

Then I should see "Create Basic page"      Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Body"                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should not see "HTML Editor"         Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
When I select "full_html" from "body[0][format]" Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish              Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"
                                             Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "basic_html" from "body[0][format]"
                                             Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish              Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"
                                             Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "code_html" from "body[0][format]"
                                             Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish              Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#edit-body-0-value" element in the "field body"
                                             Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
And I should not see the "#cke_edit-body-0-value" element in the "field body"
                                             Drupal\DrupalExtension\Context\MarkupContext::assertNotRegionElement()

```

@javascript @local @development @staging @production

Scenario: Check if Super Admin user can change the text format for the body of Basic page. |-

```

Given I am a logged in user with the "test_super_admin"  VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"                            Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Body"                                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "full_html" from "body[0][format]"        Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish                            Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"
                                                           Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "basic_html" from "body[0][format]"
                                                           Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish                            Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"
                                                           Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "code_html" from "body[0][format]"
                                                           Drupal\DrupalExtension\Context\MinkContext::selectOption()

```

```

And I wait for AJAX to finish                                Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see the "#edit-body-0-value" element in the "field body"
                                                                Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
And I should not see the "#cke_edit-body-0-value" element in the "field body"
                                                                Drupal\DrupalExtension\Context\MarkupContext::assertNotRegionElement()

```

Feature has passed

Feature: Website Base Requirements - Website Languages - English |-

As a logged in user with the permission to add content I want to be able to check if the site has got the English language Enabled So that can be sure that the website is using the English language as one of the languages.

@javascript @local @development @staging @production

Scenario: Check if we can Create Basic page with English for the language of the content. |-

```

Given I am a logged in user with the "test_content_admin" user
                                                                VarbaseContext::iamLoggedInUserWithTheUser()
And I go to "node/add/page"                                  Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                  VarbaseContext::waitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I select "English" from "Language"                    Drupal\DrupalExtension\Context\MinkContext::selectOption()
Then I should see "Language"                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "English" from "Language"                    Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Test English Basic page title by content admin" for "Title"
                                                                Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test English Basic page body"
                                                                VarbaseContext::iFillInTheRichTextEditorField()
And I press the "Save" button                               Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                  VarbaseContext::waitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Basic page title by content admin"
                                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if we can Create Landing page with English for the language of the content. |-

```

Given I am a logged in user with the "test_content_admin" user
                                                                VarbaseContext::iamLoggedInUserWithTheUser()
And I go to "node/add/landing_page"                        Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                  VarbaseContext::waitMaxOfSecondsForThePageToBeReadyAndLoaded()

```



```

When I select "English" from "Language"      Drupal\DrupalExtension\Context\MinkContext::selectOption()
Then I should see "Language"                 Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "English" from "Language"      Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Test English Landing page title by content admin" for "Title"
                                                Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Save" button                 Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Landing page title by content admin"
                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if we can Create Basic page with English for the language of the content. |-

```

Given I am a logged in user with the "test_site_admin" user  VarbaseContext::iAmLoggedInUserWithTheUser()
And I go to "node/add/page"                                Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I select "English" from "Language"                    Drupal\DrupalExtension\Context\MinkContext::selectOption()
Then I should see "Language"                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "English" from "Language"                    Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Test English Basic page title by site admin" for "Title"
                                                            Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test English Basic page body"
                                                            VarbaseContext::iFillInTheRichTextEditorField()
And I press the "Save" button                                Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Basic page title by site admin"
                                                            Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if we can Create Landing page with English for the language of the content. |-

```

Given I am a logged in user with the "test_site_admin" user  VarbaseContext::iAmLoggedInUserWithTheUser()
And I go to "node/add/landing_page"                        Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I select "English" from "Language"                    Drupal\DrupalExtension\Context\MinkContext::selectOption()
Then I should see "Language"                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "English" from "Language"                    Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Test English Landing page title by site admin" for "Title"
                                                            Drupal\DrupalExtension\Context\MinkContext::fillField()

```


And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Landing page title by site admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Website Base Requirements - Website Languages - All content translatable to all languages |-

As a logged in user with a permission to translate content I want to be able to check if all content types are translatable So that I will be able to create a content then I will have the option to translate the content to other languages in the site

@javascript @local @development @staging @production

Scenario: Check if site admin can translate an existing English Basic Page to an Arabic version. |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test English Basic page" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test English Basic page body"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "en" from "Language"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Edit"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test English Basic page body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Translate"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Translate"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Translations of Test English Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Not translated" in the "Arabic" row	Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()
When I click "Add" in the "Arabic" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Arabic translation of Test English Basic page"	

```

        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "تجربة صفحة بسيطة عربية العنوان" for "Title"
        Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "تجربة صفحة بسيطة عربية المحتوى"
        VarbaseContext::iFillInTheRichTextEditorField()

And I press the "op" button
        Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "تجربة صفحة بسيطة عربية العنوان"
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Translate"
        Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait
        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test English Basic page"
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Content Editing - Rich Text Editor - Convert URLs into links |-

As a logged in user with a permission to use the rich text editor I want to add raw URLs and links in the rich text editor So that they will be converted to links and visitors can click on them.

@javascript @local @development @staging @production

Scenario: Check if inserted raw URL will convert into a link using the "Rich editor" text format when we save a new Basic page. |-

```

Given I am a logged in user with the "test_site_admin" user    VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/page"
        Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Create Basic page"
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select "full_html" from "body[0][format]"
        Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I fill in "Test convert URLs" for "Title"
        Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "
Test line #1
Test line #2 http://drupal.org
Test line #3
"
        VarbaseContext::iFillInTheRichTextEditorField()

Then I press "Save"
        Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I should see "Test line #1"
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Test line #2 http://drupal.org"
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

And I should see "Test line #3"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "http://drupal.org" in the "a" element with the "href" attribute set to "http://drupal.org"	VarbaseContext::iClickTextInTheHtmlTagElement()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Drupal"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Request new password |-

As a user with a ready user account I will want to be able to Request new password So that I can reset my password for the account

@local @development @staging @production

Scenario: Check that an anonymous user can reset his/her password. |-

Given I am not logged in	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user/login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Forgot your password?"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Verify that the system cannot send an email to non-existing users/emails. |-

Given I am not logged in	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user/password"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Username or email address"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "not.existing.email@vardot.com" for "Username or email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Submit" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "There was a problem with your form submission. Please wait 6 seconds and try again."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "not.existing.email@vardot.com" for "Username or email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait 7s	VarbaseContext::iWaitForSeconds()
And I press the "Submit" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Login with"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Admins can create users and assign a role to them |-

As a site admin user I want to be able create new user accounts and assign roles to them So that they will be able to use the site.

@javascript @local @development @staging @production

Scenario: Check if admins can see the "Add user" button under People administration page. |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

Given I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()

When I click "Add user" Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I should see "People" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Username" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Email address" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if admins can create a new user account as an (authenticated user). |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

Given I go to "/admin/people/create" Drupal\DrupalExtension\Context\MinkContext::visit()

When I fill in "tester@vardot.com" for "Email address" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Tester" for "Username" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Password" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Confirm password" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Create new account" Drupal\DrupalExtension\Context\MinkContext::pressButton()

@javascript @cleanup @local @development @staging @production

Scenario: Delete the Tester user. |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()

And I fill in "Tester" for "Name or email contains" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Tester" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

When I click "Edit" in the "Tester" row      Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "Cancel account"                 Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to cancel the account Tester?"
                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Delete the account and its content."
                                                Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()
And I press "Cancel account"                 Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait 10s                              VarbaseContext::iWaitForSeconds()
Then I should see "People"                  Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: User Management - Standard User Management - Login |-

As a visitor with an existing user account I want to be able to login to the site So that I will be able to view/add/edit/ or delete content in the site

@local @development @staging @production

Scenario: Check if a visitor can login with a valid username and password. |-

```

Given I am on "user/login"                  Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I fill in "test_authenticated" for "Username"  Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"        Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Log in"                           Drupal\DrupalExtension\Context\MinkContext::pressButton()
And wait                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"          Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@local @development @staging @production

Scenario: Verify a form error after not entering the username or password when we login. |-

```

Given I am on "user/login"                  Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I press "Log in"                           Drupal\DrupalExtension\Context\MinkContext::pressButton()
And wait                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Username field is required"
                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Password field is required"
                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: User Management - Have persistent login options and configurations. |-

As a user which can login to the site. I want to have the option to have "Remember Me" option on the user login form. So I can persistent my login session independent of setting of a long session lifetime.

@javascript @check @local @development @staging @production

Scenario: Check the persistent login configuration. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/system/persistent_login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Persistent Login"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "30" value in the "edit-lifetime" input element	VarbaseContext::iShouldSeeValueInTheInputElement()
And I should see "0" value in the "edit-max-tokens" input element	VarbaseContext::iShouldSeeValueInTheInputElement()

@javascript @check @local @development @staging @production

Scenario: Check if an authenticated user can login and use the [Remember me] option. |-

Given I am not logged in	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Log in"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Remember me"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "test_authenticated" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Remember me"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "edit-submit" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Have fine-grained access control of user administrators protections with specific user, or all users in a role. |-

As a logged in site admin I will be allowed to fine-grained access control of user administrators So that the protections can be specific to a user, or applied to all users in a role.

@javascript @check @local @development @staging @production

Scenario: Check the User protect configuration. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/people/userprotect"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Protected site admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Protected super admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Protected webmaster"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Users with permission to assign roles may select which roles are available for assignment. |-

As a logged in site admin and a permission to Assign roles I will be able to assign roles to other users. So that only users with permission to assign roles may select which roles are available for assignment

@javascript @check @local @development @staging @production

Scenario: Check the Role Assign configuration. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/people/roleassign"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Role assign"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And the "Editor" checkbox should be checked	Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
And the "Content Admin" checkbox should be checked	Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
And the "Site Admin" checkbox should be checked	Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()

Feature has passed

Feature: Pre-check important administrator and development pages. |-

As a site admin user I want to be able to make sure that all admin and development tools are working So that I can use them after the install or update.

@check @local @development @staging @production

Scenario: Check the content page. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/content"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Content"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Files admin page. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content/files"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Files"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Media Grid admin page. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content/media"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Media"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Media Table admin page. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content/media-table"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Media"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Thumbnail"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Cover Image"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Media name"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Type"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Author"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Status"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Updated"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Operations"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the structure page. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/structure"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Block layout"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Content types"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Display Suite"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Display modes"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Entityqueues"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Media types"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Menu position rules"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Menus"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Pages"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Paragraph types"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Taxonomy"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Views"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Webforms"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the structure page. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/page_manager"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Pages"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Homepage"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Total Control dashboard"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the Page Manager main page. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/page_manager"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Pages"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Homepage"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Total Control dashboard"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the views page. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/views"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Views"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Browser" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Media Hero Slider" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the Appearance page. |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/appearance" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Appearance" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Vartheme" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Vartheme (Bootstrap 4 - SASS)"
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Adminimal" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Bootstrap" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Bootstrap Barrio" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Vartheme Admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check active type of media types. |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/media/add" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "File" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Image" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Video" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Remote video" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Audio" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Instagram" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Tweet" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Varbase update instructions page. |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/development/update-helper"
Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Varbase update instructions"
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "100%" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should not see "Pending updates"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Support Requirements - Standard Support Navigation - Allow site super administrators to switch users and surf the site as that user. |-

As the site super admin I want to be able to switch users and surf the site as that user with no password required So that I can see what is the selected user is seeing in the site then switch back to my own user account at any time.

@javascript @check @local @development @staging @production

Scenario: Check if the webmaster user UID 1 can masquerade as any user. |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_authenticated" for "Name or email contains" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Masquerade as test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_editor" for "Name or email contains" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Masquerade as test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_content_admin" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_content_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "test_content_admin"

Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Masquerade as test_content_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_site_admin" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_site_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "test_site_admin"

Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Masquerade as test_site_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_super_admin" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_super_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "test_super_admin"

Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Masquerade as test_super_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check if a super admin user can masquerade as any user. |-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_authenticated" for "Name or email contains"

	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_editor" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_content_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_site_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_site_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_site_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()

```

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_site_admin"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/user/1" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as webmaster"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if a site admin user can NOT masquerade as any user. |-

```

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/user/1" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Masquerade as webmaster"
    Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_authenticated" for "Name or email contains"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_authenticated"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_editor" for "Name or email contains"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_editor"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()

```



```

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_content_admin" for "Name or email contains"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_content_admin"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if a content admin user can NOT masquerade as the super user (UID 1) "webmaster". |-

```

Given I am a logged in user with the "test_content_admin" user
    VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/user/1" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Masquerade as webmaster"
    Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if an editor user can NOT masquerade as the super user (UID 1) "webmaster". |-

```

Given I am a logged in user with the "test_editor" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/user/1" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Masquerade as webmaster"
    Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if an authenticated user can NOT masquerade as the super user (UID 1) "webmaster". |-

```

Given I am a logged in user with the "test_authenticated" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/user/1" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Masquerade as webmaster"
    Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

Feature has passed

Feature: Admin management - Standard Back-End Navigation - Navigate through the Drupal admin with the keyboard for faster access |-

As a site admin I want to be able to navigate through the Drupal admin with the keyboard So that I will have a faster access to administration pages in the site.

@javascript @check @local @development @staging @production

Scenario: Check if Super Admins can access the Coffee search box to navigate fast between admin pages. |-

```

Given I am a logged in user with the "test_super_admin" user  VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to the homepage                                     Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Go to"                                     Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if Site Admins can access the Coffee search box. |-

```

Given I am a logged in user with the "test_site_admin" user  VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to the homepage                                     Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Go to"                                     Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if Content Admins can NOT access the Coffee search box. |-

```

Given I am a logged in user with the "test_content_admin" user
                                                                VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to the homepage                                     Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Go to"                                Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if Editors can NOT access the Coffee search box. |-

```

Given I am a logged in user with the "test_editor" user      VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to the homepage                                     Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Go to"                                Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if Authenticated users can NOT access the Coffee search box. |-

```

Given I am a logged in user with the "test_authenticated" user  VarbaseContext::iAmLoggedInUserWithTheUser()

```

When I go to the homepage	Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Go to"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: User Management - Standard User Management - Admins can disable users |-

As a site admin user I want to be able Block user accounts So that they will be disabled and not be able to use the site.

@javascript @local @development @staging @production

Scenario: Check if the "test_authenticated" user is not blocked. and can login. |-

Given I am on "user/login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I fill in "test_authenticated" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Log in"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the site admin can Administer users and disable a User account "test_authenticated" from accessing the site. |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "People"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "test_authenticated" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "test_authenticated" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select the radio button "Blocked"	Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

Then I should see "The changes have been saved."
`Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @local @development @staging @production

Scenario: Check if the blocked user with user id of can or can not login. |-

Given I am on "user/login" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I fill in "test_authenticated" for "Username" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I fill in "dD.123123ddd" for "Password" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I press "Log in" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

Then I should see "The username test_authenticated has not been activated or is blocked."
`Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

Feature has passed

Feature: File & Media Management - Assets Management - Image media and their usage list page for site admins |-

As a user with permission to manage files in the site I want to be able to see the list of files So that I will be able to manage files, see where they have been used in contents.

@javascript @local @development @staging @production

Scenario: Check if content admins can access the content files page. |-

Given I am a logged in user with the "test_site_admin" user `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I go to "admin/content/media-table" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

Then I should see "Add media" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should not see "Access denied" `Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()`

@local @development @staging @production

Scenario: Check if we do have a file named "Flag Earth" , if not then upload the file dependently. |-

Given I am a logged in user with the "test_site_admin" user `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I go to "/media/add/image" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

Then I should see "Allowed types: png gif jpg jpeg."
`Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I attach the file "flag-earth.jpg" to "Image"
`Drupal\DrupalExtension\Context\MinkContext::attachFileToField()`

And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Flag Earth in space" for "field_media_image[0][alt]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth all earth in space" for "field_media_image[0][title]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I go to "admin/content/media-table"	Drupal\DrupalExtension\Context\MinkContext::visit()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see the "Edit" in the "Flag Earth" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

@javascript @local @development @staging @production

Scenario: Check if content admins can edit files. |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/content/media-table"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth" for "edit-name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Apply" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Flag Earth" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit Image Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth after edit" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Image Flag Earth after edit has been updated."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if content admins can delete files. |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "admin/content/media-table" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Add media" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Flag Earth after edit" for "edit-name" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Apply" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Flag Earth after edit" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "Flag Earth after edit" row
Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Flag Earth after edit" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "edit-delete" Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "This action cannot be undone."
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press the "Delete" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "The media Flag Earth after edit has been deleted."
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Check JSON:API admin interface and services and Varbase API settings. |-

As a site admin user I want to be able to check the JSON:API available interface options So that I can use them to enable or disable API service for Varbase APIs.

@javascript @check @local @development @staging @production

Scenario: Check the Varbase API settings in admin configurations page |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "JSON:API" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Varbase API settings" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @check @local @development @staging @production

Scenario: Check JSON:API configurations |-

Given I am a logged in user with the "webmaster" user `VarbaseContext::iamLoggedInUserWithTheUser()`

When I go to "/admin/config/services/jsonapi" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "JSON:API" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should see "Allowed operations" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@check @local @development @staging @production

Scenario: Check JSON:API Extras configurations. |-

Given I am a logged in user with the "webmaster" user `VarbaseContext::iamLoggedInUserWithTheUser()`

When I go to "/admin/config/services/jsonapi/extras" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "JSON:API Extras" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should see "api" value in the "edit-path-prefix" input element
`VarbaseContext::iShouldSeeValueInTheInputElement()`

@javascript @check @local @development @staging @production

Scenario: Check JSON:API Resource overrides |-

Given I am a logged in user with the "webmaster" user `VarbaseContext::iamLoggedInUserWithTheUser()`

When I go to "/admin/config/services/jsonapi/resource_types" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "JSON:API Resource overrides" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should see "The following table shows the list of JSON:API resource types available."
`Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @check @local @development @staging @production

Scenario: Check Varbase API settings and Generate keys. |-

Given I am a logged in user with the "webmaster" user `VarbaseContext::iamLoggedInUserWithTheUser()`

When I go to "/admin/config/system/varbase/api" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Varbase API settings" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And the "entity_json" checkbox is checked
`Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()`

And the "bundle_docs" checkbox is checked


```
Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
```

When I go to "/admin/config/system/varbase/api/keys" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Path to the directory in which to store the generated keys."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @check @local @development @staging @production

Scenario: Check Open API settings and documentation pages |-

Given I am a logged in user with the "webmaster" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "/admin/config/services/openapi" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "OpenAPI Resources" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should see "Rest" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should see "JsonApi" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I go to "/admin/config/services/openapi/redoc/rest"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "The REST API provide by the core REST module"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "/admin/config/services/openapi/redoc/jsonapi"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "This is a JSON API compliant implementation"

The text "This is a JSON API complian

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "/admin/config/services/openapi/swagger/jsonapi"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "OpenAPI Documentation"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

Feature has failed Scenarios passed : 83.33%, Scenarios failed : 16.67%

Feature: Preview the site in a number of responsive devices. |-

As a site admin user I want to be able to preview the look and feel of the site in a number of devices So that I can make sure that the site looks good in small devices too.

@javascript @check @local @development @staging @production

Scenario: Check the site in a number of responsive preview devices |-

Given I am a logged in user with the "webmaster" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to the homepage	Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Welcome to Varbase"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Preview page layout"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
Then I should see "iPhone XS"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "iPhone XS Max"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "iPhone 7"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "iPhone 7+"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Galaxy S7"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "iPad Air 2"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Galaxy Tab 2 10"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Structure - Basic Page. |-

As a logged in user with a permission to mange Basic pages I want to be able to add a "Basic page" to the site with a fixed layout So that the "Basic page" will show up in the structured menu under its parent page

@javascript @local @development @staging @production

Scenario: Check if [authenticated user] can add content of "Basic page" type. |-

Given I am a logged in user with the "test_authenticated" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "You are not authorized to access this page."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if [Editor] can add content of "Basic page" type. |-

Given I am a logged in user with the "test_editor" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if [Content Admin] can add content of "Basic page" type. |-

Given I am a logged in user with the "test_content_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if [Site Admin] can add content of "Basic page" type. |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if [Super Admin] can add content of "Basic page" type. |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the webmaster can add content of "Basic page" type. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Basic page" content type can create Basic pages content |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Language"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Title"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if we can create a Test Basic page we can see Change layout floating button to change the layout. |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Basic page" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "Test Basic page body"

VarbaseContext::iFillInTheRichTextField()

And I press "Save"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page Test Basic page has been created."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Basic page" content type

|-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "admin/content"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Content"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test Basic page" for "Title"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Filter" button

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Test Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

When I go to "admin/content"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Content"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test Basic page" for "Title"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Filter" button

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "Test Basic page" row

Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Edit Basic page Test Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Structure - Landing Pages |-

As a logged in user with a permission to manage Landing pages. I want to be able to add a "Landing page" which has got predefined set of paragraphs So that the "Landing page" will show up in the structured menu under its parent page

@javascript @local @development @staging @production

Scenario: Check if we do have the "Landing page" content type. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that "Landing page" type have a paragraphs field. |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types/manage/landing_page/fields"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "field_lp_paragraphs"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that Anonymous users can not create a Landing page. |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "You are not authorized to access this page."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that authenticated users can not create a Landing page. |-

Given I am a logged in user with the "test_authenticated" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "You are not authorized to access this page."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that Editor users can create a Landing page. |-

Given I am a logged in user with the "test_editor" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Content Admin users can create a Landing page. |-

Given I am a logged in user with the "test_content_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Site Admin users can create a Landing page. |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Landing Pages - Add any paragraph types to the page. |-

As a logged in user with a permission to manage Landing pages I want to be able to add any paragraph type to the page So that the "Landing page" will show up having paragraphs of different types

@local @development @staging @production

Scenario: Upload the "Embed Flag Earth" file. |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "media/add/image"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Allowed types: png gif jpg jpeg."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I attach the file "flag-earth.jpg" to "Image"

Drupal\DrupalExtension\Context\MinkContext::attachFileToField()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press the "Save" button

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

```

And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth" for "name[0][value]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I check the box "Show in media library"
    Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press the "Save" button
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Embed Flag Earth"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check Varbase Bootstrap Paragraphs settings, and colours. |-

```

Given I am a logged in user with the "webmaster" user
    VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/varbase/varbase-bootstrap-paragraphs"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Varbase Bootstrap Paragraphs settings"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Available CSS styles (classes) for Varbase Bootstrap Paragraphs"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I press "Save configuration"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

Then I should see "The configuration options have been saved."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Landing page" content type can add paragraphs of type "Drupal Block" |-

```

Given I am a logged in user with the "test_site_admin" user
    VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/landing_page"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Landing page Drupal Block" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test Landing page description Drupal Block" for "Page description"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "+ Add"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

```



```

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "Drupal Block" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Block" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "Site branding" from "Block" Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page Test Landing page Drupal Block has been created"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Landing page" content type can add paragraphs of type "Columns (Equal)" |-

```

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page Columns (Equal)" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description Columns (Equal)" for "Page description"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "Columns (Equal)" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page Test Landing page Columns (Equal) has been created"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Landing page" content type can add paragraphs of type "Columns (Two Uneven)" |-

```

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

```

```

And I fill in "Test Landing page Columns (Two Uneven)" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test Landing page description Columns (Two Uneven)" for "Page description"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "+ Add"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "Columns (Two Uneven)"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

And I press "Save"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Landing page Test Landing page Columns (Two Uneven) has been created"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Landing page" content type can add paragraphs of type "Modal" |-

```

Given I am a logged in user with the "test_site_admin" user
    VarbaseContext::iamLoggedInUserWithTheUser()

When I go to "node/add/landing_page"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Landing page Modal" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test Landing page description Modal" for "Page description"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "+ Add"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "Modal"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

Then I should see "Components"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Modal button" for "Modal button text"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Modal title" for "Modal title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Add Component"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

```

```

And I press "field_lp_paragraphs_0_subform_bp_modal_body_bp_simple_add_more"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Modal body"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I fill in the rich text editor field "Text" with "Modal Body test"
    VarbaseContext::iFillInTheRichTextEditorField()

When I press "Save"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

Then I should see "Landing page Test Landing page Modal has been created"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Modal button"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Modal title"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Landing page" content type can add paragraphs of type "Rich Text" |-

```

Given I am a logged in user with the "test_site_admin" user
    VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/landing_page"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Landing page Rich Text" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test Landing page description Rich Text" for "Page description"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "+ Add"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "Rich Text"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Components"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in the rich text editor field "Text" with "Rich Text test"
    VarbaseContext::iFillInTheRichTextEditorField()

And I press "Save"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Landing page Test Landing page Rich Text has been created"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Rich Text test"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Landing page" content type can add paragraphs of type "Tabs" |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page Tabs" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description Tabs" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "Tabs"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Tab 1" for "Tab name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Add Component"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I press	
"field_lp_paragraphs_0_subform_bp_tab_section_0_subform_bp_tab_section_body_bp_simple_add_more"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Tab body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I fill in the rich text editor field "Text" with "Tab 1 - Body test"	VarbaseContext::iFillInTheRichTextEditorField()
When I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page Test Landing page Tabs has been created"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Tab 1"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Landing page" content type can add paragraphs of type "WebForm" |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()

```

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page WebForm" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description WebForm" for "Page description"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "Webform" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "Contact" from "Webform" Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page Test Landing page WebForm has been created"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Content Structure - Landing Pages - Varbase text and image paragraphs. |-

As a logged in user with a permission to manage Landing pages I want to be able to add number of Text and image paragraph components so that the "Landing page" will have text and images in right and left view.

@local @development @staging @production

Scenario: Upload the "Embed Flag Earth" file. |-

```

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "media/add/image" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Allowed types: png gif jpg jpeg."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I attach the file "flag-earth.jpg" to "Image"
    Drupal\DrupalExtension\Context\MinkContext::attachFileToField()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press the "Save" button Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

```

```

And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]"
                                         Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]"
                                         Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth" for "name[0][value]"
                                         Drupal\DrupalExtension\Context\MinkContext::fillField()

And I check the box "Show in media library"   Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press the "Save" button                Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Embed Flag Earth"        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage "Landing page" content type create a new Landing page. |-

```

Given I am a logged in user with the "test_site_admin" user   VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/landing_page"                          Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test landing page title for text and image paragraphs" for "Title"
                                         Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test landing page body description." for "Page description"
                                         Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish                                Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "+ Add"                                          Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish                                Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I scroll down                                           VarbaseContext::iScrollDown()

And I press "Rich Text"                                     Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish                                Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I fill in the rich text editor field "Text" with "Lorem ipsum dolor sit amet, consectetur
adipiscing elit. Curabitur tortor diam, interdum in quam in, vehicula varius sem. Sed eu augue diam.
Proin elementum bibendum tristique. Nam at ante sem. Mauris suscipit felis eget orci porttitor,
feugiat viverra elit commodo. Proin quis erat laoreet, tempor nisl nec, varius quam. Maecenas
malesuada est sollicitudin euismod posuere."
                                         VarbaseContext::iFillInTheRichTextEditorField()

And I select all text in "Text" field                        SelectorsContext::selectAllTextInField()

And I click on "justifycenter" command button in the rich text editor field "Text"
                                         VarbaseContext::iClickOnCommandButtonInTheRichTextEditorField()

And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "Save"                                          Drupal\DrupalExtension\Context\MinkContext::pressButton()

```

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur tortor diam, interdum in quam in, vehicula varius sem. Sed eu augue diam. Proin elementum bibendum tristique. Nam at ante sem. Mauris suscipit felis eget orci porttitor, feugiat viverra elit commodo. Proin quis erat laoreet, tempor nisl nec, varius quam. Maecenas malesuada est sollicitudin euismod posuere." in the "p" element with the "class" attribute set to "text-align-center"

VarbaseContext::iShouldSeeTextInTheHtmlTagElement()

Feature has passed

Feature: Navigational Features - Breadcrumbs - Standard breadcrumbs |-

As a Visitor to the site I want to be able to see the back path So that I can see path I followed to locate the current page usually near the top of the page

@javascript @local @development @staging @production

Scenario: Add the Test Basic page root page to the main menu. |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/page" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Basic page root title" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "Test Basic page root body"
VarbaseContext::iFillInTheRichTextEditorField()

And I expand the field "edit-menu" VarbaseContext::iExpandThefield()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I check the box "Provide a menu link" Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I select "
" from "Parent item" Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I press the "Save" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page Test Basic page root title has been created."
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Test Basic page root body"
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Add the Test Basic page sub 1, then check the breadcrumb. |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/page" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()


```

And I fill in "Test Basic page sub 1 title" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test Basic page sub 1 body"
                                                    VarbaseContext::iFillInTheRichTextEditorField()
And I expand the field "edit-menu" VarbaseContext::iExpandThefield()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I check the box "Provide a menu link" Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I select "Test Basic page root title" from "Parent item"
                                                    Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button Drupal\DrupalExtension\Context\MinkContext::pressButton()
And wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page Test Basic page sub 1 title has been created."
                                                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test Basic page sub 1 body"
                                                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test Basic page root title" in the "ol" element with the "class" attribute set to
"breadcrumb" VarbaseContext::iShouldSeeTextInTheHtmlTagElement()

```

Feature has passed

Feature: Content Management - Add default [entityqueue] module testing content and configuration. |-

@javascript @init @tools @local @development @staging

Scenario: Create "Test Content" content type. |-

```

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types/add" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add content type" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Content" for "Name" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_content" for "Machine-readable name"
                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Save and manage fields" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The content type Test Content has been added."
                                                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @init @tools @local @development @staging

Scenario: Add Entity Queue "Test Queue" and use "Test Content" content type. |-

```

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/entityqueue" Drupal\DrupalExtension\Context\MinkContext::visit()

```

```

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add entity queue" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Add entity queue" Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add Entity Queue" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Queue" for "Name" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_queue" for "Machine-readable name"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Test Content" Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The entity queue Test Queue has been added."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @init @tools @local @development @staging

Scenario: Add Test content N1, N2, N3, N4 type of test content. |-

```

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/test_content" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N1" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test content N1 Body"
    VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test content N1 has been created."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/node/add/test_content" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N2" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test content N2 Body"
    VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test content N2 has been created."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/node/add/test_content" Drupal\DrupalExtension\Context\MinkContext::visit()

```

```

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N3" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test content N3 Body"
    VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test content N3 has been created."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @init @tools @local @development @staging

Scenario: Add Test content N1, N2, N3, N4 nodes to the "Test Queue" entityqueue. |-

```

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/entityqueue" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Queue" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit items" in the "Test Queue" row
    Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit subqueue Test Queue"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N1" for "items[add_more][new_item][target_id]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Add item" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Test content N1" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N2" for "items[add_more][new_item][target_id]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Add item" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Test content N1" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N3" for "items[add_more][new_item][target_id]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Add item" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Test content N1" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()

```

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "3 items" in the "Test Queue" row

Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()

Feature has passed

Feature: Content Management - Standard Entity Queue Management - Have the option to Reverse order in admin view. |-

As a logged in user with a permission to manage entity queues I will be able to view the order of entities in entity queues in a reverse order. So that they will have a flipped order at the front-end.

@javascript @local @development

Scenario: Check that Reverse order in admin view is working. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/structure/entityqueue"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Queue"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit items" in the "Test Queue" row

Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Edit subqueue Test Queue"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Test content N1" in the "#edit-items-0-target-id" element

Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()

And I should see "Test content N2" in the "#edit-items-1-target-id" element

Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()

And I should see "Test content N3" in the "#edit-items-2-target-id" element

Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()

When I go to "/admin/structure/entityqueue/test_queue#edit-queue-settings"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Edit Entity Queue"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Queue settings"

Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Restrict this queue to a minimum of"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Reverse order in admin view"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I check the box "Reverse order in admin view"

Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

```

And I press "Save"                Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The entity queue Test Queue has been updated."
                                   Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/structure/entityqueue"
                                   Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Queue"    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit items" in the "Test Queue" row
                                   Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit subqueue Test Queue"
                                   Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test content N3" in the "#edit-items-0-target-id" element
                                   Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()
And I should see "Test content N2" in the "#edit-items-1-target-id" element
                                   Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()
And I should see "Test content N1" in the "#edit-items-2-target-id" element
                                   Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()

```

Feature has passed

Feature: Content Management - Standard Entity Queue Management - Have Entity queue tab inside the full content page and be able to Add to a queue or Remove from a queue |-

As a logged in user with a permission to manage entity queues I will be able to see an Entity queue tab inside the full content page of a selected content So that I can Add to queue or Remove from queue for the content.

@javascript @local @development

Scenario: Check if queueable content have the "Entityqueue" tab at the full content page and can Add to queue or Remove from queue. |-

```

Given I am a logged in user with the "test_super_admin" user
                                   VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/test_content"
                                   Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content"
                                   Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test tab content number 1" for "Title"
                                   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test tab content number 1 Body"
                                   VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save"                Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

```

```

Then I should see "Test Content Test tab content number 1 has been created."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Entityqueue"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Entityqueue"
    Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Add to queue"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Add to queue"
    Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Remove from queue"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Remove from queue"
    Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Add to queue"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Content Management - Add hero slider to entityqueue using entityqueue form widget. |-

As a logged in user with a permission to manage entityqueues I want to be able to add and remove entities to any allowed entityqueue.

@local @development @staging @production

Scenario: Upload the "Flag Earth" file. |-

```

Given I am a logged in user with the "test_site_admin" user
    VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "media/add/image"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Allowed types: png gif jpg jpeg."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I attach the file "flag-earth.jpg" to "Image"
    Drupal\DrupalExtension\Context\MinkContext::attachFileToField()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press the "Save" button
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Flag Earth in space" for "field_media_image[0][alt]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Flag Earth all earth in space" for "field_media_image[0][title]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Flag Earth" for "name[0][value]"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I check the box "Show in media library"
    Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press the "Save" button
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

```

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that we can open the hero slider media browser. |-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/varbase_heroslider_media" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait max of 2s for the page to be ready and loaded
 VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Hero slider" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Select media" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then the image media browser should be open VarbaseContext::theImageMediaBrowserIsOpen()

@javascript @local @development @staging @production

Scenario: Add a "Test hero slider number 1" to the heroslider entity queue. |-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/varbase_heroslider_media" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait max of 2s for the page to be ready and loaded
 VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Hero slider" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test hero slider #1" for "Slide title" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test hero slider slide text #1" for "Slide text"
 Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Select media" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then the image media browser should be open VarbaseContext::theImageMediaBrowserIsOpen()
When I switch to iframe "entity_browser_iframe_media_browser"
 Behatch\Context\BrowserContext::switchToIFrame()
And I fill in "Flag Earth" for "edit-name" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Search" button Drupal\DrupalExtension\Context\MinkContext::pressButton()
And wait max of 5s VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see image with the "Flag Earth all earth in space" title text
 VarbaseContext::iShouldSeeImageWithTheTitleText()
When I double click on the image with the "Flag Earth all earth in space" title text
 VarbaseContext::iDoubleClickOnTheImageWithTheTitleText()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And wait max of 5s VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()


```

And wait max of 5s                               VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I switch to main frame                         Behatch\Context\BrowserContext::switchToMainFrame()
And I wait for AJAX to finish                    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And wait max of 5s                               VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I expand the field "edit-entityqueue-form-widget"  VarbaseContext::iExpandThefield()
And I wait for AJAX to finish                    Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Choose from the available entityqueues below to push this content to."
                                                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I check the box "varbase_heroslider_media"
                                                    Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Save"                               Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test hero slider #1"          Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Add a "Test hero slider number 2" to the heroslider entity queue. |-

```

Given I am a logged in user with the "test_super_admin" user  VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/varbase_heroslider_media"            Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait max of 2s for the page to be ready and loaded
                                                            VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Hero slider"                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test hero slider #2" for "Slide title"    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test hero slider slide text #2" for "Slide text"
                                                            Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Select media"                               Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish                            Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then the image media browser should be open              VarbaseContext::theImageMediaBrowserIsOpen()
When I switch to iframe "entity_browser_iframe_media_browser"
                                                            Behatch\Context\BrowserContext::switchToIFrame()
And I fill in "Flag Earth" for "edit-name"                Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Search" button                          Drupal\DrupalExtension\Context\MinkContext::pressButton()
And wait max of 5s                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see image with the "Flag Earth all earth in space" title text
                                                            VarbaseContext::iShouldSeeImageWithTheTitleText()
When I double click on the image with the "Flag Earth all earth in space" title text
                                                            VarbaseContext::iDoubleClickOnTheImageWithTheTitleText()
And I wait for AJAX to finish                            Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And wait max of 5s                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

```

And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And wait max of 5s	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I switch to main frame	Behatch\Context\BrowserContext::switchToMainFrame()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And wait max of 5s	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I expand the field "edit-entityqueue-form-widget"	VarbaseContext::iExpandThefield()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Choose from the available entityqueues below to push this content to."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I check the box "varbase_heroslider_media"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test hero slider #2"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the "Hero slider" added to the "varbase_heroslider_media" entityqueue. |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/structure/entityqueue/varbase_heroslider_media/varbase_heroslider_media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test hero slider #1" in the "#edit-items-0-target-id" element	Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()
And I should see "Test hero slider #2" in the "#edit-items-1-target-id" element	Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()

@javascript @local @development @staging @production

Scenario: Remove a "Hero slider" from the "varbase_heroslider_media" entityqueue |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test hero slider #1" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test hero slider #1"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Test hero slider #1" row	

```

    Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait                               VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I expand the field "edit-entityqueue-form-widget"           VarbaseContext::iExpandThefield()
Then the "varbase_heroslider_media" checkbox should be checked
    Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
When I uncheck the box "varbase_heroslider_media"
    Drupal\DrupalExtension\Context\MinkContext::assertUncheckBox()
And I press "Save"                               Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I go to "admin/structure/entityqueue/varbase_heroslider_media/varbase_heroslider_media"
    Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                               VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Test hero slider #1"
    Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

Feature has passed

Feature: Content Management - Cloning content and entities. |-

As a logged in user with a permission to mange entities I want to be able to clone an entity.

@javascript @local @development

Scenario: Check if a user with a permission can clone a "landing page" |-

```

Given I am a logged in user with the "test_site_admin" user   VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"                           Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                     VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Clone landing page" for "Title"           Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test landing page description text" for "Page description"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish                                   Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I scroll down                                               VarbaseContext::iScrollDown()
And I wait for AJAX to finish                                   Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait                                                     VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add"                                             Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish                                   Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait                                                     VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I scroll down                                               VarbaseContext::iScrollDown()
And I wait for AJAX to finish                                   Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I press "Modal"                                           Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish                                   Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components"                                 Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

```

When I fill in "Modal button" for "Modal button text"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Modal title" for "Modal title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "Add Component"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish
    Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "field_lp_paragraphs_0_subform_bp_modal_body_bp_simple_add_more"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Modal body"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I fill in the rich text editor field "Text" with "Modal Body test"
    VarbaseContext::fillInTheRichTextEditorField()

When I press "Save"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

Then I should see "Modal button"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Clone"
    Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Clone Content"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "edit-clone"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Clone landing page - Cloned"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development

Scenario: Check if a user with a permission deleted a cloned entity the original will not affected |-

```

Given I am a logged in user with the "test_super_admin" user
    VarbaseContext::iamLoggedInUserWithTheUser()

When I go to "admin/content"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Content"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test Clone landing page - Cloned" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Filter" button
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Clone landing page - Cloned"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I check the box "edit-views-bulk-operations-bulk-form-0"

```

```

    Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I select "Delete selected entities" from "Action"
    Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I press "Apply to selected items"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you wish to perform"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Execute action"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 5s
    VarbaseContext::iWaitForSeconds()

Then I should see "Action processing results: Delete entities (1)."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "admin/content"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Content"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test Clone landing page - Cloned" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Filter" button
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Test Clone landing page - Cloned"
    Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

When I fill in "Test Clone landing page" for "Title"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Filter" button
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Clone landing page"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Test Clone landing page"
    Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Clone landing page"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: File & Media Management - Assets Management - Ability to embed existing media image library in the rich text editor |-

As a content admin I want to be able to embed existing files from the library of files in the CKEditor So that it will show up under that rich text field without having to upload the image for each content

@javascript @local @development @staging @production

Scenario: Create the "Test Basic page to embed existing files" content. |-

```

Given I am a logged in user with the "test_site_admin" user    VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/page"                                    Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Basic page to embed existing files" for "Title"
                                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test Basic page body to embed existing files"
                                                                    VarbaseContext::iFillInTheRichTextEditorField()
And I press the "Save" button                                    Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page Test Basic page to embed existing files has been created."
                                                                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@local @development @staging @production

Scenario: Upload the "Embed Flag Earth" file. |-

```

Given I am a logged in user with the "test_site_admin" user    VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/media/add/image"                                Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Allowed types: png gif jpg jpeg."
                                                                    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I attach the file "flag-earth.jpg" to "Image"
                                                                    Drupal\DrupalExtension\Context\MinkContext::attachFileToField()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press the "Save" button                                    Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]"
                                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]"
                                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth" for "name[0][value]"
                                                                    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"                    Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button                                    Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Embed Flag Earth"                            Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if we are able to embed existing files library in the rich text editor. |-

```

Given I am a logged in user with the "test_site_admin" user    VarbaseContext::iAmLoggedInUserWithTheUser()

```

```

When I go to "admin/content"                                Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content"                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Basic page to embed existing files" for "Title"
                                                                Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button                            Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Basic page to embed existing files"
                                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Test Basic page to embed existing files" row
                                                                Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait                                                  VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit Basic page Test Basic page to embed existing files"
                                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I move focus to "Body" rich text editor field        VarbaseContext::moveFocusToTheRichTextEditorField()
And I click the editor media browser command button
                                                                VarbaseContext::iClickTheEditorMediaBrowserCommandButton()
And I wait for AJAX to finish                              Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then the editor media browser should be open                VarbaseContext::theEitorMediaBrowserIsOpen()
When I switch to iframe "entity_browser_iframe_editor_media_browser"
                                                                Behatch\Context\BrowserContext::switchToIFrame()
And I fill in "Embed Flag Earth" for "edit-name"          Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Search" button                            Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish                              Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see image with the "Embed Flag Earth all earth in space" title text
                                                                VarbaseContext::iShouldSeeImageWithTheTitleText()
When I double click on the image with the "Embed Flag Earth all earth in space" title text
                                                                VarbaseContext::iDoubleClickOnTheImageWithTheTitleText()
And wait max of 5s                                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I wait for AJAX to finish                              Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And wait max of 5s                                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I switch to main frame                                Behatch\Context\BrowserContext::switchToMainFrame()
And I wait for AJAX to finish                              Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And wait max of 5s                                        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Embed Flag Earth custom Caption text" for "Caption"
                                                                Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth custom Alt text" for "Alternative text"
                                                                Drupal\DrupalExtension\Context\MinkContext::fillField()

```



```

When I click "Embed" in the "button" element with the "class" attribute set to "js-form-submit
form-submit"                               VarbaseContext::iClickTextInTheHtmlTagElement()
And I wait for AJAX to finish              Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
When I press "Save"                       Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                 VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page Test Basic page to embed existing files has been updated."
                                             Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "admin/content"              Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                 VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content"              Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Basic page to embed existing files" for "Title"
                                             Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button           Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                 VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Basic page to embed existing files"
                                             Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Test Basic page to embed existing files"
                                             Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait                                 VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see image with the "Embed Flag Earth all earth in space" title text
                                             VarbaseContext::iShouldSeeImageWithTheTitleText()

```

Feature has passed

Feature: Content Editing - Rich Text Editor - Easy linking to internal content by searching for content by its titles |-

As a content admin I want to be able to add internal links searching the title of an internal content So that will ease the work of adding internal links in the rich text editor fields.

@javascript @local @development @staging @production

Scenario: Check if inserted raw URL will convert into a link when we save when We are using the "Visual editor" text format. |-

```

Given I am a logged in user with the "test_site_admin" user   VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"                                   Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                     VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"                          Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "full_html" from "Text format"                  Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Linking to internal content #1 title" for "Title"
                                             Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Linking to internal content #1 body"

```

And I press "Save"

```
VarbaseContext::iFillInTheRichTextEditorField()
```

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I should see "Linking to internal content #1 body"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if inserted raw URL will convert into a link when we save when We are using the "Visual editor" text format. |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "/node/add/page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Create Basic page"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I select "full_html" from "Text format"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I fill in "Linking to internal content #2 title" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in the rich text editor field "Body" with " Linking to internal content #2 body "

```
VarbaseContext::iFillInTheRichTextEditorField()
```

And I click on "linkit" command button in the rich text editor field "Body"

```
VarbaseContext::iClickOnCommandButtonInTheRichTextEditorField()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

Then I should see "Edit link"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I fill in "Linking" for "Link"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press the " " key in the "Link" field

```
Drupal\DrupalExtension\Context\MinkContext::pressKey()
```

And I press the "t" key in the "Link" field

```
Drupal\DrupalExtension\Context\MinkContext::pressKey()
```

And I press the "o" key in the "Link" field

```
Drupal\DrupalExtension\Context\MinkContext::pressKey()
```

And I press the "enter" key in the "Link" field

```
Drupal\DrupalExtension\Context\MinkContext::pressKey()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

Then I should see "Linking to internal content #1 title"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Linking to internal content #1 title" in the "ul" element with the "class" attribute set to "ui-autocomplete"

```
VarbaseContext::iClickTextInTheHtmlTagElement()
```

Then I should not see "Linking to internal content #1 title"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

Feature has passed

Feature: Delete default testing users. |-

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_authenticated user. |-

```

Given I am a logged in user with the "webmaster" user          VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"                                   Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_authenticated" for "Name or email contains"
                                                                Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"                                          Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"                        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "test_authenticated" row          Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
Then I should see "test_authenticated"                        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Cancel account"                                Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to cancel the account test_authenticated?"
                                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select the radio button "Delete the account and its content."
                                                                Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()
And I press "Cancel account"                                Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for 10s                                           VarbaseContext::iWaitForSeconds()
Then I should see "test_authenticated has been deleted."
                                                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_editor user. |-

```

Given I am a logged in user with the "webmaster" user          VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"                                   Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_editor" for "Name or email contains"
                                                                Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"                                          Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor"                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "test_editor" row                  Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor"                                Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Cancel account"                                Drupal\DrupalExtension\Context\MinkContext::pressButton()

```

```

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to cancel the account test_editor?"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select the radio button "Delete the account and its content."
    Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()
And I press "Cancel account" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for 10s VarbaseContext::iWaitForSeconds()
Then I should see "test_editor has been deleted."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_content_admin user. |-

```

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()
And I fill in "test_content_admin" for "Name or email contains"
    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "test_content_admin" row
    Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Cancel account" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to cancel the account test_content_admin?"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select the radio button "Delete the account and its content."
    Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()
And I press "Cancel account" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for 10s VarbaseContext::iWaitForSeconds()
Then I should see "test_content_admin has been deleted."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_seo_admin user. |-

```

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

```

```

And I fill in "test_seo_admin" for "Name or email contains"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_seo_admin"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "test_seo_admin" row
    Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_seo_admin"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Cancel account"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to cancel the account test_seo_admin?"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Delete the account and its content."
    Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 10s
    VarbaseContext::iWaitForSeconds()

Then I should see "test_seo_admin has been deleted."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_site_admin user. |-

```

Given I am a logged in user with the "webmaster" user
    VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_site_admin" for "Name or email contains"
    Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_site_admin"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "test_site_admin" row
    Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_site_admin"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Cancel account"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to cancel the account test_site_admin?"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

When I select the radio button "Delete the account and its content."

Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 10s

VarbaseContext::iWaitForSeconds()

Then I should see "test_site_admin has been deleted."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_super_admin user. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_super_admin" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_super_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "test_super_admin" row

Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_super_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Cancel account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to cancel the account test_super_admin?"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Delete the account and its content."

Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 10s

VarbaseContext::iWaitForSeconds()

Then I should see "test_super_admin has been deleted."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Delete Arabic language from the system. |-

@javascript @cleanup @arabic @local

Scenario: Delete Arabic language from the system. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/regional/language/delete/ar"

```

        Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to delete the language Arabic?"
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Delete"                    Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait 30s                            VarbaseContext::iWaitForSeconds()
Then I should see "The Arabic (ar) language has been removed."
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Cleanup after [entityqueue] module tests. |-

@javascript @cleanup @local @development

Scenario: Delete Entity Queue "Test Queue". |-

```

Given I am a logged in user with the "webmaster" user        VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/entityqueue/test_queue/delete"
        Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to delete the entity queue Test Queue?"
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Delete"                                        Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The entity queue Test Queue has been deleted."
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @cleanup @local @development

Scenario: Delete "Test Content" content type item |-

```

Given I am a logged in user with the "webmaster" user        VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types/manage/test_content/delete"
        Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to delete the content type Test Content?"
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Delete"                                        Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The content type Test Content has been deleted."
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Cleanup leftover media from the Media Library |-

@javascript @cleanup @local @development


Scenario: Delete leftover media from the Media Library |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/content/media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I check the box "edit-select-all"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I select "views_bulk_operations_delete_entity" from "edit-action"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press "Apply to selected items"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you wish to perform"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Execute action"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait 10s	VarbaseContext::iWaitForSeconds()
Then I should see "Media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed



1 features failed of 37 features



1 scenarios failed of 124 scenarios



1 steps failed of 1505

All Passed Failed

Suite: default

Feature: Create default testing users. |+

Feature: Add Arabic language if we do not have it to languages in the system. |+

Feature: Website Base Requirements - User Registration - Only admins login |+

As an anonymous user

I will not be able to register as a user in the website

So that I will need a site admin or super admin to add me to the website

Feature: Website Base Requirements - User Roles - Simple Roles |+

As a logged in user with the User ID number 1

I want to be able to see the list of User Roles

So that they must be (Editor, Site Admin, Content Admin, Super Admin)

Feature: Content Editing - Rich Text Editor - Input formats |+

As a logged in user with a permission to edit content

I want to be able to switch between input formats

So that can use different type of rich text editors.

Feature: Website Base Requirements - Website Languages - English |+

As a logged in user with the permission to add content

I want to be able to check if the site has got the English language Enabled

So that can be sure that the website is using the English language as one of the languages.

Feature: Website Base Requirements - Website Languages - All content translatable to all languages |+

As a logged in user with a permission to translate content
I want to be able to check if all content types are translatable
So that I will be able to create a content then I will have the option to translate the content to other languages in the site

Feature: Content Editing - Rich Text Editor - Convert URLs into links |+

As a logged in user with a permission to use the rich text editor
I want to add raw URLs and links in the rich text editor
So that they will be converted to links and visitors can click on them.

Feature: User Management - Standard User Management - Request new password |+

As a user with a ready user account
I will want to be able to Request new password
So that I can reset my password for the account

Feature: User Management - Standard User Management - Admins can create users and assign a role to them |+

As a site admin user
I want to be able create new user accounts and assign roles to them
So that they will be able to use the site.

Feature: User Management - Standard User Management - Login |+

As a visitor with an existing user account
I want to be able to login to the site
So that I will be able to view/add/edit/ or delete content in the site

Feature: User Management - Have persistent login options and configurations. |+

As a user which can login to the site.

I want to have the option to have "Remember Me" option on the user login form.

So I can persistent my login session independent of setting of a long session lifetime.

Feature: User Management - Standard User Management - Have fine-grained access control of user administrators protections with specific user, or all users in a role. |+

As a logged in site admin

I will be allowed to fine-grained access control of user administrators

So that the protections can be specific to a user, or applied to all users in a role.

Feature: User Management - Standard User Management - Users with permission to assign roles may select which roles are available for assignment. |+

As a logged in site admin and a permission to Assign roles

I will be able to assign roles to other users.

So that only users with permission to assign roles may select which roles are available for assignment

Feature: Pre-check important administrator and development pages. |+

As a site admin user

I want to be able to make sure that all admin and development tools are working

So that I can use them after the install or update.

Feature: Support Requirements - Standard Support Navigation - Allow site super administrators to switch users and surf the site as that user. |+

As the site super admin

I want to be able to switch users and surf the site as that user with no password required

So that I can see what is the selected user is seeing in the site then switch back to my own user account at any time.

Feature: Admin management - Standard Back-End Navigation - Navigate through the Drupal admin with the keyboard for faster access |+

As a site admin

I want to be able to navigate through the Drupal admin with the keyboard

So that I will have a faster access to administration pages in the site.

Feature: User Management - Standard User Management - Admins can disable users |+

As a site admin user

I want to be able Block user accounts

So that they will be disabled and not be able to use the site.

Feature: File & Media Management - Assets Management - Image media and their usage list page for site admins |+

As a user with permission to manage files in the site

I want to be able to see the list of files

So that I will be able to manage files, see where they have been used in contents.

Feature: Check JSON:API admin interface and services and Varbase API settings. |+

As a site admin user

I want to be able to check the JSON:API available interface options

So that I can use them to enable or disable API service for Varbase APIs.

Feature: Preview the site in a number of responsive devices. |+

As a site admin user

I want to be able to preview the look and feel of the site in a number of devices

So that I can make sure that the site looks good in small devices too.

Feature: Content Structure - Basic Page. |+

As a logged in user with a permission to manage Basic pages

I want to be able to add a "Basic page" to the site with a fixed layout

So that the "Basic page" will show up in the structured menu under its parent page

Feature: Content Structure - Landing Pages |+

As a logged in user with a permission to manage Landing pages.

I want to be able to add a "Landing page" which has got predefined set of paragraphs

So that the "Landing page" will show up in the structured menu under its parent page

Feature: Landing Pages - Add any paragraph types to the page. |+

As a logged in user with a permission to manage Landing pages

I want to be able to add any paragraph type to the page

So that the "Landing page" will show up having paragraphs of different types

Feature: Content Structure - Landing Pages - Variable text and image paragraphs. |+

As a logged in user with a permission to manage Landing pages

I want to be able to add number of Text and image paragraph components

So that the "Landing page" will have text and images in right and left view.

Feature: Navigational Features - Breadcrumbs - Standard breadcrumbs |+

As a Visitor to the site

I want to be able to see the back path

So that I can see path I followed to locate the current page usually near the top of the page

Feature: Content Management - Add default [entityqueue] module testing content and configuration. |+

Feature: Content Management - Standard Entity Queue Management - Have the option to Reverse order in admin view. |+

As a logged in user with a permission to manage entity queues
I will be able to view the order of entities in entity queues in a reverse order.
So that they will have a flipped order at the front-end.

Feature: Content Management - Standard Entity Queue Management - Have Entity queue tab inside the full content page and be able to Add to a queue or Remove from a queue |+

As a logged in user with a permission to manage entity queues
I will be able to see an Entity queue tab inside the full content page of a selected content
So that I can Add to queue or Remove from queue for the content.

Feature: Content Management - Add hero slider to entityqueue using entityqueue form widget. |+

As a logged in user with a permission to manage entity queues
I want to be able to add and remove entities to any allowed entityqueue.

Feature: Content Management - Cloning content and entities. |+

As a logged in user with a permission to manage entities
I want to be able to clone an entity.

Feature: File & Media Management - Assets Management - Ability to embed existing media image library in the rich text editor |+

As a content admin

I want to be able to embed existing files from the library of files in the CKEditor

So that it will show up under that rich text field without having to upload the image for each content

Feature: Content Editing - Rich Text Editor - Easy linking to internal content by searching for content by its titles |+

As a content admin

I want to be able to add internal links searching the title of an internal content

So that will ease the work of adding internal links in the rich text editor fields.

Feature: Delete default testing users. |+

Feature: Delete Arabic language from the system. |+

Feature: Cleanup after [entityqueue] module tests. |+

Feature: Cleanup leftover media from the Media Library |+
