

39 features ([39 success](#))
 132 scenarios ([132 success](#))
 1656 steps ([1656 success](#))
 57m17.14s - 24.98Mb

[+] all [-] all

Suite : default

Feature: Create default testing users |-

[@init @tools @local @development @staging](#)

Scenario: Create the test_authenticated user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "authenticated.test@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_authenticated" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Create new account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_authenticated is already taken."	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

[@init @tools @local @development @staging](#)

Scenario: Create the test_editor user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "editor.test@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_editor" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Editor"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Create new account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_editor is already taken."	

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@init @tools @local @development @staging

Scenario: Create the test_content_admin user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "content.admin.test@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_content_admin" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Content Admin"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Create new account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_content_admin is already taken."	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@init @tools @local @development @staging

Scenario: Create the test_seo_admin user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "seo.admin.test@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_seo_admin" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "SEO Admin"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Create new account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_seo_admin is already taken."	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@init @tools @local @development @staging

Scenario: Create the test_site_admin user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "site.admin.test@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_site_admin" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Site Admin"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Create new account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_site_admin is already taken."	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@init @tools @local @development @staging

Scenario: Create the test_super_admin user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "super.admin.test@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_super_admin" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Super Admin"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Create new account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should not see "The name test_super_admin is already taken."	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Add Arabic language if we do not have it to languages in the system |-

@init @tools @local @development @staging @arabic

Scenario: Add Arabic language if we do not have it to languages in the system |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/regional/language"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Arabic"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
But I should see "Add language"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Add language"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add a language to be supported by your site."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "ar" from "Language name"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press "Add language"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I go to "/admin/config/regional/language"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Arabic"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Website Base Requirements - User Registration - Only admins login |-

As an anonymous user I will not be able to register as a user in the website So that I will need a site admin or super admin to add me to the website

@local @development @staging @production

Scenario: Check that create new account options does not appear for anonymous users |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Create new account"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@local @development @staging @production

Scenario: Check that only admin can create an account |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user/register"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@local @development @staging @production

Scenario: Verify that anonymous users cannot access admin pages |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/admin"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Website Base Requirements - User Roles - Simple Roles |-

As a logged in user with the User ID number 1 I want to be able to see the list of User Roles So that they must be (Editor, Site Admin, Content Admin, Super Admin)

@local @development @staging @production

Scenario: Check that all default list of roles are present |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/people/roles"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Content Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "SEO Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Site Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Super Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Editing - Rich Text Editor - Input formats |-

As a logged in user with a permission to edit content I want to be able to switch between input formats So that can use different type of rich text editors.

@javascript @local @development @staging @production

Scenario: Check if Site Admin user can change the text format for the body of Basic page |-

Given I am a logged in user with the "test_site_admin"	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should not see "HTML Editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
When I select "full_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "basic_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "code_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
And I should not see the "#cke_edit-body-0-value" element in the "field body"	

Drupal\DrupalExtension\Context\MarkupContext::assertNotRegionElement()

@javascript @local @development @staging @production

Scenario: Check if Super Admin user can change the text format for the body of Basic page |-

Given I am a logged in user with the "test_super_admin" VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/page" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Create Basic page" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Body" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select "full_html" from "body[0][format]" Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see the "#cke_edit-body-0-value" element in the "field body" Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()

When I select "basic_html" from "body[0][format]" Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see the "#cke_edit-body-0-value" element in the "field body" Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()

When I select "code_html" from "body[0][format]" Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see the "#edit-body-0-value" element in the "field body" Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()

And I should not see the "#cke_edit-body-0-value" element in the "field body" Drupal\DrupalExtension\Context\MarkupContext::assertNotRegionElement()

Feature has passed

Feature: Website Base Requirements - Website Languages - English |-

As a logged in user with the permission to add content I want to be able to check if the site has got the English language Enabled So that can be sure that the website is using the English language as one of the languages.

@javascript @local @development @staging @production

Scenario: Check if we can Create Basic page with English for the language of the content |-

Given I am a logged in user with the "test_content_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

And I go to "node/add/page" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

When I select "English" from "Language" Drupal\DrupalExtension\Context\MinkContext::selectOption()

Then I should see "Language" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select "English" from "Language"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I fill in "Test English Basic page title by content admin" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in the rich text editor field "Body" with "Test English Basic page body"

```
VarbaseContext::iFillInTheRichTextEditorField()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Test English Basic page title by content admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if we can Create Landing page with English for the language of the content |-

Given I am a logged in user with the "test_content_admin" user

```
VarbaseContext::iAmloggedInUserWithTheUser()
```

And I go to "node/add/landing_page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

When I select "English" from "Language"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

Then I should see "Language"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I select "English" from "Language"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I fill in "Test English Landing page title by content admin" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Test English Landing page title by content admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if we can Create Basic page with English for the language of the content |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmloggedInUserWithTheUser()
```

And I go to "node/add/page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

When I select "English" from "Language"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

Then I should see "Language"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I select "English" from "Language"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I fill in "Test English Basic page title by site admin" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in the rich text editor field "Body" with "Test English Basic page body"

```
VarbaseContext::iFillInTheRichTextEditorField()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Test English Basic page title by site admin"

Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if we can Create Landing page with English for the language of the content |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

And I go to "node/add/landing_page" Drupal\\DrupalExtension\\Context\\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

When I select "English" from "Language" Drupal\\DrupalExtension\\Context\\MinkContext::selectOption()

Then I should see "Language" Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

When I select "English" from "Language" Drupal\\DrupalExtension\\Context\\MinkContext::selectOption()

And I fill in "Test English Landing page title by site admin" for "Title" Drupal\\DrupalExtension\\Context\\MinkContext::fillField()

And I press the "Save" button Drupal\\DrupalExtension\\Context\\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test English Landing page title by site admin" Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

Feature has passed

Feature: Website Base Requirements - Website Languages - All content translatable to all languages |-

As a logged in user with a permission to translate content I want to be able to check if all content types are translatable So that I will be able to create a content then I will have the option to translate the content to other languages in the site

@javascript @local @development @staging @production

Scenario: Check if site admin can translate an existing English Basic Page to an Arabic version. |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/page" Drupal\\DrupalExtension\\Context\\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test English Basic page" for "Title" Drupal\\DrupalExtension\\Context\\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "Test English Basic page body" VarbaseContext::iFillInTheRichTextEditorField()

And I select "en" from "Language" Drupal\\DrupalExtension\\Context\\MinkContext::selectOption()

And I press the "Save" button Drupal\\DrupalExtension\\Context\\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test English Basic page" Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

And I should see "Edit" Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

And I should see "Test English Basic page body" Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

And I should see "Translate" Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

When I click "Translate" `Drupal\DrupalExtension\Context\MinkContext::assertClick()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Translations of Test English Basic page" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should see "Not translated" in the "Arabic" row `Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()`

When I click "Add" in the "Arabic" row `Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Create Arabic translation of Test English Basic page" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I fill in "تجربة صفحة بسيطة عنوان" for "Title" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I fill in the rich text editor field "Body" with "تجربة صفحة بسيطة المحتوى" `VarbaseContext::iFillInTheRichTextEditorField()`

And I press the "op" button `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "تجربة صفحة بسيطة عنوان" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I click "Translate" `Drupal\DrupalExtension\Context\MinkContext::assertClick()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Test English Basic page" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

Feature has passed

Feature: Content Editing - Rich Text Editor - Convert URLs into links |-

As a logged in user with a permission to use the rich text editor I want to add raw URLs and links in the rich text editor So that they will be converted to links and visitors can click on them.

`@javascript @local @development @staging @production`

Scenario: Check if inserted raw URL will convert into a link using the "Rich editor" text format when we save a new Basic page |-

Given I am a logged in user with the "test_site_admin" user `VarbaseContext::iAmloggedInUserWithTheUser()`

When I go to "/node/add/page" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Create Basic page" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I select "full_html" from "body[0][format]" `Drupal\DrupalExtension\Context\MinkContext::selectOption()`

And I fill in "Test convert URLs" for "Title" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I fill in the rich text editor field "Body" with "<p>Test line #1
 Test line #2
http://drupal.org
 Test line #3</p>" `VarbaseContext::iFillInTheRichTextEditorField()`

Then I press "Save" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

And I should see "Test line #1"

Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

And I should see "Test line #2 http://drupal.org"

Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

And I should see "Test line #3"

Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

When I click "http://drupal.org" in the "a" element with the "href" attribute set to "http://drupal.org"

VarbaseContext::iClickTextInTheHtmlTagElement()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Drupal"

Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Request new password |-

As a user with a ready user account I will want to be able to Request new password So that I can reset my password for the account

@local @development @staging @production

Scenario: Check that an anonymous user can reset his or her password |-

Given I am not logged in

Drupal\\DrupalExtension\\Context\\DrupalContext::assertAnonymousUser()

When I go to "/user/login"

Drupal\\DrupalExtension\\Context\\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Forgot your password?"

Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Verify that the system cannot send an email to non-existing users or emails |-

Given I am not logged in

Drupal\\DrupalExtension\\Context\\DrupalContext::assertAnonymousUser()

When I go to "/user/password"

Drupal\\DrupalExtension\\Context\\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Username or email address"

Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

When I fill in "not.existing.email@vardot.com" for "Username or email address"

Drupal\\DrupalExtension\\Context\\MinkContext::fillField()

And I press the "Submit" button

Drupal\\DrupalExtension\\Context\\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "There was a problem with your form submission. Please wait 6 seconds and try again."

Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

When I fill in "not.existing.email@vardot.com" for "Username or email address"

Drupal\\DrupalExtension\\Context\\MinkContext::fillField()

And I wait 7s

VarbaseContext::iWaitForSeconds()

And I press the "Submit" button

Drupal\\DrupalExtension\\Context\\MinkContext::pressButton()

Feature has passed

Feature: User Management - Standard User Management - Admins can create users and assign a role to them |-

As a site admin user I want to be able to create new user accounts and assign roles to them So that they will be able to use the site.

@javascript @local @development @staging @production

Scenario: Check if admins can see all parts and filters in the People administration page |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "People"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Status"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Role"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Registered date (from)"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Registered date (to)"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Username"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Member for"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Last access"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Operations"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if admins can create a new user account as an authenticated user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/people/create"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I fill in "tester@vardot.com" for "Email address"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Tester" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Confirm password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Create new account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()

@javascript @cleanup @local @development @staging @production

Scenario: Delete the Tester user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I fill in "Tester" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Tester"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Tester" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "Cancel account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to cancel the account Tester?"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select the radio button "Delete the account and its content."	Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()
And I press "Cancel account"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait 10s	VarbaseContext::iWaitForSeconds()
Then I should see "People"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Login |-

As a visitor with an existing user account I want to be able to login to the site So that I will be able to view/add/edit/ or delete content in the site

@local @development @staging @production

Scenario: Check if a visitor can login with a valid username and password |-

Given I am on "user/login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I fill in "test_authenticated" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Log in"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@local @development @staging @production

Scenario: Verify a form error after not entering the username or password when we login |-

Given I am on "user/login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I press "Log in"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Username field is required"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Password field is required"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Have persistent login options and configurations |-

As a user which can login to the site. I want to have the option to have "Remember Me" option on the user login form. So I can persistent my login session independent of setting of a long session lifetime.

@javascript @check @local @development @staging @production

Scenario: Check the persistent login configuration |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/config/system/persistent_login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Persistent Login"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "30" value in the "edit-lifetime" input element	VarbaseContext::iShouldSeeValueInTheInputElement()
And I should see "0" value in the "edit-max-tokens" input element	VarbaseContext::iShouldSeeValueInTheInputElement()

@javascript @check @local @development @staging @production

Scenario: Check if an authenticated user can login and use the [Remember me] option |-

Given I am not logged in	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Log in"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Remember me"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "test_authenticated" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Remember me"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "edit-submit" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Have fine-grained access control of user administrators protections with specific user, or all users in a role |-

As a logged in site admin I will be allowed to fine-grained access control of user administrators So that the protections can be specific to a user, or applied to all users in a role.

@javascript @check @local @development @staging @production

Scenario: Check the User protect configuration |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmloggedInUserWithTheUser()
--	--

```

When I go to "/admin/config/people/userprotect"           Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                              VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Protected site admin"      Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Protected super admin"    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Protected webmaster"       Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: User Management - Standard User Management - Users with permission to assign roles may select which roles are available for assignment |-

As a logged in site admin and a permission to Assign roles I will be able to assign roles to other users. So that only users with permission to assign roles may select which roles are available for assignment

@javascript @check @local @development @staging @production

Scenario: Check the Role Assign configuration |-

```

Given I am a logged in user with the "webmaster" user          VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/config/people/roleassign"                 Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                              VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Role assign"        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And the "Editor" checkbox should be checked                  Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
And the "Content Admin" checkbox should be checked          Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
And the "Site Admin" checkbox should be checked            Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()

```

Feature has passed

Feature: Pre-check important administrator and development pages |-

As a site admin user I want to be able to make sure that all admin and development tools are working So that I can use them after the install or update.

@check @local @development @staging @production

Scenario: Check the content page |-

```

Given I am a logged in user with the "webmaster" user          VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/content"                                Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                              VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content"        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@check @local @development @staging @production

Scenario: Check Files admin page |-

```

Given I am a logged in user with the "webmaster" user          VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/admin/content/files"                          Drupal\DrupalExtension\Context\MinkContext::visit()

```

And I wait

Then I should see "Files"

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Media Grid admin page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content/media"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Media"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Media Table admin page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content/media"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Media"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Thumbnail"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Cover Image"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Media name"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Type"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Author"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Status"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Updated"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Operations"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the structure page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/structure"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Block layout"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Content types"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Display Suite"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Display modes"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Entityqueues"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Media types"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Menu position rules"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Menus"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Pages"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Paragraph types"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Taxonomy"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Views"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Webforms"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the structure page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/admin/structure/page_manager"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Pages"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Homepage"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Total Control dashboard"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the Page Manager main page. |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/admin/structure/page_manager"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Pages"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Homepage"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Total Control dashboard"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the views page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/admin/structure/views"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Views"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Browser"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Media Hero Slider"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the Appearance page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/admin/appearance"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Appearance"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Vartheme"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Vartheme (Bootstrap 4 - SASS)"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Adminimal"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Bootstrap"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Bootstrap Barrio"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Vartheme Admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check active type of media types |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/media/add"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "File"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Image"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Video"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Remote video"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Audio"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Instagram"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Tweet"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Varbase update instructions page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/development/update-helper"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Varbase update instructions"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "100%"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should not see "Pending updates"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Support Requirements - Standard Support Navigation - Allow site super administrators to switch users and surf the site as that user |-

As the site super admin I want to be able to switch users and surf the site as that user with no password required So that I can see what is the selected user is seeing in the site then switch back to my own user account at any time.

@javascript @check @local @development @staging @production

Scenario: Check if the webmaster user UID 1 can masquerade as any user |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_authenticated" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_editor" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_content_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_site_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_site_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_site_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_site_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_super_admin" for "Name or email contains"	

```

And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_super_admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_super_admin" Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_super_admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @check @local @development @staging @production

Scenario: Check if a super admin user can masquerade as any user |-

```

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_authenticated" for "Name or email contains" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_editor" for "Name or email contains" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_content_admin" for "Name or email contains" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertClick()

```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Masquerade as test_content_admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "/admin/people"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "test_site_admin" for "Name or email contains"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press "Filter"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "test_site_admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "test_site_admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Masquerade as test_site_admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "/user/1"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Masquerade as webmaster"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @check @local @development @staging @production

Scenario: Check if a site admin user can NOT masquerade as any user |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "/user/1"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should not see "Masquerade as webmaster"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

When I go to "/admin/people"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "test_authenticated" for "Name or email contains"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press "Filter"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "test_authenticated"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "test_authenticated"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Masquerade as test_authenticated"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "/admin/people"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "test_editor" for "Name or email contains"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press "Filter"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Masquerade as test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_content_admin" for "Name or email contains" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Masquerade as test_content_admin" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check if a content admin user can NOT masquerade as the super user ID 1 the webmaster |-

Given I am a logged in user with the "test_content_admin" user VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/user/1" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Masquerade as webmaster" Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @check @local @development @staging @production

Scenario: Check if an editor user can NOT masquerade as the super user ID 1 the webmaster |-

Given I am a logged in user with the "test_editor" user VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/user/1" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Masquerade as webmaster" Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @check @local @development @staging @production

Scenario: Check if an authenticated user can NOT masquerade as the super user ID 1 the webmaster |-

Given I am a logged in user with the "test_authenticated" user VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/user/1" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Masquerade as webmaster"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

Feature has passed

Feature: Admin management - Standard Back-End Navigation - Navigate through the Drupal admin with the keyboard for faster access |-

As a site admin I want to be able to navigate through the Drupal admin with the keyboard So that I will have a faster access to administration pages in the site.

@javascript @check @local @development @staging @production

Scenario: Check if Super Admins can access the Coffee search box to navigate fast between admin pages |-

Given I am a logged in user with the "test_super_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to the homepage `Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Go to" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @check @local @development @staging @production

Scenario: Check if Site Admins can access the Coffee search box |-

Given I am a logged in user with the "test_site_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to the homepage `Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Go to" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @check @local @development @staging @production

Scenario: Check if Content Admins can NOT access the Coffee search box |-

Given I am a logged in user with the "test_content_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to the homepage `Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should not see "Go to" `Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()`

@javascript @check @local @development @staging @production

Scenario: Check if Editors can NOT access the Coffee search box |-

Given I am a logged in user with the "test_editor" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to the homepage `Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should not see "Go to" `Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()`

@javascript @check @local @development @staging @production

Scenario: Check if Authenticated users can NOT access the Coffee search box |-

Given I am a logged in user with the "test_authenticated" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to the homepage

Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Go to"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: User Management - Standard User Management - Admins can disable users |-

As a site admin user I want to be able Block user accounts So that they will be disabled and not be able to use the site.

@javascript @local @development @staging @production

Scenario: Check if the test_authenticated user is not blocked and can login |-

Given I am on "user/login"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

When I fill in "test_authenticated" for "Username"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Password"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Log in"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_authenticated"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the site admin can Administer users and disable a User account test_authenticated from accessing the site |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "People"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "test_authenticated" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_authenticated"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "test_authenticated" row

Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_authenticated"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Blocked"

Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Save"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "The changes have been saved."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the blocked user with user id of Test Blocked User ID can or can not login |-

```

Given I am on "user/login"                               Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                            VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I fill in "test_authenticated" for "Username"    Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"          Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Log in"                                  Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                            VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The username test_authenticated has not been activated or is blocked."   Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: File & Media Management - Assets Management - Image media and their usage list page for site admins |-

As a user with permission to manage files in the site I want to be able to see the list of files So that I will be able to manage files, see where they have been used in contents.

@javascript @local @development @staging @production

Scenario: Check if content admins can access the content files page |-

```

Given I am a logged in user with the "test_site_admin" user   VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/content/media"                           Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                              VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add media"                            Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should not see "Access denied"                   Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

```

@local @development @staging @production

Scenario: Check if we do have a file named Flag Earth, if not then upload the file dependently |-

```

Given I am a logged in user with the "test_site_admin" user   VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/media/add/image"                             Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                              VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Allowed types: png gif jpg jpeg."      Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I attach the file "flag-earth.jpg" to "Image"        Drupal\DrupalExtension\Context\MinkContext::attachFileToFile()
And I wait                                              VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press the "Save" button                            Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                              VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Flag Earth in space" for "field_media_image[0][alt]"   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth all earth in space" for "field_media_image[0][title]"   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth" for "name[0][value]"           Drupal\DrupalExtension\Context\MinkContext::fillField()

```

And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I go to "admin/content/media"	Drupal\DrupalExtension\Context\MinkContext::visit()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see the "Edit" in the "Flag Earth" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

@javascript @local @development @staging @production

Scenario: Check if content admins can edit files |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "admin/content/media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth" for "edit-name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Apply" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Flag Earth" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit Image Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth after edit" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Image Flag Earth after edit has been updated."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if content admins can delete files |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "admin/content/media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth after edit" for "edit-name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Apply" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Flag Earth after edit"	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()
When I click "Edit" in the "Flag Earth after edit" row	Drupal\\DrupalExtension\\Context\\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth after edit"	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()
When I click "edit-delete"	Drupal\\DrupalExtension\\Context\\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "This action cannot be undone."	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()
When I press the "Delete" button	Drupal\\DrupalExtension\\Context\\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "The media item Flag Earth after edit has been deleted."	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

Feature has passed

Feature: Check JSON:API admin interface and services and Varbase API settings |-

As a site admin user I want to be able to check the JSON:API available interface options So that I can use them to enable or disable API service for Varbase APIs.

@javascript @check @local @development @staging @production

Scenario: Check the Varbase API settings in admin configurations page |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config"	Drupal\\DrupalExtension\\Context\\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "JSON:API"	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()
And I should see "Varbase API settings"	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check JSON:API configurations |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/services/jsonapi"	Drupal\\DrupalExtension\\Context\\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "JSON:API"	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()
And I should see "Allowed operations"	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check JSON:API Extras configurations |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/services/jsonapi/extras"	Drupal\\DrupalExtension\\Context\\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "JSON:API Extras"	Drupal\\DrupalExtension\\Context\\MinkContext::assertPageContainsText()
And I should see "api" value in the "edit-path-prefix" input element	

VarbaseContext::iShouldSeeValueInTheInputElement()

@javascript @check @local @development @staging @production

Scenario: Check JSON:API Resource overrides |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/services/jsonapi/resource_types"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "JSON:API Resource overrides"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "The following table shows the list of JSON:API resource types available."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check Varbase API settings and Generate keys |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/system/varbase/api"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Varbase API settings"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And the "entity_json" checkbox is checked

Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()

And the "bundle_docs" checkbox is checked

Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()

When I go to "/admin/config/system/varbase/api/keys"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Path to the directory in which to store the generated keys."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check Open API settings and documentation pages |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/services/openapi"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "OpenAPI Resources"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Rest"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "JsonApi"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/config/services/openapi/redoc/rest"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "The REST API provide by the core REST module"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/config/services/openapi/redoc/jsonapi"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "This is a JSON API compliant implementation"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/config/services/openapi/swagger/jsonapi"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "OpenAPI Documentation"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Preview the site in a number of responsive devices |-

As a site admin user I want to be able to preview the look and feel of the site in a number of devices So that I can make sure that the site looks good in small devices too.

@javascript @check @local @development @staging @production

Scenario: Check the site in a number of responsive preview devices |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to the homepage

Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Welcome to Varbase"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Preview page layout"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

Then I should see "iPhone XS"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "iPhone XS Max"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Galaxy S9"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "iPad Pro"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Galaxy Tab S4"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Structure - Basic Page |-

As a logged in user with a permission to mange Basic pages I want to be able to add a "Basic page" to the site with a fixed layout So that the "Basic page" will show up in the structured menu under its parent page

@javascript @local @development @staging @production

Scenario: Check if an authenticated user can add content of Basic page type |-

Given I am a logged in user with the "test_authenticated" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if an Editor can add content of Basic page type |-

Given I am a logged in user with the "test_editor" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a Content Admin can add content of Basic page type |-

Given I am a logged in user with the "test_content_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a Site Admin can add content of Basic page type |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a Super Admin can add content of Basic page type |-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the webmaster can add content of Basic page type |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Basic page content type can create Basic pages content |-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Create Basic page"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Language"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Title"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Body"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if we can create a Test Basic page we can see Change layout floating button to change the layout |-

```

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "node/add/page" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Basic page" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test Basic page body" VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page Test Basic page has been created." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Basic page content type |-

```

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "admin/content" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Basic page" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Basic page" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Test Basic page" Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I go to "admin/content" Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Basic page" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Basic page" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Test Basic page" row Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit Basic page Test Basic page" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Content Structure - Landing Pages |-

As a logged in user with a permission to manage Landing pages. I want to be able to add a "Landing page" which has got predefined set of paragraphs So that the "Landing page" will show up in the structured menu under its parent page

@javascript @local @development @staging @production

Scenario: Check if we do have the Landing page content type |-

Given I am a logged in user with the "webmaster" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "/admin/structure/types" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Landing page" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @local @development @staging @production

Scenario: Check that the Landing page content type has paragraphs field |-

Given I am a logged in user with the "webmaster" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "/admin/structure/types/manage/landing_page/fields" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "field_lp_paragraphs" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @local @development @staging @production

Scenario: Check that an Anonymous users can not create a Landing page |-

Given I am an anonymous user `Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()`

When I go to "/node/add/landing_page" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Access denied" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should see "You are not authorized to access this page." `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @local @development @staging @production

Scenario: Check that an authenticated user can not create a Landing page |-

Given I am a logged in user with the "test_authenticated" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "/node/add/landing_page" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Access denied" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I should see "You are not authorized to access this page." `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

@javascript @local @development @staging @production

Scenario: Check that Editor users can create a Landing page |-

Given I am a logged in user with the "test_editor" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "/node/add/landing_page" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should not see "Access denied" `Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()`

And I should not see "You are not authorized to access this page." `Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()`

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Content Admin users can create a Landing page |-

Given I am a logged in user with the "test_content_admin" user

VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied" Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()**And** I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Site Admin users can create a Landing page |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied" Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()**And** I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Landing Pages - Add any paragraph types to the page |-

As a logged in user with a permission to mange Landing pages I want to be able to add any paragraph type to the page So that the "Landing page" will show up having paragrpahs of different types

@local @development @staging @production

Scenario: Upload the "Embed Flag Earth" file |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "media/add/image"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Allowed types: png gif jpg jpeg."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I attach the file "flag-earth.jpg" to "Image"

Drupal\DrupalExtension\Context\MinkContext::attachFileToFile()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I press the "Save" button

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth" for "name[0][value]"

And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Embed Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check Varbase Bootstrap Paragraphs settings |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/varbase/varbase-bootstrap-paragraphs"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Varbase Bootstrap Paragraphs settings"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Available CSS styles (classes) for Varbase Bootstrap Paragraphs"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I press "Save configuration"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
Then I should see "The configuration options have been saved."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page content type can add paragraphs of type Drupal Block |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page Drupal Block" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description Drupal Block" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I press "Drupal Block"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Block"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "Site branding" from "Block"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Landing page Test Landing page Drupal Block has been created"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page content type can add paragraphs of type Columns Equal |-

Given I am a logged in user with the "test_site_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "node/add/landing_page" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

And I fill in "Test Landing page Columns (Equal)" for "Title" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I fill in "Test Landing page description Columns (Equal)" for "Page description" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I wait for AJAX to finish `Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

And I press "+ Add" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait for AJAX to finish `Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

And I press "Columns (Equal)" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait for AJAX to finish `Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()`

And I press "Save" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Landing page Test Landing page Columns (Equal) has been created"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page content type can add paragraphs of type Columns Two Uneven |-

Given I am a logged in user with the "test_site_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "node/add/landing_page" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

And I fill in "Test Landing page Columns (Two Uneven)" for "Title" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I fill in "Test Landing page description Columns (Two Uneven)" for "Page description" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I wait for AJAX to finish `Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

And I press "+ Add" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait for AJAX to finish `Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

And I press "Columns (Two Uneven)" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait for AJAX to finish `Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()`

And I press "Save" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Landing page Test Landing page Columns (Two Uneven) has been created"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page content type can add paragraphs of type Modal |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/landing_page" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Landing page Modal" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test Landing page description Modal" for "Page description" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I press "+ Add" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I press "Modal" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Components" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Modal button" for "Modal button text" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Modal title" for "Modal title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Add Component" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I press "field_lp_paragraphs_0_subform_bp_modal_body_bp_simple_add_more" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Modal body" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I fill in the rich text editor field "Text" with "Modal Body test" VarbaseContext::iFillInTheRichTextEditorField()

When I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()

Then I should see "Landing page Test Landing page Modal has been created" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Modal button" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Modal title" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page content type can add paragraphs of type Rich Text |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page Rich Text" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description Rich Text" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I press "Rich Text"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in the rich text editor field "Text" with "Rich Text test"	VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page Test Landing page Rich Text has been created"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Rich Text test"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page content type can add paragraphs of type Tabs |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page Tabs" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description Tabs" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I press "Tabs"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Tab 1" for "Tab name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Add Component"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I press

```
"field_lp_paragraphs_0_subform_bp_tab_section_0_subform_bp_tab_section_body_bp_simple_add_more"
    Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Tab body"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I fill in the rich text editor field "Text" with "Tab 1 - Body test"

```
VarbaseContext::iFillInTheRichTextEditorField()
```

When I press "Save"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Landing page Test Landing page Tabs has been created"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Tab 1"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page content type can add paragraphs of type WebForm |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "node/add/landing_page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "Test Landing page WebForm" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in "Test Landing page description WebForm" for "Page description"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I press "+ Add"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I press "Webform"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

Then I should see "Components"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I select "Contact" from "Webform"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

When I press "Save"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Landing page Test Landing page WebForm has been created"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

Feature has passed

Feature: Content Structure - Landing Pages - Varbase text and image paragraphs |-

As a logged in user with a permission to mange Landing pages I want to be able to add number of Text and image paragraph compoments So that the "Landing page" will have text and images in right and left view.

@local @development @staging @production

Scenario: Upload the Embed Flag Earth file |-

```

Given I am a logged in user with the "test_site_admin" user      VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "media/add/image"                                     Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Allowed types: png gif jpg jpeg."           Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I attach the file "flag-earth.jpg" to "Image"             Drupal\DrupalExtension\Context\MinkContext::attachFileToFileField()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press the "Save" button                                    Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]"   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]"   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth" for "name[0][value]"          Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"                   Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button                                    Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Embed Flag Earth"                           Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page content type create a new Landing page |-

```

Given I am a logged in user with the "test_site_admin" user      VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "node/add/landing_page"                            Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test landing page title for text and image paragraphs" for "Title"   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test landing page body description." for "Page description"           Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish                                 Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add"                                         Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish                                 Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait                                                       VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I scrolldown                                         VarbaseContext::iScrolldown()
And I press "Rich Text"                                       Drupal\DrupalExtension\Context\MinkContext::pressButton()

```

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I fill in the rich text editor field "Text" with "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur tortor diam, interdum in quam in, vehicula varius sem. Sed eu augue diam. Proin elementum bibendum tristique. Nam at ante sem. Mauris suscipit felis eget orci porttitor, feugiat viverra elit commodo. Proin quis erat laoreet, tempor nisl nec, varius quam. Maecenas malesuada est sollicitudin euismod posuere."

VarbaseContext::iFillInTheRichTextEditorField()

And I select all text in "Text" field

SelectorsContext::selectAllTextInField()

And I click on "justifycenter" command button in the rich text editor field "Text"

VarbaseContext::iClickOnCommandButtonInTheRichTextEditorField()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "Save"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur tortor diam, interdum in quam in, vehicula varius sem. Sed eu augue diam. Proin elementum bibendum tristique. Nam at ante sem. Mauris suscipit felis eget orci porttitor, feugiat viverra elit commodo. Proin quis erat laoreet, tempor nisl nec, varius quam. Maecenas malesuada est sollicitudin euismod posuere." in the "p" element with the "class" attribute set to "text-align-center"

VarbaseContext::iShouldSeeTextInTheHtmlTagElement()

Feature has passed

Feature: Navigational Features - Breadcrumbs - Standard breadcrumbs |-

As a Visitor to the site I want to be able to see the back path So that I can see path I followed to locate the current page usually near the top of the page

@javascript @local @development @staging @production

Scenario: Add the Test Basic page root page to the main menu |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/page" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Basic page root title" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "Test Basic page root body"

VarbaseContext::iFillInTheRichTextEditorField()

And I expand the field "edit-menu" VarbaseContext::iExpandThefield()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I check the box "Provide a menu link" Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I select "<Main navigation>" from "Parent item"

Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I press the "Save" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page Test Basic page root title has been created."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Test Basic page root body"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Add the Test Basic page sub 1, then check the breadcrumb |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/page" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Basic page sub 1 title" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "Test Basic page sub 1 body" VarbaseContext::iFillInTheRichTextEditorField()

And I expand the field "edit-menu" VarbaseContext::iExpandThefield()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I check the box "Provide a menu link" Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I select "Test Basic page root title" from "Parent item" Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I press the "Save" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page Test Basic page sub 1 title has been created." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Test Basic page sub 1 body" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Test Basic page root title" in the "ol" element with the "class" attribute set to "breadcrumb" VarbaseContext::iShouldSeeTextInTheHtmlTagElement()

Feature has passed

Feature: Content Structure - Landing Pages with Layout Builder |-

As a logged in user with a permission to manage Landing (Layout Builder) pages. I want to be able to add a "Landing page (Layout Builder)" which has got predefined set of layouts So that the "Landing page (Layout Builder)" will show up in the structured menu under its parent page

@javascript @local @development @staging @production

Scenario: Check if we do have the Landing page (Layout Builder) content type |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/structure/types" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Landing page (Layout Builder)" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that the Landing page (Layout Builder) content type has the layout fields |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/structure/types/manage/landing_page_lb/fields"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "layout_builder__layout"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "layout_selection"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that an Anonymous users can not create a Landing page (Layout Builder) |-

Given I am an anonymous user

```
Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
```

When I go to "/node/add/landing_page_lb"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Access denied"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "You are not authorized to access this page."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that an authenticated user can not create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_authenticated" user

```
VarbaseContext::iAmloggedInUserWithTheUser()
```

When I go to "/node/add/landing_page_lb"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Access denied"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "You are not authorized to access this page."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that Editor users can create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_editor" user

```
VarbaseContext::iAmloggedInUserWithTheUser()
```

When I go to "/node/add/landing_page_lb"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should not see "Access denied"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "You are not authorized to access this page."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that Content Admin users can create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_content_admin" user

```
VarbaseContext::iAmloggedInUserWithTheUser()
```

When I go to "/node/add/landing_page_lb"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should not see "Access denied"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "You are not authorized to access this page."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that Site Admin users can create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_site_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "/node/add/landing_page_lb" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should not see "Access denied" `Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()`

And I should not see "You are not authorized to access this page."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

Feature has passed

Feature: Landing (Layout Builder) Pages - Check to add sections and choose layouts for sections |-

As a logged in user with a permission to mange Landing (Layout Builder) pages I want to be able to add sections with any layouts to the page So that the "Landing (Layout Builder) page" will show up having the listed section with their content

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Layout Builder) content type can add sections with any layouts to the page |-

Given I am a logged in user with the "test_site_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "node/add/landing_page_lb" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Create Landing page (Layout Builder)"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I fill in "Full Width - No Background Color - Text only" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in "Test Landing page (Layout Builder) description" for "Page description"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press "Save"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Landing page (Layout Builder) Full Width - No Background Color - Text only has been created"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Layout"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Layout"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Edit layout for Full Width - No Background Color - Text only"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Add section"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

Then I should see "Choose a layout for this section"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "One column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Two column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Three column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Four column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "One column"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

Then I should see "Configure section"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Width"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Gutter"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Background color"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Background media"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Edge to Edge Background"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Classes"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Use advanced instead"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I press "Add section"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

Then I should see "Section 1"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Add block in Section 1, Content region"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Add section"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

Then I should see "Choose a layout for this section"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "One column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Two column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Three column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Four column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Two column"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

Then I should see "Configure section"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Width"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Column Style 2"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Gutter"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Background color"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Background media"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Edge to Edge Background"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Classes"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Use advanced instead"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Add section"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Section 2"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, Left region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, Right region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Add section"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Choose a layout for this section"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "One column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Two column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Three column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Four column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Three column"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Configure section"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Width"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Column Style 3"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Gutter"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Background color"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Background media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Edge to Edge Background"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Classes"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Use advanced instead"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Add section"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Section 3"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, Left region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, Middle region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, Right region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Add section"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Choose a layout for this section"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "One column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Two column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Three column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Four column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Four column"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Configure section"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Width"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Gutter"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Background color"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Background media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Edge to Edge Background"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Classes"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Use advanced instead"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Add section"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Section 4"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, First region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, Second region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, Third region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add block in Section 1, Fourth region"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Management - Add default [entityqueue] module testing content and configuration |-

@javascript @init @tools @local @development @staging

Scenario: Create Test Content type |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add content type"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Content" for "Name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_content" for "Machine-readable name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Save and manage fields"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "The content type Test Content has been added."	

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @init @tools @local @development @staging

Scenario: Add Entity Queue Test Queue and use Test Content type |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/entityqueue"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add entity queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Add entity queue"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add Entity Queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Queue" for "Name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "test_queue" for "Machine-readable name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I click "Entity settings"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content type"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I check the box "Test Content"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The entity queue Test Queue has been added."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @init @tools @local @development @staging

Scenario: Add Test content N1, N2, N3 type of test content |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/test_content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N1" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test content N1 Body"	VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test content N1 has been created."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/node/add/test_content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N2" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test content N2 Body"	VarbaseContext::iFillInTheRichTextEditorField()

And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Content Test content N2 has been created." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/node/add/test_content" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Create Test Content" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test content N3" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "Test content N3 Body" VarbaseContext::iFillInTheRichTextEditorField()

And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Content Test content N3 has been created." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @init @tools @local @development @staging

Scenario: Add Test content N1, N2, N3 nodes to the Test Queue entityqueue |-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/structure/entityqueue" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Queue" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit items" in the "Test Queue" row Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Edit subqueue Test Queue" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test content N1" for "items[add_more][new_item][target_id]" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Add item" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Test content N1" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test content N2" for "items[add_more][new_item][target_id]" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Add item" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Test content N1" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test content N3" for "items[add_more][new_item][target_id]" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Add item" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Test content N1" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "3 items" in the "Test Queue" row

```
Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()
```

Feature has passed

Feature: Content Management - Standard Entity Queue Management - Have the option to Reverse order in admin view |-

As a logged in user with a permission to manage entity queues I well be able to view the order of entities in entity queues in a reverse order. So that they will have a flipped order at the front-end.

@javascript @local @development

Scenario: Check that Reverse order in admin view is working |-

Given I am a logged in user with the "webmaster" user

```
VarbaseContext::iAmloggedInUserWithTheUser()
```

When I go to "/admin/structure/entityqueue"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Test Queue"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Edit items" in the "Test Queue" row

```
Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Edit subqueue Test Queue"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Test content N1" in the "#edit-items-0-target-id" element

```
Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()
```

And I should see "Test content N2" in the "#edit-items-1-target-id" element

```
Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()
```

And I should see "Test content N3" in the "#edit-items-2-target-id" element

```
Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()
```

When I go to "/admin/structure/entityqueue/test_queue#edit-queue-settings"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Edit Entity Queue"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Queue settings"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Restrict this queue to a minimum of"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Reverse order in admin view"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I check the box "Reverse order in admin view"

```
Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
```

And I press "Save"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "The entity queue Test Queue has been updated."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "/admin/structure/entityqueue"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit items" in the "Test Queue" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit subqueue Test Queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test content N3" in the "#edit-items-0-target-id" element	Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()
And I should see "Test content N2" in the "#edit-items-1-target-id" element	Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()
And I should see "Test content N1" in the "#edit-items-2-target-id" element	Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()

Feature has passed

Feature: Content Management - Standard Entity Queue Management - Have Entity queue tab inside the full content page and be able to Add to a queue or Remove from a queue |-

As a logged in user with a permission to manage entity queues I well be able to see an Entity queue tab inside the full content page of a selected content So that I can Add to queue or Remove from queue for the content.

@javascript @local @development

Scenario: Check if queuable content have the Entityqueue tab at the full content page and can Add to queue or Remove from queue |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmloggedInUserWithTheUser()
When I go to "/node/add/test_content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test tab content number 1" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test tab content number 1 Body"	VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test tab content number 1 has been created."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Entityqueue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Entityqueue"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add to queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Add to queue"	Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Remove from queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Remove from queue"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Add to queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Management - Add hero slider to entity queue using entity queue form widget |-

As a logged in user with a permission to mange entity queues I want to be able to add and remove entities to any allowed entity queue.

@local @development @staging @production

Scenario: Upload the Flag Earth file |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "media/add/image"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Allowed types: png gif jpg jpeg."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I attach the file "flag-earth.jpg" to "Image"	Drupal\DrupalExtension\Context\MinkContext::attachFileToFile()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Flag Earth in space" for "field_media_image[0][alt]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth all earth in space" for "field_media_image[0][title]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that we can open the hero slider media browser |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/varbase_heroslider_media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait max of 2s for the page to be ready and loaded	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Hero slider"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Select media"	Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then the "entity_browser_iframe_media_browser" media browser should be open

VarbaseContext::theMediaBrowserIsOpen()

@javascript @local @development @staging @production

Scenario: Add a Test hero slider number 1 to the heroslider entity queue. |-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/varbase_heroslider_media" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait max of 2s for the page to be ready and loaded

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Create Hero slider" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test hero slider #1" for "Slide title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test hero slider slide text #1" for "Slide text"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Select media" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait 5s VarbaseContext::iWaitForSeconds()

Then the "entity_browser_iframe_media_browser" media browser should be open

VarbaseContext::theMediaBrowserIsOpen()

When I switch to iframe "entity_browser_iframe_media_browser"

Behatch\Context\BrowserContext::switchToIFrame()

And I wait 5s VarbaseContext::iWaitForSeconds()

Then I should see "Media name" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Flag Earth" for "Media name" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Search" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And wait max of 5s VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see image with the "Flag Earth all earth in space" title text

VarbaseContext::iShouldSeeImageWithTheTitleText()

When I double click on the image with the "Flag Earth all earth in space" title text

VarbaseContext::iDoubleClickOnTheImageWithTheTitleText()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And wait max of 5s VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I switch to main frame Behatch\Context\BrowserContext::switchToMainFrame()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And wait max of 5s VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I expand the field "edit-entityqueue-form-widget" VarbaseContext::iExpandThefield()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Choose from the available entityqueues below to push this content to."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I check the box "varbase_heroslider_media"

Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test hero slider #1"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Add a Test hero slider number 2 to the heroslider entity queue |-

Given I am a logged in user with the "test_super_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/varbase_heroslider_media" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait max of 2s for the page to be ready and loaded

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Create Hero slider" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test hero slider #2" for "Slide title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test hero slider slide text #2" for "Slide text"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Select media" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait 5s VarbaseContext::iWaitForSeconds()

Then the "entity_browser_iframe_media_browser" media browser should be open

VarbaseContext::theMediaBrowserIsOpen()

When I switch to iframe "entity_browser_iframe_media_browser"

Behatch\Context\BrowserContext::switchToIFrame()

And I wait 5s VarbaseContext::iWaitForSeconds()

Then I should see "Media name" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Flag Earth" for "Media name" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Search" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And wait max of 5s VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see image with the "Flag Earth all earth in space" title text

VarbaseContext::iShouldSeeImageWithTheTitleText()

When I double click on the image with the "Flag Earth all earth in space" title text

VarbaseContext::iDoubleClickOnTheImageWithTheTitleText()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I switch to main frame Behatch\Context\BrowserContext::switchToMainFrame()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And wait max of 5s VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I expand the field "edit-entityqueue-form-widget" VarbaseContext::iExpandThefield()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Choose from the available entityqueues below to push this content to."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I check the box "varbase_heroslider_media"

Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press "Save" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test hero slider #2" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the Hero slider added to the varbase hero slider media entity queue |-

Given I am a logged in user with the "test_super_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "admin/structure/entityqueue/varbase_heroslider_media/varbase_heroslider_media"

`Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait

`VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Test hero slider #1" in the "#edit-items-0-target-id" element

`Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()`

And I should see "Test hero slider #2" in the "#edit-items-1-target-id" element

`Drupal\DrupalExtension\Context\MinkContext::assertElementContainsText()`

@javascript @local @development @staging @production

Scenario: Remove a Hero slider from the varbase hero slider media entity queue |-

Given I am a logged in user with the "test_super_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "admin/content"

`Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait

`VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Content"

`Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I fill in "Test hero slider #1" for "Title"

`Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I press the "Filter" button

`Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait

`VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Test hero slider #1"

`Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I click "Edit" in the "Test hero slider #1" row

`Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()`

And I wait

`VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

And I expand the field "edit-entityqueue-form-widget"

`VarbaseContext::iExpandThefield()`

Then the "varbase_heroslider_media" checkbox should be checked

`Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()`

When I uncheck the box "varbase_heroslider_media"

`Drupal\DrupalExtension\Context\MinkContext::assertUncheckBox()`

And I press "Save"

`Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I go to "admin/structure/entityqueue/varbase_heroslider_media/varbase_heroslider_media"

`Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait

`VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()`

Then I should not see "Test hero slider #1"

`Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()`

Feature has passed

Feature: Content Management - Cloning content and entities |-

As a logged in user with a permission to mange entities I want to be able to clone an entity.

@javascript @local @development

Scenario: Check if a user with a permission can clone a landing page |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Clone landing page" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test landing page description text" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I scrolldown	VarbaseContext::iScrolldown()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I scrolldown	VarbaseContext::iScrolldown()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I press "Modal"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Modal button" for "Modal button text"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Modal title" for "Modal title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "Add Component"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press "field_lp_paragraphs_0_subform_bp_modal_body_bp_simple_add_more"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Modal body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I fill in the rich text editor field "Text" with "Modal Body test"	VarbaseContext::iFillInTheRichTextEditorField()
When I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
Then I should see "Modal button"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Clone"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Clone Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "edit-clone"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Clone landing page - Cloned"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development

Scenario: Check if a user with a permission deleted a cloned entity the original will not affected |-

Given I am a logged in user with the "test_super_admin" user `VarbaseContext::iAmLoggedInUserWithTheUser()`

When I go to "admin/content" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Content" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I fill in "Test Clone landing page - Cloned" for "Title" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I press the "Filter" button `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Test Clone landing page - Cloned" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

And I check the box "edit-views-bulk-operations-bulk-form-0" `Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()`

And I select "Delete selected entities" from "Action" `Drupal\DrupalExtension\Context\MinkContext::selectOption()`

And I press "Apply to selected items" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Are you sure you wish to perform" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I press "Execute action" `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait for 5s `VarbaseContext::iWaitForSeconds()`

Then I should see "Action processing results: Delete entities (1)." `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I go to "admin/content" `Drupal\DrupalExtension\Context\MinkContext::visit()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Content" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I fill in "Test Clone landing page - Cloned" for "Title" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I press the "Filter" button `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should not see "Test Clone landing page - Cloned" `Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()`

When I fill in "Test Clone landing page" for "Title" `Drupal\DrupalExtension\Context\MinkContext::fillField()`

And I press the "Filter" button `Drupal\DrupalExtension\Context\MinkContext::pressButton()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Test Clone landing page" `Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()`

When I click "Test Clone landing page" `Drupal\DrupalExtension\Context\MinkContext::assertClick()`

And I wait `VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()`

Then I should see "Test Clone landing page"

Feature has passed

Feature: File & Media Management - Assets Management - Ability to embed existing media image library in the rich text editor |-

As a content admin I want to be able to embed existing files from the library of files in the CKEditor So that it will show up under that rich text field without having to upload the image for each content

@javascript @local @development @staging @production

Scenario: Create the Test Basic page to embed existing files content |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/page" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Basic page to embed existing files" for "Title" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with "Test Basic page body to embed existing files" VarbaseContext::iFillInTheRichTextEditorField()

And I press the "Save" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Basic page Test Basic page to embed existing files has been created." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@local @development @staging @production

Scenario: Upload the Embed Flag Earth file |-

Given I am a logged in user with the "test_site_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/media/add/image" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Allowed types: png gif jpg jpeg." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I attach the file "flag-earth.jpg" to "Image" Drupal\DrupalExtension\Context\MinkContext::attachFileToFile()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press the "Save" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth" for "name[0][value]" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I check the box "Show in media library" Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press the "Save" button Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Embed Flag Earth"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if we are able to embed existing files library in the rich text editor |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "admin/content"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Content"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Test Basic page to embed existing files" for "Title"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Filter" button

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test Basic page to embed existing files"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "Test Basic page to embed existing files" row

Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Edit Basic page Test Basic page to embed existing files"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I move focus to "Body" rich text editor field

VarbaseContext::moveFocusToTheRichTextEditorField()

And I click the editor media browser command button

VarbaseContext::iClickTheEditorMediaBrowserCommandButton()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then the editor media browser should be open

VarbaseContext::theEditorMediaBrowserIsOpen()

When I switch to iframe "entity_browser_iframe_editor_media_browser"

Behatch\Context\BrowserContext::switchToIFrame()

And I fill in "Embed Flag Earth" for "edit-name"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press the "Search" button

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see image with the "Embed Flag Earth all earth in space" title text

VarbaseContext::iShouldSeeImageWithTheTitleText()

When I double click on the image with the "Embed Flag Earth all earth in space" title text

VarbaseContext::iDoubleClickOnTheImageWithTheTitleText()

And wait max of 5s

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And wait max of 5s

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I switch to main frame

Behatch\Context\BrowserContext::switchToMainFrame()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And wait max of 5s

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Embed Flag Earth custom Caption text" for "Caption"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Embed Flag Earth custom Alt text" for "Alternate text"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

When I click "Embed" in the "button" element with the "class" attribute set to "js-form-submit" form-submit"

```
VarbaseContext::iClickTextInTheHtmlTagElement()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

When I press "Save"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Basic page Test Basic page to embed existing files has been updated."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "admin/content"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Content"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I fill in "Test Basic page to embed existing files" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press the "Filter" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Test Basic page to embed existing files"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Test Basic page to embed existing files"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see image with the "Embed Flag Earth all earth in space" title text

```
VarbaseContext::iShouldSeeImageWithTheTitleText()
```

Feature has passed

Feature: Content Editing - Rich Text Editor - Easy linking to internal content by searching for content by its titles |-

As a content admin I want to be able to add internal links searching the title of an internal content So that will ease the work of adding internal links in the rich text editor fields.

@javascript @local @development @staging @production

Scenario: Check if inserted raw URL will convert into a link when we save when We are using the Visual editor text format |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "/node/add/page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Create Basic page"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I select "full_html" from "Text format"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I fill in "Linking to internal content #1 title" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in the rich text editor field "Body" with "Linking to internal content #1 body"

```
VarbaseContext::iFillInTheRichTextEditorField()
```

And I press "Save"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I should see "Linking to internal content #1 body"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production**Scenario: Check if inserted raw URL will convert into a link when we save when we are using the Visual editor text format |-****Given I am a logged in user with the "test_site_admin" user** VarbaseContext::iAmLoggedInUserWithTheUser()**When I go to "/node/add/page"** Drupal\DrupalExtension\Context\MinkContext::visit()**And I wait** VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()**Then I should see "Create Basic page"** Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()**When I select "full_html" from "Text format"** Drupal\DrupalExtension\Context\MinkContext::selectOption()**And I fill in "Linking to internal content #2 title" for "Title"**

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in the rich text editor field "Body" with " Linking to internal content #2 body "

VarbaseContext::iFillInTheRichTextEditorField()

And I click on "linkit" command button in the rich text editor field "Body"

VarbaseContext::iClickOnCommandButtonInTheRichTextEditorField()

And I wait for AJAX to finish Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()**Then I should see "Edit link"** Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()**When I fill in "Linking" for "Link"** Drupal\DrupalExtension\Context\MinkContext::fillField()**And I press the " " key in the "Link" field** Drupal\DrupalExtension\Context\MinkContext::pressKey()**And I press the "t" key in the "Link" field** Drupal\DrupalExtension\Context\MinkContext::pressKey()**And I press the "o" key in the "Link" field** Drupal\DrupalExtension\Context\MinkContext::pressKey()**And I press the "enter" key in the "Link" field** Drupal\DrupalExtension\Context\MinkContext::pressKey()**And I wait for AJAX to finish** Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()**Then I should see "Linking to internal content #1 title"**

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Linking to internal content #1 title" in the "ul" element with the "class" attribute set to "ui-autocomplete" VarbaseContext::iClickTextInTheHtmlTagElement()**Then I should not see "Linking to internal content #1 title"**

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Delete default testing users |-**@javascript @cleanup @tools @local @development @staging****Scenario: Delete the test_authenticated user |-****Given I am a logged in user with the "webmaster" user** VarbaseContext::iAmLoggedInUserWithTheUser()**When I go to "/admin/people"** Drupal\DrupalExtension\Context\MinkContext::visit()**And I wait** VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()**And I fill in "test_authenticated" for "Name or email contains"**

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "test_authenticated" row Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

Then I should see "test_authenticated" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Cancel account" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to cancel the account test_authenticated?" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Delete the account and its content." Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 10s VarbaseContext::iWaitForSeconds()

Then I should see "test_authenticated has been deleted." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_editor user |-

Given I am a logged in user with the "webmaster" user VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/admin/people" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_editor" for "Name or email contains" Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "test_editor" row Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_editor" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Cancel account" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to cancel the account test_editor?" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Delete the account and its content." Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account" Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 10s VarbaseContext::iWaitForSeconds()

Then I should see "test_editor has been deleted." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_content_admin user |-

```

Given I am a logged in user with the "webmaster" user           VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"                                     Drupal\DrupalExtension\Context\MinkContext::visit()
And I fill in "test_content_admin" for "Name or email contains"   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"                                            Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin"                         Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "test_content_admin" row          Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait                                                       VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin"                         Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Cancel account"                                Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to cancel the account test_content_admin?"   Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select the radio button "Delete the account and its content."   Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()
And I press "Cancel account"                                Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitForSeconds()
Then I should see "test_content_admin has been deleted."      Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_seo_admin user |-

```

Given I am a logged in user with the "webmaster" user           VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"                                     Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait                                                       VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_seo_admin" for "Name or email contains"   Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"                                            Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_seo_admin"                         Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "test_seo_admin" row          Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait                                                       VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_seo_admin"                         Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Cancel account"                                Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait                                                       VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()
Then I should see "Are you sure you want to cancel the account test_seo_admin?"   Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select the radio button "Delete the account and its content."   Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

```

Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 10s

VarbaseContext::iWaitForSeconds()

Then I should see "test_seo_admin has been deleted."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_site_admin user |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_site_admin" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_site_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "test_site_admin" row

Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_site_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Cancel account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to cancel the account test_site_admin?"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Delete the account and its content."

Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 10s

VarbaseContext::iWaitForSeconds()

Then I should see "test_site_admin has been deleted."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @cleanup @tools @local @development @staging

Scenario: Delete the test_super_admin user |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "test_super_admin" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_super_admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "test_super_admin" row

Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

```

And I wait                                         VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_super_admin"          Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Cancel account"                  Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait                                         VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to cancel the account test_super_admin?"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Delete the account and its content."
    Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account"                  Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for 10s                           VarbaseContext::iWaitForSeconds()

Then I should see "test_super_admin has been deleted."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Delete Arabic language from the system |-

@javascript @cleanup @arabic @local

Scenario: Delete Arabic language from the system |-

```

Given I am a logged in user with the "webmaster" user      VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/admin/config/regional/language/delete/ar"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait                                         VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to delete the language Arabic?"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Delete"                           Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait 30s                                VarbaseContext::iWaitForSeconds()

Then I should see "The Arabic (ar) language has been removed."
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Cleanup after [entityqueue] module tests |-

@javascript @cleanup @local @development

Scenario: Delete Entity Queue Test Queue |-

```

Given I am a logged in user with the "webmaster" user      VarbaseContext::iAmloggedInUserWithTheUser()

When I go to "/admin/structure/entityqueue/test_queue/delete"
    Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait                                         VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to delete the entity queue Test Queue?"
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Delete"                           Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait                                         VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "The entity queue Test Queue has been deleted."

```

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @cleanup @local @development

Scenario: Delete Test Content content type item |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/structure/types/manage/test_content/delete"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to delete the content type Test Content?"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Delete"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "The content type Test Content has been deleted."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Cleanup leftover media from the Media Library |-

@javascript @cleanup @local @development

Scenario: Delete leftover media from the Media Library |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content/media-grid"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Media"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I check the box "edit-select-all"

Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I select "views_bulk_operations_delete_entity" from "edit-action"

Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I press "Apply to selected items"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMax0fSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you wish to perform"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Execute action"

Drupal\DrupalExtension\Context\MinkContext::pressButton()


And I wait 10s

VarbaseContext::iWaitForSeconds()

Then I should see "Media"


Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed



39 Features:

0 failed




132 Scenarios:

0 failed

0 undefined

0 skipped



1656 Steps:

0 failed

0 undefined

0 skipped

All Passed Failed

Suite: default

Feature: Create default testing users |+



Feature: Add Arabic language if we do not have it to languages in the system |+



Feature: Website Base Requirements - User Registration - Only admins login |+

As an anonymous user

I will not be able to register as a user in the website

So that I will need a site admin or super admin to add me to the website

Feature: Website Base Requirements - User Roles - Simple Roles |+

As a logged in user with the User ID number 1
I want to be able to see the list of User Roles
So that they must be (Editor, Site Admin, Content Admin, Super Admin)

Feature: Content Editing - Rich Text Editor - Input formats |+

As a logged in user with a permission to edit content
I want to be able to switch between input formats
So that can use different type of rich text editors.

Feature: Website Base Requirements - Website Languages - English |+

As a logged in user with the permission to add content
I want to be able to check if the site has got the English language Enabled
So that can be sure that the website is using the English language as one of the languages.

Feature: Website Base Requirements - Website Languages - All content translatable to all languages |+

As a logged in user with a permission to translate content
I want to be able to check if all content types are translatable
So that I will be able to create a content then I will have the option to translate the content to other languages in the site

Feature: Content Editing - Rich Text Editor - Convert URLs into links |+

As a logged in user with a permission to use the rich text editor
I want to add raw URLs and links in the rich text editor
So that they will be converted to links and visitors can click on them.

Feature: User Management - Standard User Management - Request new password |+

As a user with a ready user account
I will want to be able to Request new password
So that I can reset my password for the account

Feature: User Management - Standard User Management - Admins can create users and assign a role to them |+

As a site admin user
I want to be able to create new user accounts and assign roles to them
So that they will be able to use the site.

Feature: User Management - Standard User Management - Login |+

As a visitor with an existing user account
I want to be able to login to the site
So that I will be able to view/add/edit/ or delete content in the site

Feature: User Management - Have persistent login options and configurations |+

As a user which can login to the site.
I want to have the option to have "Remember Me" option on the user login form.
So I can persistent my login session independent of setting of a long session lifetime.

Feature: User Management - Standard User Management - Have fine-grained access control of user administrators protections with specific user, or all users in a role |+

As a logged in site admin
I will be allowed to fine-grained access control of user administrators
So that the protections can be specific to a user, or applied to all users in a role.

Feature: User Management - Standard User Management - Users with permission to assign roles may select which roles are available for assignment |+

As a logged in site admin and a permission to Assign roles

I will be able to assign roles to other users

I will be able to assign roles to other users.

So that only users with permission to assign roles may select which roles are available for assignment

Feature: Pre-check important administrator and development pages |+

As a site admin user

I want to be able to make sure that all admin and development tools are working

So that I can use them after the install or update.

Feature: Support Requirements - Standard Support Navigation - Allow site super administrators to switch users and surf the site as that user |+

As the site super admin

I want to be able to switch users and surf the site as that user with no password required

So that I can see what is the selected user is seeing in the site then switch back to my own user account at any time.

Feature: Admin management - Standard Back-End Navigation - Navigate through the Drupal admin with the keyboard for faster access |+

As a site admin

I want to be able to navigate through the Drupal admin with the keyboard

So that I will have a faster access to administration pages in the site.

Feature: User Management - Standard User Management - Admins can disable users |+

As a site admin user

I want to be able Block user accounts

So that they will be disabled and not be able to use the site.

Feature: File & Media Management - Assets Management - Image media and their usage list page for site admins |+

As a user with permission to manage files in the site

I want to be able to see the list of files

So that I will be able to manage files, see where they have been used in contents.

Feature: Check JSON:API admin interface and services and Varbase API settings |+

As a site admin user

I want to be able to check the JSON:API available interface options

So that I can use them to enable or disable API service for Varbase APIs.

Feature: Preview the site in a number of responsive devices |+

As a site admin user

I want to be able to preview the look and feel of the site in a number of devices

So that I can make sure that the site looks good in small devices too.

Feature: Content Structure - Basic Page |+

As a logged in user with a permission to manage Basic pages

I want to be able to add a "Basic page" to the site with a fixed layout

So that the "Basic page" will show up in the structured menu under its parent page

Feature: Content Structure - Landing Pages |+

As a logged in user with a permission to manage Landing pages.

I want to be able to add a "Landing page" which has got predefined set of paragraphs

So that the "Landing page" will show up in the structured menu under its parent page

Feature: Landing Pages - Add any paragraph types to the page |+

As a logged in user with a permission to manage Landing pages

I want to be able to add any paragraph type to the page

So that the "Landing page" will show up having paragraphs of different types

Feature: Content Structure - Landing Pages - Varbase text and image paragraphs |+

As a logged in user with a permission to manage Landing pages
I want to be able to add number of Text and image paragraph components
So that the "Landing page" will have text and images in right and left view.

Feature: Navigational Features - Breadcrumbs - Standard breadcrumbs |+

As a Visitor to the site
I want to be able to see the back path
So that I can see path I followed to locate the current page usually near the top of the page

Feature: Content Structure - Landing Pages with Layout Builder |+

As a logged in user with a permission to manage Landing (Layout Builder) pages.
I want to be able to add a "Landing page (Layout Builder)" which has got predefined set of layouts
So that the "Landing page (Layout Builder)" will show up in the structured menu under its parent page

Feature: Landing (Layout Builder) Pages - Check to add sections and choose layouts for sections |+

As a logged in user with a permission to manage Landing (Layout Builder) pages
I want to be able to add sections with any layouts to the page
So that the "Landing (Layout Builder) page" will show up having the listed section with their content

Feature: Content Management - Add default [entityqueue] module testing content and configuration |+

Feature: Content Management - Standard Entity Queue Management - Have the option to Reverse order in admin view |+

As a logged in user with a permission to manage entity queues
I well be able to view the order of entities in entity queues in a reverse order.
So that they will have a flipped order at the front-end.

Feature: Content Management - Standard Entity Queue Management - Have Entity queue tab inside the full content page and be able to Add to a queue or Remove from a queue |+

As a logged in user with a permission to manage entity queues
I well be able to see an Entity queue tab inside the full content page of a selected content
So that I can Add to queue or Remove from queue for the content.

Feature: Content Management - Add hero slider to entity queue using entity queue form widget |+

As a logged in user with a permission to mange entity queues
I want to be able to add and remove entities to any allowed entity queue.

Feature: Content Management - Cloning content and entities |+

As a logged in user with a permission to mange entities
I want to be able to clone an entity.

Feature: File & Media Management - Assets Management - Ability to embed existing media image library in the rich text editor |+

As a content admin
I want to be able to embed existing files from the library of files in the CKEditor
So that it will show up under that rich text field without having to upload the image for each content

Feature: Content Editing - Rich Text Editor - Easy linking to internal content by searching for content by its titles |+

As a content admin

I want to be able to add internal links searching the title of an internal content
So that will ease the work of adding internal links in the rich text editor fields.

Feature: Delete default testing users |+

Feature: Delete Arabic language from the system |+

Feature: Cleanup after [entityqueue] module tests |+

Feature: Cleanup leftover media from the Media Library |+
