

38 features (**38 success**)
 138 scenarios (**138 success**)
 1569 steps (**1569 success**)
 33m30.68s - 26.65Mb

[+] all [-] all

Suite : default

Feature: Website Base Requirements - User Registration - Only admins login |-

As an anonymous user I will not be able to register as a user in the website So that I will need a site admin or super admin to add me to the website

@local @development @staging @production

Scenario: Check that create new account options does not appear for anonymous users |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Create new account"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@local @development @staging @production

Scenario: Check that only admin can create an account |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user/register"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@local @development @staging @production

Scenario: Verify that anonymous users cannot access admin pages |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/admin"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Website Base Requirements - User Roles - Simple Roles |-

As a logged in user with the User ID number 1 I want to be able to see the list of User Roles So that they must be (Editor, Site Admin, Content Admin, Super Admin)

@local @development @staging @production

Scenario: Check that all default list of roles are present |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/people/roles"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Content Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "SEO Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Site Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Super Admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Editing - Rich Text Editor - Input formats |-

As a logged in user with a permission to edit content I want to be able to switch between input formats So that can use different type of rich text editors.

@javascript @local @development @staging @production

Scenario: Check if Site Admin user can change the text format for the body of Basic page |-

Given I am a logged in user with the "test_site_admin"	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should not see "HTML Editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
When I select "full_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "basic_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "code_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
And I should not see the "#cke_edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertNotRegionElement()

@javascript @local @development @staging @production

Scenario: Check if Super Admin user can change the text format for the body of Basic page |-

Given I am a logged in user with the "test_super_admin"	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "full_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "basic_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#cke_edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
When I select "code_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see the "#edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertRegionElement()
And I should not see the "#cke_edit-body-0-value" element in the "field body"	Drupal\DrupalExtension\Context\MarkupContext::assertNotRegionElement()

Feature has passed

Feature: Website Base Requirements - Website Languages - English |-

As a logged in user with the permission to add content I want to be able to check if the site has got the English language Enabled
So that can be sure that the website is using the English language as one of the languages.

@javascript @local @development @staging @production

Scenario: Check if we can Create Basic page with English for the language of the content |-

Given I am a logged in user with the "test_content_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
And I go to "node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I select "English" from "Language"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
Then I should see "Language"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "English" from "Language"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Test English Basic page title by content admin" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test English Basic page body"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Basic page title by content admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if we can Create Landing page with English for the language of the content |-

Given I am a logged in user with the "test_content_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
And I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

When I select "English" from "Language"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
Then I should see "Language"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "English" from "Language"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Test English Landing page title by content admin" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Landing page title by content admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if we can Create Basic page with English for the language of the content |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
And I go to "node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I select "English" from "Language"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
Then I should see "Language"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "English" from "Language"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Test English Basic page title by site admin" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test English Basic page body"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test English Basic page title by site admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if we can Create Landing page with English for the language of the content |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iamLoggedInUserWithTheUser()

And I go to "node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

When I select "English" from "Language"

Drupal\DrupalExtension\Context\MinkContext::selectOption()

Then I should see "Language"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select "English" from "Language"

Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I fill in "Test English Landing page title by site admin" for "Title"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I select "published" from "edit-moderation-state-0-state"

Drupal\DrupalExtension\Context\MinkContext::selectOption()

And I press the "Save" button

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Test English Landing page title by site admin"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Website Base Requirements - Website Languages - All content translatable to all languages |-

As a logged in user with a permission to translate content I want to be able to check if all content types are translatable So that I will be able to create a content then I will have the option to translate the content to other languages in the site

@javascript @local @development @staging @production

Scenario: Check if site admin can translate an existing English Basic Page to an Arabic version.

|-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test English Basic page" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test English Basic page body"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "en" from "Language"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test English Basic page body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Tasks"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for ajax to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Translate"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Translate" in the "a" element with the "class" attribute set to "moderation-sidebar-link button"	VarbaseContext::iClickTextInTheHtmlTagElement()
And I wait for ajax to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Translate"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "View all translations"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Create translation"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "تجربة صفحة بسيطة عربية العنوان" for "edit-title-0-value"	

	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "edit-body-0-value" with "تجربة صفحة بسيطة عربية المحتوى"	VarbaseContext::iFillInTheRichTextEditorField()
And I press the "edit-submit" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "تجربة صفحة بسيطة عربية العنوان"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Tasks"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for ajax to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Translate"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Translate" in the "a" element with the "class" attribute set to "moderation-sidebar-link button"	VarbaseContext::iClickTextInTheHtmlTagElement()
And I wait for ajax to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Translate"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "View all translations"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I click "View all translations"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test English Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Editing - Rich Text Editor - Convert URLs into links |-

As a logged in user with a permission to use the rich text editor I want to add raw URLs and links in the rich text editor So that they will be converted to links and visitors can click on them.

@javascript @local @development @staging @production

Scenario: Check if inserted raw URL will convert into a link using the "Rich editor" text format when we save a new Basic page |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "full_html" from "body[0][format]"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Test convert URLs" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "<p>Test line #1 Test line #2 http://drupal.org Test line #3</p>"	VarbaseContext::iFillInTheRichTextEditorField()
Then I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I should see "Test line #1"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test line #2 http://drupal.org"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test line #3"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "http://drupal.org" in the "a" element with the "href" attribute set to "http://drupal.org"	VarbaseContext::iClickTextInTheHtmlTagElement()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Drupal"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Request new password |-

As a user with a ready user account I will want to be able to Request new password So that I can reset my password for the account

@local @development @staging @production

Scenario: Check that an anonymous user can reset his or her password |-

Given I am not logged in	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user/login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Forgot your password?"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Verify that the system cannot send an email to non-existing users or emails |-

Given I am not logged in	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/user/password"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Username or email address"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "not.existing.email@vardot.com" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "edit-submit" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "not.existing.email@vardot.com" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait 8 seconds	VarbaseContext::iWaitForSeconds()
And I press the "edit-submit" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Login with"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Admins can create users and assign a role to them |-

As a site admin user I want to be able to create new user accounts and assign roles to them So that they will be able to use the site.

@javascript @local @development @staging @production

Scenario: Check if admins can see all parts and filters in the People administration page |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "People"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Add user"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Status"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Role"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Registered date (from)"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Registered date (to)"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Username"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Member for"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Last access"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Operations"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if admins can create a new user account as an authenticated user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
--	--

When I go to "/admin/people/create"

And I wait

When I fill in "tester@vardot.com" for "Email address"

And I fill in "Tester" for "Username"

And I fill in "dD.123123ddd" for "Password"

And I fill in "dD.123123ddd" for "Confirm password"

And I press "Create new account"

Drupal\DrupalExtension\Context\MinkContext::visit()

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Drupal\DrupalExtension\Context\MinkContext::fillField()

Drupal\DrupalExtension\Context\MinkContext::fillField()

Drupal\DrupalExtension\Context\MinkContext::fillField()

Drupal\DrupalExtension\Context\MinkContext::fillField()

Drupal\DrupalExtension\Context\MinkContext::pressButton()

@javascript @cleanup @local @development @staging @production

Scenario: Delete the Tester user |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/people"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I fill in "Tester" for "Name or email contains"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Filter"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Tester"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Edit" in the "Tester" row

Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "Cancel account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Are you sure you want to cancel the account Tester?"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select the radio button "Delete the account and its content."

Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()

And I press "Cancel account"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait 10s

VarbaseContext::iWaitForSeconds()

Then I should see "People"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Login |-

As a visitor with an existing user account I want to be able to login to the site So that I will be able to view/add/edit/ or delete content in the site

@local @development @staging @production

Scenario: Check if a visitor can login with a valid username and password |-

Given I am on "user/login"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

When I fill in "test_authenticated" for "Username"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Password"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I press "Log in"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "test_authenticated"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@local @development @staging @production

Scenario: Verify a form error after not entering the username or password when we login |-

Given I am on "user/login"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

When I press "Log in"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Username field is required"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Password field is required"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Have persistent login options and configurations

-

As a user which can login to the site. I want to have the option to have "Remember Me" option on the user login form. So I can persistent my login session independent of setting of a long session lifetime.

@javascript @check @local @development @staging @production

Scenario: Check the persistent login configuration -

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/system/persistent_login"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Persistent Login"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "30" value in the "edit-lifetime" input element

VarbaseContext::iShouldSeeValueInTheInputElement()

And I should see "0" value in the "edit-max-tokens" input element

VarbaseContext::iShouldSeeValueInTheInputElement()

@javascript @check @local @development @staging @production

Scenario: Check if an authenticated user can login and use the [Remember me] option -

Given I am not logged in

Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()

When I go to "/user"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Log in"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Remember me"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "test_authenticated" for "Username"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "dD.123123ddd" for "Password"
And I check the box "Remember me"
And I press the "edit-submit" button
And I wait
Then I should see "test_authenticated"

```

        Drupal\DrupalExtension\Context\MinkContext::fillField()
        Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
        Drupal\DrupalExtension\Context\MinkContext::pressButton()
        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: User Management - Standard User Management - Have fine-grained access control of user administrators protections with specific user, or all users in a role |-

As a logged in site admin I will be allowed to fine-grained access control of user administrators So that the protections can be specific to a user, or applied to all users in a role.

@javascript @check @local @development @staging @production

Scenario: Check the User protect configuration |-

Given I am a logged in user with the "webmaster" user
When I go to "/admin/config/people/userprotect"
And I wait
Then I should see "Protected site admin"
And I should see "Protected super admin"
And I should see "Protected webmaster"

```

        VarbaseContext::iAmLoggedInUserWithTheUser()
        Drupal\DrupalExtension\Context\MinkContext::visit()
        VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
        Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: User Management - Standard User Management - Users with permission to assign roles may select which roles are available for assignment

As a logged in site admin and a permission to Assign roles I will be able to assign roles to other users. So that only users with permission to assign roles may select which roles are available for assignment

@javascript @check @local @development @staging @production

Scenario: Check the Role Assign configuration

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people/roleassign"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Role assign"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And the "Editor" checkbox should be checked	Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
And the "Content Admin" checkbox should be checked	Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
And the "Site Admin" checkbox should be checked	Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()

Feature has passed

Feature: Pre-check important administrator and development pages

As a site admin user I want to be able to make sure that all admin and development tools are working So that I can use them after the install or update.

@check @local @development @staging @production

Scenario: Check the content page

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Content"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check the Homepage content with Layout Builder |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Homepage"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Landing page (Layout Builder)" in the "Homepage" row

Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()

@check @local @development @staging @production

Scenario: Check Files admin page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content/files"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Files"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Media Grid admin page |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/content/media"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Media"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@check @local @development @staging @production

Scenario: Check Media Table admin page |-

Given I am a logged in user with the "webmaster" user

When I go to "/admin/content/media"

And I wait

Then I should see "Media"

And I should see "Thumbnail"

And I should see "Cover Image"

And I should see "Media name"

And I should see "Type"

And I should see "Author"

And I should see "Status"

And I should see "Updated"

And I should see "Operations"

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@check @local @development @staging @production

Scenario: Check the structure page |-

Given I am a logged in user with the "webmaster" user

When I go to "/admin/structure"

And I wait

Then I should see "Block layout"

And I should see "Content types"

And I should see "Display Suite"

And I should see "Display modes"

And I should see "Entityqueues"

And I should see "Media types"

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Menu position rules"

And I should see "Menus"

And I should see "Pages"

And I should see "Paragraph types"

And I should see "Taxonomy"

And I should see "Views"

And I should see "Webforms"

@check @local @development @staging @production

Scenario: Check the structure page |-

Given I am a logged in user with the "webmaster" user

When I go to "/admin/structure/page_manager"

And I wait

Then I should see "Pages"

And I should see "Total Control dashboard"

@check @local @development @staging @production

Scenario: Check the views page |-

Given I am a logged in user with the "webmaster" user

When I go to "/admin/structure/views"

And I wait

Then I should see "Views"

And I should see "Browser"

And I should see "Media Hero Slider"

@check @local @development @staging @production

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

VarbaseContext::iAmLoggedInUserWithTheUser()

Drupal\DrupalExtension\Context\MinkContext::visit()

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

VarbaseContext::iAmLoggedInUserWithTheUser()

Drupal\DrupalExtension\Context\MinkContext::visit()

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Scenario: Check the Appearance page |-

Given I am a logged in user with the "webmaster" user

When I go to "/admin/appearance"

And I wait

Then I should see "Appearance"

And I should see "Vartheme"

And I should see "Vartheme (Bootstrap 4 - SASS)"

And I should see "Claro"

And I should see "Bootstrap"

And I should see "Bootstrap Barrio"

And I should see "Vartheme Claro"

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@check @local @development @staging @production

Scenario: Check active type of media types |-

Given I am a logged in user with the "webmaster" user

When I go to "/media/add"

And I wait

Then I should see "File"

And I should see "Image"

And I should see "Video"

And I should see "Remote video"

And I should see "Audio"

And I should see "Instagram"

And I should see "Tweet"

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@check @local @development @staging @production

Scenario: Check Varbase update instructions page |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/development/update-helper"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Varbase update instructions"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "100%"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should not see "Pending updates"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Support Requirements - Standard Support Navigation - Allow site super administrators to switch users and surf the site as that user |-

As the site super admin I want to be able to switch users and surf the site as that user with no password required So that I can see what is the selected user is seeing in the site then switch back to my own user account at any time.

@javascript @check @local @development @staging @production

Scenario: Check if the webmaster user UID 1 can masquerade as any user |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_authenticated" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_editor" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_content_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_site_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_site_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_site_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_site_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_super_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_super_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_super_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_super_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check if a super admin user can masquerade as any user |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_authenticated" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_editor" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_content_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_site_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "test_site_admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "test_site_admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Masquerade as test_site_admin"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "/user/1"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Masquerade as webmaster"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @check @local @development @staging @production

Scenario: Check if a site admin user can NOT masquerade as any user |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "/user/1"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should not see "Masquerade as webmaster"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

When I go to "/admin/people"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "test_authenticated" for "Name or email contains"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press "Filter"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "test_authenticated"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "test_authenticated"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Masquerade as test_authenticated"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I go to "/admin/people"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_editor" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_editor"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "test_content_admin" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Masquerade as test_content_admin"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check if a content admin user can NOT masquerade as the super user ID 1 the webmaster |-

Given I am a logged in user with the "test_content_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/user/1"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Masquerade as webmaster"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @check @local @development @staging @production

Scenario: Check if an editor user can NOT masquerade as the super user ID 1 the webmaster |-

Given I am a logged in user with the "test_editor" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/user/1"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Masquerade as webmaster"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @check @local @development @staging @production

Scenario: Check if an authenticated user can NOT masquerade as the super user ID 1 the webmaster |-

Given I am a logged in user with the "test_authenticated" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/user/1"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Masquerade as webmaster"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Admin management - Standard Back-End Navigation - Navigate through the Drupal admin with the keyboard for faster access |-

As a site admin I want to be able to navigate through the Drupal admin with the keyboard So that I will have a faster access to administration pages in the site.

@javascript @check @local @development @staging @production

Scenario: Check if Super Admins can access the Coffee search box to navigate fast between admin pages |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to the homepage	Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Go to"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @check @local @development @staging @production

Scenario: Check if Site Admins can access the Coffee search box |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to the homepage

```
Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Go to"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @check @local @development @staging @production

Scenario: Check if Content Admins can access the Coffee search box |-

Given I am a logged in user with the "test_content_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to the homepage

```
Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Go to"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @check @local @development @staging @production

Scenario: Check if Editors can access the Coffee search box |-

Given I am a logged in user with the "test_editor" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to the homepage

```
Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Go to"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @check @local @development @staging @production

Scenario: Check if Authenticated users can NOT access the Coffee search box |-

Given I am a logged in user with the "test_authenticated" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to the homepage	Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Go to"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: User Management - Standard User Management - Admins can disable users |-

As a site admin user I want to be able Block user accounts So that they will be disabled and not be able to use the site.

@javascript @local @development @staging @production

Scenario: Check if the test_authenticated user is not blocked and can login |-

Given I am on "user/login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I fill in "test_authenticated" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Log in"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the site admin can Administer users and disable a User account test_authenticated from accessing the site |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/people"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "People"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "test_authenticated" for "Name or email contains"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Filter"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "test_authenticated" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "test_authenticated"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select the radio button "Blocked"	Drupal\DrupalExtension\Context\MinkContext::assertSelectRadioById()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The changes have been saved."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the blocked user with user id of Test Blocked User ID can or can not login |-

Given I am on "user/login"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I fill in "test_authenticated" for "Username"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "dD.123123ddd" for "Password"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Log in"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The username test_authenticated has not been activated or is blocked."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: File & Media Management - Assets Management - Image media and their usage list page for site admins |-

As a user with permission to manage files in the site I want to be able to see the list of files So that I will be able to manage files, see where they have been used in contents.

@javascript @local @development @staging @production

Scenario: Check if content admins can access the content files page |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/content/media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should not see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@local @development @staging @production

Scenario: Check if we do have a file named Flag Earth, if not then upload the file dependently |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/media/add/image"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Allowed types: png gif jpg jpeg."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I attach the file "flag-earth.jpg" to "edit-field-media-image-0-upload"	Drupal\DrupalExtension\Context\MinkContext::attachFileToField()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Flag Earth in space" for "field_media_image[0][alt]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth all earth in space" for "field_media_image[0][title]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
When I go to "admin/content/media"	Drupal\DrupalExtension\Context\MinkContext::visit()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see the "Edit" in the "Flag Earth" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

@javascript @local @development @staging @production

Scenario: Check if content admins can edit files |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/content/media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth" for "edit-name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Flag Earth" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Edit Image Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth after edit" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Image Flag Earth after edit has been updated."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if content admins can delete files |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/content/media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Add media"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth after edit" for "edit-name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Apply" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth after edit"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Flag Earth after edit" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth after edit"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "edit-delete"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "This action cannot be undone."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press the "Delete" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "The media item Flag Earth after edit has been deleted."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

Feature has passed

Feature: Check JSON API admin interface and services and Varbase API settings |-

As a site admin user I want to be able to check the JSON:API available interface options So that I can use them to enable or disable API service for Varbase APIs.

@javascript @check @local @development @staging @production

Scenario: Check the Varbase API settings in admin configurations page |-

Given I am a logged in user with the "webmaster" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "/admin/config"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "JSON:API"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Varbase API settings"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @check @local @development @staging @production

Scenario: Check JSON:API configurations |-

Given I am a logged in user with the "webmaster" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "/admin/config/services/jsonapi"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "JSON:API"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Allowed operations"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@check @local @development @staging @production

Scenario: Check JSON:API Extras configurations |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/services/jsonapi/extras"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "JSON:API Extras"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "api" value in the "edit-path-prefix" input element	VarbaseContext::iShouldSeeValueInTheInputElement()

@javascript @check @local @development @staging @production

Scenario: Check JSON:API Resource overrides |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/services/jsonapi/resource_types"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "JSON:API Resource overrides"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "The following table shows the list of JSON:API resource types available."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check Varbase API settings and Generate keys |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/system/varbase/api"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Varbase API settings"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And the "entity_json" checkbox is checked	Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
And the "bundle_docs" checkbox is checked	Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()

When I go to "/admin/config/system/varbase/api/keys"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Path to the directory in which to store the generated keys."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check Open API settings and documentation pages |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/services/openapi"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "OpenAPI Resources"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Rest"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "JSON:API"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/config/services/openapi/redoc/rest"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "The REST API provide by the core REST module"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/config/services/openapi/redoc/jsonapi"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "This is a JSON API compliant implementation"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/config/services/openapi/swagger/jsonapi"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "OpenAPI Documentation"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Preview the site in a number of responsive devices |-

As a site admin user I want to be able to preview the look and feel of the site in a number of devices So that I can make sure that the site looks good in small devices too.

@javascript @check @local @development @staging @production

Scenario: Check the site in a number of responsive preview devices |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to the homepage	Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Welcome to Varbase"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Preview page layout"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
Then I should see "iPhone XS"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "iPhone XS Max"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Galaxy S9"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "iPad Pro"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Galaxy Tab S4"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: User Management - Standard User Management - Users with permission to access the Admin audit trails |-

As a logged in site admin or editor with permission to access the Admin audit trails I will be able to trails of actions on the site by the same user and or users So that only users with permission can see trails of audit changes on the website

@javascript @check @local @development @staging @production

Scenario: Check that user Number 1 can access the Admin audit trails |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/reports/audit-trail"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Admin audit trails"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check that an anonymous users can not access the Admin audit trails |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/admin/reports/audit-trail"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Admin audit trails"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
And I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check that an authenticated user can not access the Admin audit trails |-

Given I am a logged in user with the "test_authenticated" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/reports/audit-trail"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Admin audit trails"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
And I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check that Editor users can access the Admin audit trails |-

Given I am a logged in user with the "test_editor" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/reports/audit-trail"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::waitForPageToBeReadyAndLoaded()

Then I should see "Admin audit trails"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check that Content Admin users can access the Admin audit trails |-

Given I am a logged in user with the "test_content_admin" user

VarbaseContext::iamLoggedInUserWithTheUser()

When I go to "/admin/reports/audit-trail"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::waitForPageToBeReadyAndLoaded()

Then I should see "Admin audit trails"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check that SEO Admin users can access the Admin audit trails |-

Given I am a logged in user with the "test_seo_admin" user

VarbaseContext::iamLoggedInUserWithTheUser()

When I go to "/admin/reports/audit-trail"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::waitForPageToBeReadyAndLoaded()

Then I should see "Admin audit trails"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @check @local @development @staging @production

Scenario: Check that Site Admin users can access the Admin audit trails |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iamLoggedInUserWithTheUser()

When I go to "/admin/reports/audit-trail"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::waitForPageToBeReadyAndLoaded()

Then I should see "Admin audit trails"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Structure - Basic Page |-

As a logged in user with a permission to mange Basic pages I want to be able to add a "Basic page" to the site with a fixed layout So that the "Basic page" will show up in the structured menu under its parent page

@javascript @local @development @staging @production

Scenario: Check if an authenticated user can add content of Basic page type |-

Given I am a logged in user with the "test_authenticated" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "You are not authorized to access this page."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if an Editor can add content of Basic page type |-

Given I am a logged in user with the "test_editor" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a Content Admin can add content of Basic page type |-

Given I am a logged in user with the "test_content_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a Site Admin can add content of Basic page type |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a Super Admin can add content of Basic page type |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the webmaster can add content of Basic page type |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Basic page content type can create Basic pages content |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

Then I should see "Create Basic page"

And I should see "Language"

And I should see "Title"

And I should see "Body"

Behat Test Suite

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if we can create a Test Basic page we can see Change layout floating button to change the layout |-

Given I am a logged in user with the "test_super_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "node/add/page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "Test Basic page" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in the rich text editor field "Body" with "Test Basic page body"

```
VarbaseContext::iFillInTheRichTextEditorField()
```

And I select "published" from "edit-moderation-state-0-state"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Basic page Test Basic page has been created."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Basic page content type |-

Given I am a logged in user with the "test_super_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "admin/content"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Content"

When I fill in "Test Basic page" for "Title"

And I press the "Filter" button

And I wait

Then I should see "Test Basic page"

When I click "Test Basic page"

And I wait

When I go to "admin/content"

And I wait

Then I should see "Content"

When I fill in "Test Basic page" for "Title"

And I press the "Filter" button

And I wait

Then I should see "Test Basic page"

When I click "Edit" in the "Test Basic page" row

And I wait

Then I should see "Edit Basic page Test Basic page"

```

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
    Drupal\DrupalExtension\Context\MinkContext::fillField()
    Drupal\DrupalExtension\Context\MinkContext::pressButton()
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
    Drupal\DrupalExtension\Context\MinkContext::assertClick()
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
    Drupal\DrupalExtension\Context\MinkContext::visit()
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
    Drupal\DrupalExtension\Context\MinkContext::fillField()
    Drupal\DrupalExtension\Context\MinkContext::pressButton()
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
    VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
    Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

```

Feature has passed

Feature: Content Structure - Landing page (Paragraphs) |-

As a logged in user with a permission to manage Landing page (Paragraphs). I want to be able to add a "Landing page" which has got predefined set of paragraphs So that the "Landing page (Paragraphs)" will show up in the structured menu under its parent page

@javascript @local @development @staging @production

Scenario: Check if we do have the Landing page (Paragraphs) content type |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page (Paragraphs)"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that the Landing page (Paragraphs) content type has paragraphs field |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types/manage/landing_page/fields"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "field_lp_paragraphs"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that an Anonymous users can not create a Landing page (Paragraphs) |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "You are not authorized to access this page."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that an authenticated user can not create a Landing page (Paragraphs) |-

Given I am a logged in user with the "test_authenticated" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that Editor users can create a Landing page (Paragraphs) |-

Given I am a logged in user with the "test_editor" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Content Admin users can create a Landing page (Paragraphs) |-

Given I am a logged in user with the "test_content_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Site Admin users can create a Landing page (Paragraphs) |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should not see "Access denied"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "You are not authorized to access this page."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

Feature has passed

Feature: Landing page (Paragraphs) - Add any paragraph types to the page |-

As a logged in user with a permission to mange Landing pages I want to be able to add any paragraph type to the page So that the Landing page (Paragraphs)" will show up having paragpahs of different types

@local @development @staging @production

Scenario: Upload the "Embed Flag Earth" file |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "media/add/image"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Allowed types: png gif jpg jpeg."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I attach the file "flag-earth.jpg" to "edit-field-media-image-0-upload"

```
Drupal\DrupalExtension\Context\MinkContext::attachFileToField()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in "Embed Flag Earth" for "name[0][value]"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I check the box "Show in media library"

Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()

And I press the "Save" button

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Embed Flag Earth"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check Varbase Bootstrap Paragraphs settings |-

Given I am a logged in user with the "webmaster" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/admin/config/varbase/varbase-bootstrap-paragraphs"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Varbase Bootstrap Paragraphs settings"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Available CSS styles (classes) for Varbase Bootstrap Paragraphs"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I press "Save configuration"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

Then I should see "The configuration options have been saved."

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Paragraphs) content type can add paragraphs of type Drupal Block |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Landing page Drupal Block" for "Title"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test Landing page description Drupal Block" for "Page description"

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I wait for 1 second

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

And I press "+ Add"

```
VarbaseContext::waitForSeconds()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait for 1 second

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

And I select the "bp_block" paragraph component

```
VarbaseContext::waitForSeconds()
```

```
VarbaseContext::selectTheParagraphComponent()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

Then I should see "Block"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I select "Site branding" from "Block"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I select "published" from "edit-moderation-state-0-state"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Landing page (Paragraphs) Test Landing page Drupal Block has been created"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Paragraphs) content type can add paragraphs of type Columns Equal |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iamLoggedInUserWithTheUser()
```

When I go to "node/add/landing_page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "Test Landing page Columns (Equal)" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in "Test Landing page description Columns (Equal)" for "Page description"

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I wait for 1 second

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

And I press "+ Add"

```
VarbaseContext::waitForSeconds()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait for 1 second

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

And I select the "bp_columns" paragraph component

```
VarbaseContext::waitForSeconds()
```

```
VarbaseContext::selectTheParagraphComponent()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

And I select "published" from "edit-moderation-state-0-state"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Landing page (Paragraphs) Test Landing page Columns (Equal) has been created"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Paragraphs) content type can add paragraphs of type Columns Two Uneven |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iamLoggedInUserWithTheUser()
```

When I go to "node/add/landing_page"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I fill in "Test Landing page Columns (Two Uneven)" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I fill in "Test Landing page description Columns (Two Uneven)" for "Page description"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

And I wait for 1 second

```
VarbaseContext::waitForSeconds()
```

And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::waitForSeconds()
And I select the "bp_columns_two_uneven" paragraph component	VarbaseContext::selectTheParagraphComponent()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page (Paragraphs) Test Landing page Columns (Two Uneven) has been created"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Paragraphs) content type can add paragraphs of type Modal |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iamLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page Modal" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description Modal" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::waitForSeconds()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::waitForSeconds()

And I select the "bp_modal" paragraph component	VarbaseContext::iSelectTheParagraphComponent()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Modal button" for "Modal button text"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Modal title" for "Modal title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I select the "bp_simple" paragraph component	VarbaseContext::iSelectTheParagraphComponent()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::iWaitForSeconds()
Then I should see "Modal body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in the rich text editor field "Text" with "Modal Body test"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
Then I should see "Landing page (Paragraphs) Test Landing page Modal has been created"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Modal button"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait 2 seconds	VarbaseContext::iWaitForSeconds()
Then I should see "Modal title"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Paragraphs) content type can add paragraphs of type Rich Text |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page Rich Text" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description Rich Text" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::iWaitForSeconds()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::iWaitForSeconds()
And I select the "bp_simple" paragraph component	VarbaseContext::iSelectTheParagraphComponent()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in the rich text editor field "Text" with "Rich Text test"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page (Paragraphs) Test Landing page Rich Text has been created"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Rich Text test"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Paragraphs) content type can add paragraphs of type WebForm |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Landing page WebForm" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page description WebForm" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::iWaitForSeconds()
And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::iWaitForSeconds()
And I select the "bp_webform" paragraph component	VarbaseContext::iSelectTheParagraphComponent()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Components"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "Contact" from "Webform"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page (Paragraphs) Test Landing page WebForm has been created"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Structure - Landing page (Paragraphs) - Varbase text and image paragraphs |-

As a logged in user with a permission to manage Landing page (Paragraphs) I want to be able to add number of Text and image paragraph components so that the "Landing page (Paragraphs)" will have text and images in right and left view.

@local @development @staging @production

Scenario: Upload the Embed Flag Earth file |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "media/add/image"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Allowed types: png gif jpg jpeg."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I attach the file "flag-earth.jpg" to "edit-field-media-image-0-upload"	Drupal\DrupalExtension\Context\MinkContext::attachFileToField()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Embed Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Paragraphs) content type create a new Landing page |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test landing page title for text and image paragraphs" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test landing page body description." for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
When I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait for 1 second	VarbaseContext::iWaitForSeconds()
And I select the "text_and_image" paragraph component	VarbaseContext::iSelectTheParagraphComponent()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I scroll down	VarbaseContext::iScrollDown()
Then I should see "Text and image"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "No media items are selected."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "field_image-media-library-open-button-field_lp_paragraphs-0-subform"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I should see "Name"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth" for "Name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Apply filters" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see image with the "Flag Earth all earth in space" title text	VarbaseContext::iShouldSeeImageWithTheTitleText()
When I check the box "media_library_select_form[0]"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I press "dialog-submit"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I scrollup	VarbaseContext::iScrollup()
Then I should see "The maximum number of media items have been selected."	
	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Text"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I fill in the rich text editor field "Text" with "In eros ipsum, mattis vitae vulputate eu, blandit non risus. Maecenas ultricies volutpat massa id hendrerit. Phasellus magna quam, lacinia sed justo pulvinar, tristique finibus felis. Quisque in sagittis tellus. Curabitur in est at quam maximus elementum. Pellentesque interdum tincidunt nisl, ac efficitur elit aliquam id. Integer egestas neque ut risus tincidunt semper."	VarbaseContext::iFillInTheRichTextEditorField()
And I select all text in "Text" field	SelectorsContext::selectAllTextInField()
And I click on "justifycenter" command button in the rich text editor field "Text"	
	VarbaseContext::iClickOnCommandButtonInTheRichTextEditorField()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "In eros ipsum, mattis vitae vulputate eu, blandit"	
	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see image with the "Flag Earth all earth in space" title text	VarbaseContext::iShouldSeeImageWithTheTitleText()

Feature has passed

Feature: Navigational Features - Breadcrumbs - Standard breadcrumbs |-

As a Visitor to the site I want to be able to see the back path So that I can see path I followed to locate the current page usually near the top of the page

@javascript @local @development @staging @production

Scenario: Add the Test Basic page root page to the main menu |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Basic page root title" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test Basic page root body"	VarbaseContext::iFillInTheRichTextEditorField()
And I expand the field "edit-menu"	VarbaseContext::iExpandThefield()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I check the box "Provide a menu link"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I select "<Main navigation>" from "Parent item"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Basic page root title"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test Basic page root body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Add the Test Basic page sub 1, then check the breadcrumb |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Basic page sub 1 title" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test Basic page sub 1 body"	VarbaseContext::iFillInTheRichTextEditorField()
And I expand the field "edit-menu"	VarbaseContext::iExpandThefield()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I check the box "Provide a menu link"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I select "Test Basic page root title" from "Parent item"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page Test Basic page sub 1 title has been created."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test Basic page sub 1 body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test Basic page root title" in the "ol" element with the "class" attribute set to "breadcrumb"	VarbaseContext::iShouldSeeTextInTheHtmlTagElement()

Feature has passed

Feature: Content Structure - Blog post |-

As a logged in user with a permission to manage Blogs. I want to be able to add a "Blog"

@javascript @local @development @staging @production

Scenario: Check if we do have the Blog content type |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Blog"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that Anonymous users can not create a Landing page |-

Given I am an anonymous user

```
Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
```

When I go to "/node/add/varbase_blog"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Access denied"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "You are not authorized to access this page."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that authenticated users can not create a Landing page |-

Given I am a logged in user with the "test_authenticated" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "/node/add/varbase_blog"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Access denied"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "You are not authorized to access this page."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that Editor users can create a Landing page |-

Given I am a logged in user with the "test_editor" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "/node/add/varbase_blog"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Content Admin users can create a Landing page |-

Given I am a logged in user with the "test_content_admin" user

VarbaseContext::iamLoggedInUserWithTheUser()

When I go to "/node/add/varbase_blog"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Site Admin users can create a Landing page |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iamLoggedInUserWithTheUser()

When I go to "/node/add/varbase_blog"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Content Structure - Landing Pages with Layout Builder |-

As a logged in user with a permission to manage Landing (Layout Builder) pages. I want to be able to add a "Landing page (Layout Builder)" which has got predefined set of layouts So that the "Landing page (Layout Builder)" will show up in the structured menu under its parent page

@javascript @local @development @staging @production

Scenario: Check if we do have the Landing page (Layout Builder) content type |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page (Layout Builder)"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that the Landing page (Layout Builder) content type has the layout fields |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types/manage/landing_page_lb/fields"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "layout_builder__layout"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "layout_selection"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that an Anonymous users can not create a Landing page (Layout Builder) |-

Given I am an anonymous user	Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
When I go to "/node/add/landing_page_lb"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Access denied"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "You are not authorized to access this page."	

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that an authenticated user can not create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_authenticated" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page_lb" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Access denied" Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "You are not authorized to access this page." Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that Editor users can create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_editor" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page_lb" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied" Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page." Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Content Admin users can create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_content_admin" user VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page_lb" Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied" Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that SEO Admin users can create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_seo_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page_lb"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

@javascript @local @development @staging @production

Scenario: Check that Site Admin users can create a Landing page (Layout Builder) |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "/node/add/landing_page_lb"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should not see "Access denied"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "You are not authorized to access this page."

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Landing (Layout Builder) Pages - Check to add sections and choose layouts for sections |-

As a logged in user with a permission to manage Landing (Layout Builder) pages I want to be able to add sections with any layouts to the page So that the "Landing (Layout Builder) page" will show up having the listed section with their content

@javascript @local @development @staging @production

Scenario: Check if a user with a permission to manage Landing page (Layout Builder) content type can add sections with any layouts to the page |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/landing_page_lb"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Landing page (Layout Builder)"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Full Width - No Background Color - Text only" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test Landing page (Layout Builder) description" for "Page description"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Landing page (Layout Builder) Full Width - No Background Color - Text only has been created"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "This layout builder tool allows you to configure the layout of the main content area."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Add section"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see "Choose a layout for this section"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "One column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Two column"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Three column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Four column"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

Feature has passed

Feature: Content Structure - Homepage Permissions with Landing Pages with Layout Builder |-

As a logged in user with a permission to manage Landing (Layout Builder) pages. I want to be able to edit the page layouts sections and blocks So that the homepage can be changed with permission in an easy way and be sure it will not deleted.

@javascript @local @development @staging @production

Scenario: Check that user Number 1 can see and have all options to edit the Homepage which built by the Landing page (Layout Builder) |-

Given I am a logged in user with the "webmaster" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to the homepage

```
Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Welcome to Varbase"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Media Hero Slider"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Tasks"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

And I should see "Edit content"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Delete"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Manage display"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Layout"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Revisions"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Devel"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Clone"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Translate"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that an anonymous users can only see the Homepage which built by the Landing page (Layout Builder) |-

Given I am an anonymous user

```
Drupal\DrupalExtension\Context\DrupalContext::assertAnonymousUser()
```

When I go to the homepage

```
Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Welcome to Varbase"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Media Hero Slider"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should not see "Tasks"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Edit content"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Delete"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Manage display"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Layout" in the "a" element with the "class" attribute set to "moderation-sidebar-link button"

```
VarbaseContext::iShouldNotSeeTextInTheHtmlTagElement()
```

And I should not see "Revisions"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Devel"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Clone"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Translate"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that an authenticated user can not edit the Homepage which built by the Landing page (Layout Builder) |-

Given I am a logged in user with the "test_authenticated" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to the homepage

And I wait

Then I should see "Welcome to Varbase"

And I should see "Media Hero Slider"

And I should not see "Tasks"

And I should not see "Edit content"

And I should not see "Delete"

And I should not see "Manage display"

And I should not see "Layout" in the "a" element with the "class" attribute set to "moderation-sidebar-link button"

And I should not see "Revisions"

And I should not see "Devel"

And I should not see "Clone"

And I should not see "Translate"

```
Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

```
VarbaseContext::iShouldNotSeeTextInTheHtmlTagElement()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that Editor users can edit the Homepage which built by the Landing page (Layout Builder) |-

Given I am a logged in user with the "test_editor" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to the homepage

```
Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Welcome to Varbase"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Media Hero Slider"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Tasks"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

And I should see "Edit content"

And I should not see "Delete"

And I should not see "Manage display"

And I should see "Layout"

And I should see "Revisions"

And I should not see "Devel"

And I should see "Clone"

And I should see "Translate"

Behat Test Suite

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check that Content Admin users can edit the Homepage which built by the Landing page (Layout Builder) |-

Given I am a logged in user with the "test_content_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to the homepage

Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Welcome to Varbase"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Media Hero Slider"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I click "Tasks"

Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I should see "Edit content"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should not see "Delete"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should not see "Manage display"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should see "Layout"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should see "Revisions"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

And I should not see "Devel"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

And I should see "Clone"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Translate"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that SEO Admin users can edit the Homepage which built by the Landing page (Layout Builder) |-

Given I am a logged in user with the "test_seo_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to the homepage

```
Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Welcome to Varbase"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Media Hero Slider"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Tasks"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

And I should see "Edit content"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should not see "Delete"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Manage display"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Layout" in the "a" element with the "class" attribute set to "moderation-sidebar-link button"

```
VarbaseContext::iShouldNotSeeTextInTheHtmlTagElement()
```

And I should see "Revisions"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should not see "Devel"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should not see "Clone"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
```

And I should see "Translate"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Check that Site Admin users can edit the Homepage which built by the Landing page (Layout Builder) |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to the homepage	Drupal\DrupalExtension\Context\MinkContext::iAmOnHomepage()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Welcome to Varbase"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Media Hero Slider"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Tasks"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I should see "Edit content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Delete"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should not see "Manage display"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
And I should see "Layout"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Revisions"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should not see "Devel"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
And I should see "Clone"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Translate"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Management - Add default [entityqueue] module testing content and configuration |-

@javascript @init @tools @local @development @staging

Scenario: Create Test Content type |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/types/add"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Add content type"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I fill in "Test Content" for "Name"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I wait for AJAX to finish

```
Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
```

And I wait for 2 seconds

```
VarbaseContext::waitForSeconds()
```

And I press "Save and manage fields"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "The content type Test Content has been added."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @init @tools @local @development @staging

Scenario: Add Entity Queue Test Queue to be used with Test Content type |-

Given I am a logged in user with the "webmaster" user

```
VarbaseContext::iamLoggedInUserWithTheUser()
```

When I go to "/admin/structure/entityqueue"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Add entity queue"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Add entity queue"

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Configure entity queue"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I fill in "Test Queue" for "Name"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I wait for 5 seconds

```
VarbaseContext::waitForSeconds()
```

And I press "Save"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "The entity queue Test Queue has been added."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @init @tools @local @development @staging

Scenario: Add Test content N1, N2, N3 type of test content |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/test_content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N1" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test content N1 Body"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test content N1 has been created."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/node/add/test_content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N2" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test content N2 Body"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test content N2 has been created."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "/node/add/test_content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Then I should see "Create Test Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N3" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test content N3 Body"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test content N3 has been created."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @init @tools @local @development @staging

Scenario: Add Test content N1, N2, N3 nodes to the Test Queue entityqueue |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/entityqueue"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit items" in the "Test Queue" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit subqueue Test Queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Add existing item"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Item"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N1" for "items[form][0][entity_id]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Add item"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Test content N1"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I press "Add existing item"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see "Item"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N2" for "items[form][1][entity_id]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Add item"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see "Test content N1"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Add existing item"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see "Item"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test content N3" for "items[form][2][entity_id]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "Add item"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see "Test content N1"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "3 items" in the "Test Queue" row	Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()

Feature has passed

Feature: Content Management - Standard Entity Queue Management - Have the option to Reverse order in admin view |-

As a logged in user with a permission to manage entity queues I will be able to view the order of entities in entity queues in a reverse order. So that they will have a flipped order at the front-end.

@javascript @local @development

Scenario: Check that Reverse order in admin view is working |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/structure/entityqueue"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit items" in the "Test Queue" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Edit subqueue Test Queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Test content N1" in the "Test content N1" row	Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()
And I should see "Test content N2" in the "Test content N2" row	Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()
And I should see "Test content N3" in the "Test content N3" row	Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()
When I go to "/admin/structure/entityqueue/test_queue#edit-queue-settings"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Configure Test Queue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Restrict this queue to a minimum of"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Reverse"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I check the box "Reverse"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "The entity queue Test Queue has been updated."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I go to "/admin/structure/entityqueue"

And I wait

Then I should see "Test Queue"

When I click "Edit items" in the "Test Queue" row

And I wait

Then I should see "Edit subqueue Test Queue"

When I press "Reverse"

And I wait for AJAX to finish

And I press "Save"

And I wait

Then I should see "The entity subqueue Test Queue has been updated."

When I go to "/admin/structure/entityqueue"

And I wait

Then I should see "Test Queue"

When I click "Edit items" in the "Test Queue" row

And I wait

Then I should see "Edit subqueue Test Queue"

And I should see "Test content N3" in the "Test content N3" row

And I should see "Test content N2" in the "Test content N2" row

And I should see "Test content N1" in the "Test content N1" row

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()
```

```
Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()
```

```
Drupal\DrupalExtension\Context\DrupalContext::assertTextInTableRow()
```

Feature has passed

Feature: Content Management - Standard Entity Queue Management - Have Entity queue tab inside the full content page and be able to Add to a queue or Remove from a queue |-

As a logged in user with a permission to manage entity queues I will be able to see an Entity queue tab inside the full content page of a selected content So that I can Add to queue or Remove from queue for the content.

@javascript @local @development

Scenario: Check if queueable content have the Entityqueue tab at the full content page and can Add to queue or Remove from queue |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/test_content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Test Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test tab content number 1" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test tab content number 1 Body"	VarbaseContext::iFillInTheRichTextEditorField()
And I press "Save"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Content Test tab content number 1 has been created."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Tasks"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I should see "Entityqueue"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Entityqueue"	Drupal\DrupalExtension\Context\MinkContext::assertClick()

And I wait

Then I should see "Add to queue"

When I click "Add to queue"

And I wait for AJAX to finish

Then I should see "Remove from queue"

When I click "Remove from queue"

And I wait for AJAX to finish

Then I should see "Add to queue"

Behat Test Suite

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

```
Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

Feature has passed

Feature: Content Management - Add hero slider to entity queue using entity queue form widget |-

As a logged in user with a permission to mange entity queues I want to be able to add and remove entities to any allowed entity queue.

@local @development @staging @production

Scenario: Upload the Flag Earth file |-

Given I am a logged in user with the "test_site_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "media/add/image"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Allowed types: png gif jpg jpeg."

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I attach the file "flag-earth.jpg" to "edit-field-media-image-0-upload"

```
Drupal\DrupalExtension\Context\MinkContext::attachFileToField()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Flag Earth in space" for "field_media_image[0][alt]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth all earth in space" for "field_media_image[0][title]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Flag Earth" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Add a Test hero slider number 1 to the heroslider entity queue. |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/varbase_heroslider_media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait max of 5s for the page to be ready and loaded	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Hero slider"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test hero slider #1" for "Slide title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test hero slider slide text #1" for "Slide text"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "field_media_single-media-library-open-button"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Name"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth" for "Name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Apply filters" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
Then I should see image with the "Flag Earth all earth in space" title text	VarbaseContext::iShouldSeeImageWithTheTitleText()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

When I check the box "media_library_select_form[0]"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I press "dialog-submit"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And wait max of 5s	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
And I expand the field "edit-entityqueue-form-widget"	VarbaseContext::expandTheField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see "Choose from the available entityqueues below to push this content to."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I check the box "varbase_heroslider_media"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test hero slider #1"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Add a Test hero slider number 2 to the heroslider entity queue |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iamLoggedInUserWithTheUser()
When I go to "node/add/varbase_heroslider_media"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait max of 2s for the page to be ready and loaded	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Hero slider"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test hero slider #2" for "Slide title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Test hero slider slide text #2" for "Slide text"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press "field_media_single-media-library-open-button"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()

Then I should see "Name"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Flag Earth" for "Name"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Apply filters" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
Then I should see image with the "Flag Earth all earth in space" title text	VarbaseContext::iShouldSeeImageWithTheTitleText()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
When I check the box "media_library_select_form[0]"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I press "dialog-submit"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And wait max of 5s	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I expand the field "edit-entityqueue-form-widget"	VarbaseContext::iExpandThefield()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
Then I should see "Choose from the available entityqueues below to push this content to."	
	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I check the box "varbase_heroslider_media"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test hero slider #2"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if the Hero slider added to the varbase hero slider media entity queue |-

Given I am a logged in user with the "test_super_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "admin/structure/entityqueue/varbase_heroslider_media/varbase_heroslider_media"	Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Test hero slider #1"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I should see "Test hero slider #2"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development @staging @production

Scenario: Remove a Hero slider from the varbase hero slider media entity queue |-

Given I am a logged in user with the "test_super_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "admin/content"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Content"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I fill in "Test hero slider #1" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press the "Filter" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Test hero slider #1"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I click "Edit" in the "Test hero slider #1" row

```
Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

And I expand the field "edit-entityqueue-form-widget"

```
VarbaseContext::iExpandThefield()
```

Then the "varbase_heroslider_media" checkbox should be checked

```
Drupal\DrupalExtension\Context\MinkContext::assertCheckboxChecked()
```

When I uncheck the box "varbase_heroslider_media"

```
Drupal\DrupalExtension\Context\MinkContext::assertUncheckBox()
```

And I select "published" from "edit-moderation-state-0-state"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I press the "Save" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I go to "admin/structure/entityqueue/varbase_heroslider_media/varbase_heroslider_media"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should not see "Test hero slider #1"

Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()

Feature has passed

Feature: Content Management - Cloning content and entities |-

As a logged in user with a permission to mange entities I want to be able to clone an entity.

@javascript @local @development

Scenario: Check if a user with a permission can clone a Landing page (Paragraphs) |-

Given I am a logged in user with the "test_site_admin" user

VarbaseContext::iAmLoggedInUserWithTheUser()

When I go to "node/add/landing_page"

Drupal\DrupalExtension\Context\MinkContext::visit()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I fill in "Test Clone landing page" for "Title"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Test landing page description text" for "Page description"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait for 1 second

VarbaseContext::iWaitForSeconds()

And I press "+ Add"

Drupal\DrupalExtension\Context\MinkContext::pressButton()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I select the "bp_modal" paragraph component

VarbaseContext::iSelectTheParagraphComponent()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Components"

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I fill in "Modal button" for "Modal button text"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I fill in "Modal title" for "Modal title"

Drupal\DrupalExtension\Context\MinkContext::fillField()

And I wait for AJAX to finish

Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

And I wait

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press "+ Add"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
And I select the "bp_simple" paragraph component	VarbaseContext::selectTheParagraphComponent()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Modal body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in the rich text editor field "Text" with "Modal Body test"	VarbaseContext::fillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Modal button"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "admin/content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Clone landing page" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Clone landing page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Clone landing page" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::waitForMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Clone landing page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Edit" in the "Test Clone landing page" row	Drupal\DrupalExtension\Context\DrupalContext::assertClickInTableRow()

And I wait

Then I should see "Clone"

When I click "Clone"

And I wait

Then I should see "Clone Content"

When I press "edit-clone"

And I wait

Then I should see "Test Clone landing page - Cloned"

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertClick()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

@javascript @local @development

Scenario: Check if a user with a permission deleted a cloned entity the original will not affected

|-

Given I am a logged in user with the "test_super_admin" user

```
VarbaseContext::iAmLoggedInUserWithTheUser()
```

When I go to "admin/content"

```
Drupal\DrupalExtension\Context\MinkContext::visit()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Content"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I fill in "Test Clone landing page - Cloned" for "Title"

```
Drupal\DrupalExtension\Context\MinkContext::fillField()
```

And I press the "Filter" button

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Test Clone landing page - Cloned"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

And I check the box "edit-views-bulk-operations-bulk-form-0"

```
Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
```

And I select "Delete selected entities" from "Action"

```
Drupal\DrupalExtension\Context\MinkContext::selectOption()
```

And I press "Apply to selected items"

```
Drupal\DrupalExtension\Context\MinkContext::pressButton()
```

And I wait

```
VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
```

Then I should see "Are you sure you wish to perform"

```
Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
```

When I press "Execute action"	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait for 5s	VarbaseContext::iWaitForSeconds()
Then I should see "Action processing results: Delete entities (1)."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I go to "admin/content"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Content"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Test Clone landing page - Cloned" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should not see "Test Clone landing page - Cloned"	Drupal\DrupalExtension\Context\MinkContext::assertPageNotContainsText()
When I fill in "Test Clone landing page" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the "Filter" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Clone landing page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Test Clone landing page"	Drupal\DrupalExtension\Context\MinkContext::assertClick()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Test Clone landing page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: File & Media Management - Assets Management - Ability to embed existing media image library in the rich text editor |-

As a content admin I want to be able to embed existing files from the library of files in the CKEditor So that it will show up under that rich text field without having to upload the image for each content

@javascript @local @development @staging @production

Scenario: Create the Test Basic page to embed existing files content |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Test Basic page to embed existing files" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Test Basic page body to embed existing files"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Basic page Test Basic page to embed existing files has been created."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@local @development @staging @production

Scenario: Upload the Embed Flag Earth file |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/media/add/image"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Allowed types: png gif jpeg jpeg."	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I attach the file "flag-earth.jpg" to "edit-field-media-image-0-upload"	Drupal\DrupalExtension\Context\MinkContext::attachFileToField()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I fill in "Embed Flag Earth in space" for "field_media_image[0][alt]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth all earth in space" for "field_media_image[0][title]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in "Embed Flag Earth" for "name[0][value]"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I check the box "Show in media library"	Drupal\DrupalExtension\Context\MinkContext::assertCheckBox()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Embed Flag Earth"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Editing - Rich Text Editor - Easy linking to internal content by searching for content by its titles |-

As a content admin I want to be able to add internal links searching the title of an internal content So that will ease the work of adding internal links in the rich text editor fields.

@javascript @local @development @staging @production

Scenario: Check if inserted raw URL will convert into a link when we save when We are using the Visual editor text format |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

When I select "full_html" from "Text format"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Linking to internal content #1 title" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with "Linking to internal content #1 body"	VarbaseContext::iFillInTheRichTextEditorField()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I should see "Linking to internal content #1 body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check if inserted raw URL will convert into a link when we save when we are using the Visual editor text format |-

Given I am a logged in user with the "test_site_admin" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/node/add/page"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Create Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I select "full_html" from "Text format"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I fill in "Linking to internal content #2 title" for "Title"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I fill in the rich text editor field "Body" with " Linking to internal content #2 body "	VarbaseContext::iFillInTheRichTextEditorField()
And I click on "drupallink" command button in the rich text editor field "Body"	VarbaseContext::iClickOnCommandButtonInTheRichTextEditorField()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()
And I wait 2s	VarbaseContext::iWaitForSeconds()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::iWaitForAjaxToFinish()

Then I should see "Add link"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I fill in "Linking" for "URL"	Drupal\DrupalExtension\Context\MinkContext::fillField()
And I press the " " key in the "URL" field	Drupal\DrupalExtension\Context\MinkContext::pressKey()
And I press the "t" key in the "URL" field	Drupal\DrupalExtension\Context\MinkContext::pressKey()
And I press the "o" key in the "URL" field	Drupal\DrupalExtension\Context\MinkContext::pressKey()
And I press the "enter" key in the "URL" field	Drupal\DrupalExtension\Context\MinkContext::pressKey()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I wait 2s	VarbaseContext::waitForSeconds()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see "Linking to internal content #1 title"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Linking to internal content #1 title" in the "ul" element with the "class" attribute set to "ui-autocomplete"	VarbaseContext::clickTextInTheHtmlTagElement()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
And I wait 2s	VarbaseContext::waitForSeconds()
And I wait for AJAX to finish	Drupal\DrupalExtension\Context\MinkContext::waitForAjaxToFinish()
Then I should see "Linking to internal content #1 title"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
When I click "Save" in the "button" element with the "class" attribute set to "button js-form-submit form-submit ui-button ui-corner-all ui-widget"	VarbaseContext::clickTextInTheHtmlTagElement()
And I wait	VarbaseContext::waitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I select "published" from "edit-moderation-state-0-state"	Drupal\DrupalExtension\Context\MinkContext::selectOption()
And I press the "Save" button	Drupal\DrupalExtension\Context\MinkContext::pressButton()
And I wait	VarbaseContext::waitMaxOfSecondsForThePageToBeReadyAndLoaded()
And I should see "Linking to internal content #2 body"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Management - Content moderation workflows. Simple workflow, and Editorial workflow |-

As a content admin I want to be able to manage the workflow of content in simple and editorial workflows So that will have an easy publishing workflow with revisions.

@javascript @local @development @staging @production

Scenario: Check Simple workflow on Draft, Published, and Archived and content types |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/workflow/workflows/manage/varbase_simple_workflow"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Simple"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Draft"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Published"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Archived / Unpublished"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Create new draft"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Publish"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Archive / Unpublish"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Restore from archive"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Landing page (Layout Builder)"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Landing page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Basic page"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Blog post"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Hero slider"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

@javascript @local @development @staging @production

Scenario: Check Editorial workflow on Draft, Published, In review, and Archived |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
When I go to "/admin/config/workflow/workflows/manage/varbase_editorial_workflow"	Drupal\DrupalExtension\Context\MinkContext::visit()
And I wait	VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()
Then I should see "Editorial"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Draft"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "In review"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Published"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Archived / Unpublished"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Create new draft"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Send to review"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Publish"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Archive / Unpublish"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()
And I should see "Restore from archive"	Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Feature has passed

Feature: Content Management - Content Planning and scheduling |-

As a content admin I want to be able to add plan content publishing for internal content So that they will be scheduled to publish or publish on the planed time.

@javascript @local @development @staging @production

Scenario: Check Content planner dashboard page |-

Given I am a logged in user with the "webmaster" user	VarbaseContext::iAmLoggedInUserWithTheUser()
--	--

When I go to "/admin/content-planner/dashboard"

And I wait

Then I should see "Dashboard"

And I should see "Content Status Widget"

And I should see "Recent Calendar Publications Widget"

And I should see "Recent Kanban Activities"

@javascript @local @development @staging @production

Scenario: Check Content Calendar page |-

Given I am a logged in user with the "webmaster" user

When I go to "/admin/content-calendar/show-current-year"

And I wait

Then I should see "Content Calendar"

@javascript @local @development @staging @production

Scenario: Check Content Kanban page |-

Given I am a logged in user with the "webmaster" user

When I go to "/admin/content-kanban"

And I wait

Then I should see "Content Kanban"

And I should see "Simple"

Behat Test Suite

Drupal\DrupalExtension\Context\MinkContext::visit()

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

VarbaseContext::iAmLoggedInUserWithTheUser()

Drupal\DrupalExtension\Context\MinkContext::visit()

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

VarbaseContext::iAmLoggedInUserWithTheUser()


Drupal\DrupalExtension\Context\MinkContext::visit()

VarbaseContext::iWaitMaxOfSecondsForThePageToBeReadyAndLoaded()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()

Drupal\DrupalExtension\Context\MinkContext::assertPageContainsText()


Feature has passed



38 Features:
0 failed



138 Scenarios:
0 failed
0 undefined
0 skipped



1569 Steps:
0 failed
0 undefined
0 skipped

All Passed Failed

Suite: default

Feature: Website Base Requirements - User Registration - Only admins login |+

As an anonymous user

I will not be able to register as a user in the website

So that I will need a site admin or super admin to add me to the website

Feature: Website Base Requirements - User Roles - Simple Roles |+

As a logged in user with the User ID number 1

I want to be able to see the list of User Roles

So that they must be (Editor, Site Admin, Content Admin, Super Admin)

Feature: Content Editing - Rich Text Editor - Input formats |+

As a logged in user with a permission to edit content

I want to be able to switch between input formats

So that can use different type of rich text editors.

Feature: Website Base Requirements - Website Languages - English |+

As a logged in user with the permission to add content

I want to be able to check if the site has got the English language Enabled

So that can be sure that the website is using the English language as one of the languages.

Feature: Website Base Requirements - Website Languages - All content translatable to all languages |+

As a logged in user with a permission to translate content

I want to be able to check if all content types are translatable

So that I will be able to create a content then I will have the option to translate the content to other languages in the site

Feature: Content Editing - Rich Text Editor - Convert URLs into links |+

As a logged in user with a permission to use the rich text editor

I want to add raw URLs and links in the rich text editor

So that they will be converted to links and visitors can click on them.

Feature: User Management - Standard User Management - Request new password |+

As a user with a ready user account

I will want to be able to Request new password

So that I can reset my password for the account

Feature: User Management - Standard User Management - Admins can create users and assign a role to them |+

As a site admin user

I want to be able to create new user accounts and assign roles to them

So that they will be able to use the site.

Feature: User Management - Standard User Management - Login |+

As a visitor with an existing user account

I want to be able to login to the site

So that I will be able to view/add/edit/ or delete content in the site

Feature: User Management - Have persistent login options and configurations |+

As a user which can login to the site.

I want to have the option to have "Remember Me" option on the user login form.

So I can persistent my login session independent of setting of a long session lifetime.

Feature: User Management - Standard User Management - Have fine-grained access control of user administrators protections with specific user, or all users in a role |+

As a logged in site admin

I will be allowed to fine-grained access control of user administrators

So that the protections can be specific to a user, or applied to all users in a role.

Feature: User Management - Standard User Management - Users with permission to assign roles may select which roles are available for assignment |+

As a logged in site admin and a permission to Assign roles

I will be able to assign roles to other users.

So that only users with permission to assign roles may select which roles are available for assignment

Feature: Pre-check important administrator and development pages |+

As a site admin user

I want to be able to make sure that all admin and development tools are working

So that I can use them after the install or update.

Feature: Support Requirements - Standard Support Navigation - Allow site super administrators to switch users and surf the site as that user |+

As the site super admin

I want to be able to switch users and surf the site as that user with no password required

So that I can see what is the selected user is seeing in the site then switch back to my own user account at any time.

Feature: Admin management - Standard Back-End Navigation - Navigate through the Drupal admin with the keyboard for faster access |+

As a site admin

I want to be able to navigate through the Drupal admin with the keyboard

So that I will have a faster access to administration pages in the site.

Feature: User Management - Standard User Management - Admins can disable users |+

As a site admin user

I want to be able Block user accounts

So that they will be disabled and not be able to use the site.

Feature: File & Media Management - Assets Management - Image media and their usage list page for site admins
|+

As a user with permission to manage files in the site

I want to be able to see the list of files

So that I will be able to manage files, see where they have been used in contents.

Feature: Check JSON API admin interface and services and Varbase API settings |+

As a site admin user

I want to be able to check the JSON:API available interface options

So that I can use them to enable or disable API service for Varbase APIs.

Feature: Preview the site in a number of responsive devices |+

As a site admin user

I want to be able to preview the look and feel of the site in a number of devices

So that I can make sure that the site looks good in small devices too.

Feature: User Management - Standard User Management - Users with permission to access the Admin audit trails
|+

As a logged in site admin or editor with permission to access the Admin audit trails

I will be able to trails of actions on the site by the same user and or users

So that only users with permission can see trails of audit changes on the website

Feature: Content Structure - Basic Page |+

As a logged in user with a permission to mange Basic pages

I want to be able to add a "Basic page" to the site with a fixed layout

So that the "Basic page" will show up in the structured menu under its parent page

Feature: Content Structure - Landing page (Paragraphs) |+

As a logged in user with a permission to manage Landing page (Paragraphs).
I want to be able to add a "Landing page" which has got predefined set of paragraphs
So that the "Landing page (Paragraphs)" will show up in the structured menu under its parent page

Feature: Landing page (Paragraphs) - Add any paragraph types to the page |+

As a logged in user with a permission to manage Landing pages
I want to be able to add any paragraph type to the page
So that the Landing page (Paragraphs)" will show up having paragraphs of different types

Feature: Content Structure - Landing page (Paragraphs) - Varbase text and image paragraphs |+

As a logged in user with a permission to manage Landing page (Paragraphs)
I want to be able to add number of Text and image paragraph components
So that the "Landing page (Paragraphs)" will have text and images in right and left view.

Feature: Navigational Features - Breadcrumbs - Standard breadcrumbs |+

As a Visitor to the site

I want to be able to see the back path

So that I can see path I followed to locate the current page usually near the top of the page

Feature: Content Structure - Blog post |+

As a logged in user with a permission to manage Blogs.

I want to be able to add a "Blog"

Feature: Content Structure - Landing Pages with Layout Builder |+

As a logged in user with a permission to manage Landing (Layout Builder) pages.

I want to be able to add a "Landing page (Layout Builder)" which has got predefined set of layouts

So that the "Landing page (Layout Builder)" will show up in the structured menu under its parent page

Feature: Landing (Layout Builder) Pages - Check to add sections and choose layouts for sections |+

As a logged in user with a permission to manage Landing (Layout Builder) pages
I want to be able to add sections with any layouts to the page
So that the "Landing (Layout Builder) page" will show up having the listed section with their content

Feature: Content Structure - Homepage Permissions with Landing Pages with Layout Builder |+

As a logged in user with a permission to manage Landing (Layout Builder) pages.
I want to be able to edit the page layouts sections and blocks
So that the homepage can be changed with permission in an easy way and be sure it will not be deleted.

Feature: Content Management - Add default [entityqueue] module testing content and configuration |+

Feature: Content Management - Standard Entity Queue Management - Have the option to Reverse order in admin view |+

As a logged in user with a permission to manage entity queues

I will be able to view the order of entities in entity queues in a reverse order.

So that they will have a flipped order at the front-end.

Feature: Content Management - Standard Entity Queue Management - Have Entity queue tab inside the full content page and be able to Add to a queue or Remove from a queue |+

As a logged in user with a permission to manage entity queues

I will be able to see an Entity queue tab inside the full content page of a selected content

So that I can Add to queue or Remove from queue for the content.

Feature: Content Management - Add hero slider to entity queue using entity queue form widget |+

As a logged in user with a permission to manage entity queues

I want to be able to add and remove entities to any allowed entity queue.

Feature: Content Management - Cloning content and entities |+

As a logged in user with a permission to manage entities

I want to be able to clone an entity.



Feature: File & Media Management - Assets Management - Ability to embed existing media image library in the rich text editor |+

As a content admin

I want to be able to embed existing files from the library of files in the CKEditor

So that it will show up under that rich text field without having to upload the image for each content



Feature: Content Editing - Rich Text Editor - Easy linking to internal content by searching for content by its titles |+

As a content admin

I want to be able to add internal links searching the title of an internal content

So that will ease the work of adding internal links in the rich text editor fields.



Feature: Content Management - Content moderation workflows. Simple workflow, and Editorial workflow |+

As a content admin

I want to be able to manage the workflow of content in simple and editorial workflows

So that will have an easy publishing workflow with revisions.



Feature: Content Management - Content Planning and scheduling |+

As a content admin

I want to be able to add plan content publishing for internal content

So that they will be scheduled to publish or publish on the planed time.

