



VA Hydro

note

Cannot really "Edit" much of this screen. But see page B. where you get directed when "Saving"

Edit Informal Correction

admincode

The unique identifier used by the originating agency of this dH Feature type.

Date Received

→ this is coming from "Action date" garbel.

1433217600

Machine-readable name *

A unique machine-readable name for this model type. It must only contain lowercase letters, numbers, and underscores.

Name *

Name

FType

FType

Status

— We should look at this drop down to see if it is useable for Compliance or if we need to add to it?

Status

Heading — Start/Issuance Date

Year Month Day
2015 3

Start/Issuance date for administrative record.

— Cannot delete but can change date but changes the way it shows up in "Milestones" ~ it shifts the list see page A.

Heading — End/Expiration Date

Year Month Day
2015 2

End/Expiration date for administrative record.

— Cannot delete but can change date



VA Hydro



[Home](#) > [Thomas Bridge Water Corporation](#) > Thomas Bridge Water Plant

Thomas Bridge Water Plant

Permit ID:13-1017

Permit Status: active

Permit Dates: 2014-06-21 to 2029-06-20

The permit is for the continuance of an existing water withdrawal intake for public water supply on the South Fork of the Holston River in Smyth County near the Town of Marion. The project includes water released from an existing holding pond next to the intake that receives water from nearby Taylor Spring. The permit also authorizes temporary impacts to the South Fork of the Holston River associated with improvements to the intake structure.

Permit Information:

Virginia Water Protection Permit Program (VWP)

Permit Writer: Anonymous (not verified)

Last Modified: Friday, March 4, 2016 - 11:43

Monthly Limit (gallons):

Annual Limit (gallons):

COMPLIANCE MILESTONES

Add Milestone

Milestone Action	Action Date	Response Due Date	Response Received Date
<u>Compliance Inspection</u>	1 429 761 600	2015-04-23	
<u>Informal Correction</u>	1 431 489 600	2015-06-03	
<u>Informal Correction</u>	1 433 217 600	2015-06-03	
<u>Informal Correction</u>	1 433 217 600	2015-06-03	
<u>Return to Compliance</u>	1 439 006 400		
* <u>Request for Information</u>	1 433 476 800	2015-06-05	
* <u>Informal Correction</u>	1 433 217 600	2015-06-03	

As you "edit" this change the line up here

COMPLIANCE POINTS ASSESSMENT HISTORY

Add Points Assessed Record

Violation	Points Assessed	Action Date	Closure Date
<u>Agency failed to receive report</u>	0.5	04/29/2015	

Description

The Facility submitted an email response to the RCA issued May 13, 2015. Attachments included intake modification information and diagrams. The response was lacking a timetable required as part of the permit condition.

← can update comments

[Show row weights](#)

Submittal Data

Add another item

[Show row weights](#)

Milestone Reference by AdminReg Feature Entity

Add another item

Save dH Feature type



VA Hydro

B.

Home

Add dh adminreg feature

Note:
This is the page where you are directed if you try to "Edit" an Informal Corrective milestone.

Label	Operations	
Bob Watkinson and Benny Watkinson	edit	delete
Sun Pool 1 LLC	edit	delete
Chappell Creek, LLC	edit	delete
MHC Williamsburg LLC	edit	delete
Robert Finch	edit	delete
Peter Copeland	edit	delete
Donald Brennan	edit	delete
Williamsburg Country Club	edit	delete
John A. Franklin	edit	delete
Ray Newman	edit	delete
Cabell Associates	edit	delete
Wallace Cahoon	edit	delete
Phillip Custis	edit	delete
Royster Clark Inc	edit	delete
Chickahominy Power LLC	edit	delete
Webster Investors, LLC	edit	delete
Eastern Shore Yacht and Country Club	edit	delete
T. Lee Byrd & Sons	edit	delete
Virginia Department of Veterans Services	edit	delete
West Point Veneer, LLC	edit	delete
Wildwood Farms	edit	delete