

You are here: [Inicio](#) » [Administer](#) » [Site configuration](#) » [Millennium Settings](#)

## Millennium settings

Opciones

Add items to import queue

### Opciones generales

Content type to import records into:

Library Items

*Note: Select content type into which you want to import crawled bibliographic records. It is recommended you first create a new content type at [Add content type](#).*

Your WebOPAC's base URL:

http://millennium.itesm.mx/

*Note: Something like http://example.com/*

### Cron crawl & queue import settings

*Note: These settings affect the batch import operations run during cron calls.*

Automatic crawl enabled:

- Disabled
- Enabled

*Note: Enabling this will start (or continue) the automatic record import/update. Disabling this does not stop importing items queued manually for import.*

Starting item record number for crawl:

10000

*Note: WebOpac records normally start at record #10000. Previous records are NOT imported.*

Restart crawl from above starting record?

*Note: WARNING: Set ONLY if you want to start over from that number onwards.*

Items to import per cron run:

10

*Note: The maximum amount of items that will be imported in one cron run. Set this number lower if your cron is timing out or if PHP is running out of memory.*

## **Taxonomy: MARC import mappings**

*Note: If you want to browse your imported records via taxonomy, you must assign a mapping here.*

*NOTE: CHANGING these values after import does not change already-imported records! You must go back and re-import records.*

Vocabulary for Subject:main and general subdivision tags:

*Note: This maps MARC 6xx, subfields a,x to this vocabulary.*

Vocabulary for Subject:chronological tags:

*Note: This maps MARC 6xx, subfield y to this vocabulary.*

Vocabulary for Subject:form tags:

*Note: This maps MARC 6xx, subfield v to this vocabulary.*

Vocabulary for Subject:geographic tags:

*Note: This maps MARC 6xx, subfield z to this vocabulary.*

Vocabulary for Item type tags:

*Note: This maps MARC Leader, position 6 to this vocabulary.*

Vocabulary for Year published tags:

*Note: This maps MARC 008, position 6 to this vocabulary.*

Vocabulary for Item language tags:

*Note: This maps MARC 008, position 35 to this vocabulary.*

Vocabulary for Autor tags:

*Note: This maps MARC 100s, 110s, 700s, 710s (all subfields merged together as text) to this vocabulary.*

Vocabulary for Series Uniform Title tags:

*Note: This maps MARC 830, subfield a to this vocabulary.*

## Display

Display real-time availability information:

- No
- Full view only
- Teaser & Full view

*Note: WARNING: This option might slow down your page views, as availability information is fetched from the Millennium system upon view. Recommended setting is "Full view only".*

(Opcional)Locations to show in teaser view availability (comma-separated):

*Note: Comma-separated location names, as they appear on the WebOpac, that will be given priority over other locations. For example, entering "CSU" will match locations like "CSU General stacks" and "CSU Storage", showing only those in teasers and showing those above others in full record views.*

(Opcional) URL for displaying cover images:

*Note: Use the placeholder !id in the URL where the ISBN or ISBN will be placed. You can also specify: !type (Biblio Type number), !tit (Title), !aut (Author(s)) For example: <http://example.com/getimage?isbn=!id&type=!type>*

Show link to Google Books:

- No
- Full view only
- Teaser & Full view

*Note: This will show a link to Google Books whenever a limited or full view version is found on Google. Note: This setting loads a small script from Google for each item shown; recommended setting is "Full view only".*

[Guardar la configuración](#)

[Restablecer a predeterminado](#)