

Modules

LIST UPDATE UNINSTALL

[Home](#) » [Administration](#)

Modules

No update information available. [Run cron](#) or [check manually](#).

Download additional [contributed modules](#) to extend Drupal's functionality.

Regularly review and install [available updates](#) to maintain a secure and current site. Always run the [update script](#) each time a module is updated.

- [Install new module](#)

[Core](#)

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Aggregator	7.8	Aggregates syndicated content (RSS, RDF, and Atom feeds).	
<input checked="" type="checkbox"/>	Block	7.8	Controls the visual building blocks a page is constructed with. Blocks are boxes of content rendered into an area, or region, of a web page. Required by: Custom Search Blocks (enabled), Dashboard (enabled), Block languages (enabled), Menu translation (enabled)	Help Permissions Configure
<input type="checkbox"/>	Blog	7.8	Enables multi-user blogs.	
<input type="checkbox"/>	Book	7.8	Allows users to create and organize related content in an outline.	
<input checked="" type="checkbox"/>	Color	7.8	Allows administrators to change the color scheme of compatible themes. Required by: Stylizer (enabled)	Help
<input checked="" type="checkbox"/>	Comment	7.8	Allows users to comment on and discuss published content. Requires: Text (enabled), Field (enabled), Field SQL storage (enabled) Required by: Forum (enabled), Multilingual forum (enabled), Tracker (disabled)	Help Permissions Configure
<input type="checkbox"/>	Contact	7.8	Enables the use of both personal and site-wide contact forms. Required by: Contact translation (disabled)	
<input checked="" type="checkbox"/>	Content translation	7.8	Allows content to be translated into different languages. Requires: Locale (enabled) Required by: Multilingual content (enabled), Multilingual forum (enabled), Synchronize translations (enabled)	Help Permissions
<input checked="" type="checkbox"/>	Contextual links	7.8	Provides contextual links to perform actions related to elements on a page.	Help Permissions
<input checked="" type="checkbox"/>	Dashboard	7.8	Provides a dashboard page in the administrative interface for organizing administrative tasks and tracking information within your site. Requires: Block (enabled)	Help Permissions Configure
<input checked="" type="checkbox"/>	Database logging	7.8	Logs and records system events to the database.	Help
			Field API to add fields to entities like nodes and users	

[CCK](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	CCK	7.x-2.x-dev	Miscellaneous field functions not handled by core. Requires: Field UI (enabled), Field (enabled), Field SQL storage (enabled)	Permissions
<input checked="" type="checkbox"/>	Content Migrate	7.x-2.x-dev	Migrate fields and field data from CCK D6 format to the D7 field format. Required to migrate data, can be disabled once all fields have been migrated.	

[Chaos tool suite](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Bulk Export	7.x-1.x-dev	Performs bulk exporting of data objects known about by Chaos tools. Requires: Chaos tools (enabled)	Permissions
<input type="checkbox"/>	Chaos tools	7.x-1.x-dev	A library of helpful tools by Merlin of Chaos. Required by: Bulk Export (enabled), Views (enabled), Date Views (enabled), Calendar (enabled), Calendar iCal (enabled), Context (enabled), Context layouts (enabled), Context UI (enabled), Custom rulesets (enabled), Chaos Tools (CTools) AJAX Example (enabled), Custom content panes (enabled), Panels (enabled), Page manager (enabled), Chaos Tools (CTools) Plugin Example (disabled), Date Context (disabled), Views UI (enabled), Events calendar feature (enabled), Strongarm (disabled), Hierarchical Select Taxonomy Views (enabled), Notifications Team UI (disabled), Notifications Views (disabled), Views content panes (enabled), OG example (enabled), Organic groups migrate (disabled), Panels In-Place Editor (enabled), Mini panels (enabled), Panel nodes (enabled), Stylizer (enabled)	
<input checked="" type="checkbox"/>	Chaos Tools (CTools) AJAX Example	7.x-1.x-dev	Shows how to use the power of Chaos AJAX. Requires: Chaos tools (enabled)	
<input type="checkbox"/>	Chaos Tools (CTools) Plugin Example	7.x-1.x-dev	Shows how an external module can provide ctools plugins (for Panels, etc.). Requires: Chaos tools (enabled), Panels (enabled), Page manager (enabled), Advanced_help (missing)	
<input checked="" type="checkbox"/>	Custom content panes	7.x-1.x-dev	Create custom, exportable, reusable content panes for applications like Panels. Requires: Chaos tools (enabled)	Permissions
<input checked="" type="checkbox"/>	Custom rulesets	7.x-1.x-dev	Create custom, exportable, reusable access rulesets for applications like Panels. Requires: Chaos tools (enabled)	Permissions
<input type="checkbox"/>	Page manager	7.x-1.x-dev	Provides a UI and API to manage pages within the site. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled), OG example (enabled)	Permissions
<input checked="" type="checkbox"/>	Stylizer	7.x-1.x-dev	Create custom styles for applications such as Panels. Requires: Chaos tools (enabled), Color (enabled)	Permissions
<input type="checkbox"/>	Views content panes	7.x-1.x-dev	Allows Views content to be used in Panels, Dashboard and other modules which use the CTools Content API. Requires: Chaos tools (enabled), Views (enabled) Required by: OG example (enabled)	

[Context](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Context	7.x-3.x-dev	Provide modules with a cache that lasts for a single page request. Requires: Chaos tools (enabled) Required by: Context layouts (enabled), Context UI (enabled), Date Context (disabled), Events calendar feature (enabled)	Help
<input checked="" type="checkbox"/>	Context layouts	7.x-3.x-dev	Allow theme layer to provide multiple region layouts and integrate with context. Requires: Context (enabled), Chaos tools (enabled)	Help
<input checked="" type="checkbox"/>	Context UI	7.x-3.x-dev	Provides a simple UI for settings up a site structure using Context. Requires: Context (enabled), Chaos tools (enabled) Required by: Events calendar feature (enabled)	Help Configure

[Custom Search](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Custom Search	7.x-1.8	Customize the default search, change labels, default texts, ordering, and display content types and taxonomy selectors. Requires: Search (enabled) Required by: Custom Search Blocks (enabled), Custom Search Internationalization (enabled), Custom Search Taxonomy (enabled)	Permissions Configure
<input checked="" type="checkbox"/>	Custom Search Blocks	7.x-1.8	Provides additional search blocks. Requires: Block (enabled), Custom Search (enabled), Search (enabled)	Permissions Configure
<input checked="" type="checkbox"/>	Custom Search Internationalization	7.x-1.8	Provides Internationalization to Custom Search. Requires: Custom Search (enabled), Search (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled)	
<input checked="" type="checkbox"/>	Custom Search Taxonomy	7.x-1.8	Adds taxonomy selectors to Custom Search. Requires: Custom Search (enabled), Search (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	Configure

[Date/Time](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Calendar	7.x-3.x-dev	Views plugin to display views containing dates as Calendars. Requires: Views (enabled), Chaos tools (enabled), Date API (enabled), Date Views (enabled) Required by: Calendar iCal (enabled), Events calendar feature (enabled)	Help
<input checked="" type="checkbox"/>	Calendar iCal	7.x-3.x-dev	Adds ical feeds to views. Requires: Views (enabled), Chaos tools (enabled), Date API (enabled), Date Views (enabled), Calendar (enabled)	
<input checked="" type="checkbox"/>	Date	7.x-2.x-dev	Makes date/time fields available. Requires: Date API (enabled) Required by: Drupal (Field type(s) in use - see Field list), Date Context (disabled), Date Migration (disabled), Date Migration Example (disabled), Date Tools (enabled), Events calendar feature (enabled)	Help Permissions
<input checked="" type="checkbox"/>	Date API	7.x-2.x-dev	A Date API that can be used by other modules. Required by: Date Views (enabled), Calendar (enabled), Calendar iCal (enabled), Date (enabled), Date Context (disabled), Date Migration (disabled), Date Repeat API (enabled), Date Migration Example (disabled), Date Popup (enabled), Date Tools (enabled), Events calendar feature (enabled)	
<input type="checkbox"/>	Date Context	7.x-2.x-dev	Adds an option to the Context module to set a context condition based on the value of a date field. Requires: Date (enabled), Date API (enabled), Context (enabled), Chaos tools (enabled)	
<input type="checkbox"/>	Date Migration	7.x-2.x-dev	Provides support for importing into date fields with the Migrate module. Requires: Migrate (missing), Date (enabled), Date API (enabled) Required by: Date Migration Example (disabled)	
<input checked="" type="checkbox"/>	Date Popup	7.x-2.x-dev	Enables jquery popup calendars and time entry widgets for selecting dates and times. Requires: Date API (enabled)	Configure
<input checked="" type="checkbox"/>	Date Repeat API	7.x-2.x-dev	A Date Repeat API to calculate repeating dates and times from iCal rules. Requires: Date API (enabled) Required by: Date Migration	

[Features](#)

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Date Migration Example	7.x-2.x-dev	Examples of migrating with the Date module Requires: Date (enabled), Date API (enabled), Date Repeat API (enabled), Date Migration (disabled), Migrate (missing), Features (enabled)	
<input checked="" type="checkbox"/>	Events calendar feature	7.x-1.0	Settings for event listings Requires: Calendar (enabled), Views (enabled), Chaos tools (enabled), Date API (enabled), Date Views (enabled), Context (enabled), Context UI (enabled), Date (enabled), Features (enabled), Views UI (enabled)	
<input checked="" type="checkbox"/>	Features	7.x-1.x-dev	Provides feature management for Drupal. Required by: Date Migration Example (disabled), Events calendar feature (enabled), OG example (enabled)	Help Permissions
<input checked="" type="checkbox"/>	OG example	7.x-1.x-dev	Example module to show Organic groups configuration that can be used as building block. Requires: Chaos tools (enabled), Features (enabled), Organic groups (enabled), Entity API (enabled), List (enabled), Field (enabled), Field SQL storage (enabled), Options (enabled), Organic groups UI (enabled), Page manager (enabled), Panels (enabled), Views content panes (enabled), Views (enabled)	

[Form Elements](#)

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Hierarchical Select	7.x-3.0-alpha4	Simplifies the selection of one or multiple items in a hierarchical tree. Required by: Hierarchical Select Flat List (enabled), Hierarchical Select Menu (disabled), Hierarchical Select Small Hierarchy (enabled), Hierarchical Select Taxonomy (enabled), Hierarchical Select Taxonomy Views (enabled)	
<input checked="" type="checkbox"/>	Hierarchical Select Flat List	7.x-3.0-alpha4	Allows Hierarchical Select's dropdown to be used for selecting multiple items in a flat list of options. Requires: Hierarchical Select (enabled)	
<input type="checkbox"/>	Hierarchical Select Menu	7.x-3.0-alpha4	Use Hierarchical Select for menu parent selection. Requires: Hierarchical Select (enabled), Menu (enabled)	
<input checked="" type="checkbox"/>	Hierarchical Select Small Hierarchy	7.x-3.0-alpha4	Allows Hierarchical Select to be used for a hardcoded hierarchy. When it becomes too slow, you should move the hierarchy into the database and write a proper implementation. Requires: Hierarchical Select (enabled)	
<input type="checkbox"/>	Hierarchical Select Taxonomy	7.x-3.0-alpha4	Use Hierarchical Select for Taxonomy. Requires: Hierarchical Select (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled) Required by: Hierarchical Select Taxonomy Views (enabled)	
<input checked="" type="checkbox"/>	Hierarchical Select Taxonomy Views	7.x-3.0-alpha4	Use Hierarchical Select for Taxonomy exposed filters in Views. Requires: Hierarchical Select (enabled), Hierarchical Select Taxonomy (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Views (enabled), Chaos tools (enabled)	

[Mail](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	PHPMailer	7.x-3.x-dev	Integrates the PHPMailer library for SMTP e-mail delivery. Requires: Libraries (enabled)	Permissions Configure

[Messaging](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	HTML Mail	7.x-1.x-dev	Mail Sending Method: HTML Multipart e-mails with MimeMail Requires: Messaging (enabled), Simple Mail (enabled)	
<input checked="" type="checkbox"/>	Messaging	7.x-1.x-dev	Messaging system. This is the base module for the Messaging Framework Required by: Simple Mail (enabled), HTML Mail (enabled), Web messaging (enabled), Messaging template (enabled), Notifications (enabled), User account tabs (disabled), Content Notifications (disabled), Notifications scheduler (disabled), Taxonomy Notifications (disabled), Notifications Team UI (disabled), Notifications UI (disabled), User subscriptions (disabled), Notifications Views (disabled)	Help Permissions Configure
<input checked="" type="checkbox"/>	Messaging template	7.x-1.x-dev	Advanced templating system for messages. Do not enable this module unless other module requires it. Requires: Messaging (enabled) Required by: Notifications (enabled), User account tabs (disabled), Content Notifications (disabled), Notifications scheduler (disabled), Taxonomy Notifications (disabled), Notifications Team UI (disabled), Notifications UI (disabled), User subscriptions (disabled), Notifications Views (disabled)	
<input checked="" type="checkbox"/>	Simple Mail	7.x-1.x-dev	Mail Sending Method: Integration with Drupal mail API Requires: Messaging (enabled) Required by: HTML Mail (enabled)	
<input checked="" type="checkbox"/>	Web messaging	7.x-1.x-dev	Sending Method: Show messages on user's page Requires: Messaging (enabled)	

[Multilingual](#)

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Entity translation	7.x-1.0-alpha1	Allows entities to be translated into different languages. Requires: Locale (enabled) Required by: Entity translation upgrade (enabled)	Permissions Configure
<input checked="" type="checkbox"/>	Entity translation upgrade	7.x-1.0-alpha1	Provides an upgrade path from node-based translation to field-based translation. Requires: Entity translation (enabled), Locale (enabled)	

[Multilingual - Internationalization](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Block languages	7.x-1.0	<p>Enables language selector for blocks and optional block translation.</p> <p>Requires: Block (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled)</p> <p>Required by: Menu translation (enabled)</p>	Help
<input type="checkbox"/>	Contact translation	7.x-1.0	<p>Makes contact categories and replies available for translation.</p> <p>Requires: Contact (disabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled)</p>	
<input checked="" type="checkbox"/>	Field translation	7.x-1.0	<p>Translate field properties</p> <p>Requires: Field (enabled), Field SQL storage (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled)</p>	
			<p>Extends Drupal support for multilingual features.</p> <p>Requires: Locale (enabled), Variable (enabled)</p> <p>Required by: String translation (enabled), Custom Search Internationalization (enabled), Block languages (enabled), Contact translation (disabled), Field translation (enabled), Translation sets</p>	

[Notifications](#)

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Content Notifications	7.x-1.x-dev	Allows users to subscribe to content related events. Requires: Notifications (enabled), Messaging (enabled), Trigger (enabled), Messaging template (enabled) Required by: Taxonomy Notifications (disabled), Notifications Team UI (disabled), User subscriptions (disabled)	
<input checked="" type="checkbox"/>	Notifications	7.x-1.x-dev	The basic notifications framework Requires: Messaging (enabled), Trigger (enabled), Messaging template (enabled) Required by: User account tabs (disabled), Content Notifications (disabled), Notifications scheduler (disabled), Taxonomy Notifications (disabled), Notifications Team UI (disabled), Notifications UI (disabled), User subscriptions (disabled), Notifications Views (disabled)	Permissions Configure
<input type="checkbox"/>	Notifications scheduler	7.x-1.x-dev	Configurable scheduler for Notifications. Requires: Notifications (enabled), Messaging (enabled), Trigger (enabled), Messaging template (enabled), Job_scheduler_trigger (missing)	
<input type="checkbox"/>	Notifications Team UI	7.x-3.x-dev	Notifications UI for subscribing other users to content. Requires: Content Notifications (disabled), Notifications (enabled), Messaging (enabled), Trigger (enabled), Messaging template (enabled), Views (enabled), Chaos tools (enabled)	
<input type="checkbox"/>	Notifications UI	7.x-1.x-dev	Provides a generic UI to create and manage subscriptions Requires: Notifications (enabled), Messaging (enabled), Trigger (enabled), Messaging template (enabled)	
<input type="checkbox"/>	Notifications Views	7.x-1.x-dev	Views integration for Notifications. Requires: Views (enabled), Chaos tools (enabled), Notifications (enabled), Messaging (enabled), Trigger (enabled), Messaging template (enabled)	
<input type="checkbox"/>	Taxonomy Notifications	7.x-1.x-dev	Allows users to subscribe to taxonomy terms. Requires: Content Notifications (disabled), Notifications (enabled), Messaging (enabled), Trigger (enabled), Messaging template (enabled), Taxonomy (enabled),	

[Organic groups](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	OG create permissions	7.x-1.0	Organic groups permissions for creating content Requires: Organic groups (enabled), Entity API (enabled), List (enabled), Field (enabled), Field SQL storage (enabled), Options (enabled)	
<input checked="" type="checkbox"/>	OG Menu	7.x-2.x-dev	Allow group creators and site admins to edit their own group menu. Requires: Menu (enabled), Organic groups (enabled), Entity API (enabled), List (enabled), Field (enabled), Field SQL storage (enabled), Options (enabled), Organic groups context (enabled)	Permissions
<input type="checkbox"/>	Organic groups	7.x-1.x-dev	API to allow associating content with groups. Requires: Entity API (enabled), List (enabled), Field (enabled), Field SQL storage (enabled), Options (enabled) Required by: Drupal (Field type(s) in use - see Field list), Organic groups access control (enabled), Organic groups context (enabled), OG create permissions (enabled), Organic groups UI (enabled), OG example (enabled), Organic groups field access (enabled), OG Menu (enabled), Organic groups migrate (disabled), Organic groups register (enabled), Organic groups subgroups (enabled)	Help Permissions
<input checked="" type="checkbox"/>	Organic groups access control	7.x-1.x-dev	Enable access control for private and public groups and group content. Requires: Organic groups (enabled), Entity API (enabled), List (enabled), Field (enabled), Field SQL storage (enabled), Options (enabled)	
<input type="checkbox"/>	Organic groups context	7.x-1.x-dev	Get a group from a viewed page. Requires: Organic groups (enabled), Entity API (enabled), List (enabled), Field (enabled), Field SQL storage (enabled), Options (enabled) Required by: OG Menu (enabled)	
<input checked="" type="checkbox"/>	Organic groups field access	7.x-1.x-dev	Provide field access based on group. Requires: Organic groups (enabled), Entity API (enabled), List (enabled), Field (enabled)	

[Other](#)

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Entity API	7.x-1.0-beta10	Enables modules to work with any entity type and to provide entities. Required by: Entity tokens (enabled), Organic groups (enabled), Organic groups access control (enabled), Organic groups context (enabled), OG create permissions (enabled), Organic groups UI (enabled), OG example (enabled), Organic groups field access (enabled), OG Menu (enabled), Organic groups migrate (disabled), Organic groups register (enabled), Organic groups subgroups (enabled), Title (enabled)	
<input checked="" type="checkbox"/>	Entity tokens	7.x-1.0-beta10	Provides token replacements for all properties that have no tokens and are known to the entity API. Requires: Entity API (enabled)	
<input type="checkbox"/>	Libraries	7.x-2.x-dev	Allows version dependent and shared usage of external libraries. Required by: PHPMailer (enabled)	
<input checked="" type="checkbox"/>	Nice Menus	7.x-2.0	CSS/jQuery drop-down, drop-right and drop-left menus to be placed in blocks Requires: Menu (enabled)	Configure
<input type="checkbox"/>	Strongarm	7.x-2.x-dev	Enforces variable values defined by modules that need settings set to operate properly. Requires: Chaos tools (enabled)	
<input checked="" type="checkbox"/>	Taxonomy display	7.x-1.0-rc2	Modify the display of taxonomy term pages per vocabulary. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	Permissions
<input checked="" type="checkbox"/>	Title	7.x-1.0-alpha1	Replaces entity legacy fields with regular fields. Requires: Entity API (enabled)	
<input type="checkbox"/>	Variable	7.x-1.1	Variable Information and basic variable API Required by: Internationalization (enabled), String translation (enabled), Custom Search Internationalization (enabled), Block languages (enabled), Contact translation (disabled), Field translation (enabled), Translation sets (enabled), Taxonomy translation (enabled), Multilingual content (enabled), Multilingual forum (enabled), Menu translation (enabled), Path translation (enabled), Translation redirect (enabled), Multilingual select (enabled), Synchronize translations (enabled), Variable realm (enabled), Variable store (enabled), Variable translation (enabled), Translation table (enabled), Variable admin (enabled), Variable advanced (enabled)	
<input checked="" type="checkbox"/>	Variable admin	7.x-1.1	Variable Administration UI Requires: Variable (enabled)	

[Panels](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Mini panels	7.x-3.x-dev	Create mini panels that can be used as blocks by Drupal and panes by other panel modules. Requires: Panels (enabled), Chaos tools (enabled)	Permissions
<input checked="" type="checkbox"/>	Panel nodes	7.x-3.x-dev	Create nodes that are divided into areas with selectable content. Requires: Panels (enabled), Chaos tools (enabled)	Permissions Configure
<input type="checkbox"/>	Panels	7.x-3.x-dev	Core Panels display functions; provides no external UI, at least one other Panels module should be enabled. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled), OG example (enabled), Panels In-Place Editor (enabled), Mini panels (enabled), Panel nodes (enabled)	Permissions Configure
<input checked="" type="checkbox"/>	Panels In-Place Editor	7.x-3.x-dev	Provide a UI for managing some Panels directly on the frontend, instead of having to use the backend. Requires: Panels (enabled), Chaos tools (enabled)	Configure

[Taxonomy](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Taxonomy Manager	7.x-1.0-beta2	Tool for administrating taxonomy terms. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	Help

[User interface](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	CKEditor	7.x-1.3	Enables the usage of CKEditor (WYSIWYG) instead of plain text fields.	Help Permissions Configure

[Views](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Views	7.x-3.x-dev	Create customized lists and queries from your database. Requires: Chaos tools (enabled) Required by: Date Views (enabled), Calendar (enabled), Calendar iCal (enabled), Views UI (enabled), Events calendar feature (enabled), Hierarchical Select Taxonomy Views (enabled), Notifications Team UI (disabled), Notifications Views (disabled), Views content panes (enabled), OG example (enabled)	Permissions
<input checked="" type="checkbox"/>	Views UI	7.x-3.x-dev	Administrative interface to views. Without this module, you cannot create or edit your views. Requires: Views (enabled), Chaos tools (enabled) Required by: Events calendar feature (enabled)	Configure

[Voting](#)

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Voting API	7.x-2.x-dev	Provides a shared voting API for other modules.	Permissions

Save configuration