

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	<b>Actions permissions (VBO)</b>	7.x-3.1	Provides permission-based access control for actions. Used by Views Bulk Operations.	
<input checked="" type="checkbox"/>	<b>Administration Development tools</b>	7.x-3.0-rc3	Administration and debugging functionality for developers and site builders.	
<input checked="" type="checkbox"/>	<b>Administration menu</b>	7.x-3.0-rc3	Provides a dropdown menu to most administrative tasks and other common destinations (to users with the proper permissions). Requires: System ( <b>enabled</b> ) Required by: Administration menu Toolbar style ( <b>enabled</b> ), Hide the Toolbar ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Administration menu Toolbar style</b>	7.x-3.0-rc3	A better Toolbar. Requires: Administration menu ( <b>enabled</b> ), System ( <b>enabled</b> )	
<input checked="" type="checkbox"/>	<b>Aggregator</b>	7.18	Aggregates syndicated content (RSS, RDF, and Atom feeds).	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Back To Top</b>	7.x-1.3	Back To Top adds a button that hovers in the bottom of your screen and allow users to smoothly scroll up the page using jQuery.	<a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Block</b>	7.18	Controls the visual building blocks a page is constructed with. Blocks are boxes of content rendered into an area, or region, of a web page. Required by: Dashboard ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Blog</b>	7.18	Enables multi-user blogs.	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>Book</b>	7.18	Allows users to create and organize related content in an outline.	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Bulk Export</b>	7.x-1.2	Performs bulk exporting of data objects known about by Chaos	<a href="#">Permissions</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			<p>tools. Requires: Chaos tools (<a href="#">enabled</a>)</p>	
<input checked="" type="checkbox"/>	<b>Chaos tools</b>	7.x-1.2	<p>A library of helpful tools by Merlin of Chaos. Required by: Bulk Export (<a href="#">enabled</a>), Custom rulesets (<a href="#">enabled</a>), Chaos Tools (CTools) AJAX Example (<a href="#">disabled</a>), Custom content panes (<a href="#">enabled</a>), Panels (<a href="#">enabled</a>), Page manager (<a href="#">enabled</a>), Chaos Tools (CTools) Plugin Example (<a href="#">disabled</a>), Entity Reference (<a href="#">enabled</a>), Entity Reference Behavior Example (<a href="#">disabled</a>), Fieldgroup (<a href="#">enabled</a>), Field group multiple (<a href="#">enabled</a>), Views (<a href="#">enabled</a>), Views Field (<a href="#">enabled</a>), Fieldgroup views (<a href="#">enabled</a>), Field Validation (<a href="#">disabled</a>), Field validation extras (<a href="#">disabled</a>), Field Validation UI (<a href="#">disabled</a>), Multistep (<a href="#">enabled</a>), Organic groups (<a href="#">enabled</a>), Organic groups access control (<a href="#">enabled</a>), Organic groups context (<a href="#">disabled</a>), Views Bulk Operations (<a href="#">enabled</a>), Organic groups UI (<a href="#">enabled</a>), Views content panes (<a href="#">enabled</a>), OG example (<a href="#">disabled</a>), Organic groups field access (<a href="#">disabled</a>), Organic groups register (<a href="#">enabled</a>), Panelizer (<a href="#">enabled</a>), Panels In-Place Editor (<a href="#">enabled</a>), Mini panels (<a href="#">enabled</a>), Panel nodes (<a href="#">enabled</a>), Profile2 group access (<a href="#">disabled</a>), Property Validation (<a href="#">disabled</a>), Stylizer (<a href="#">enabled</a>), Views UI (<a href="#">enabled</a>), Workflow views (<a href="#">enabled</a>)</p>	
<input type="checkbox"/>	<b>Chaos Tools (CTools) AJAX Example</b>	7.x-1.2	<p>Shows how to use the power of Chaos AJAX. Requires: Chaos tools (<a href="#">enabled</a>)</p>	
<input type="checkbox"/>	<b>Chaos Tools (CTools) Plugin Example</b>	7.x-1.2	<p>Shows how an external module can provide ctools plugins (for Panels, etc.).</p>	

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			Requires: Chaos tools ( <b>enabled</b> ), Panels ( <b>enabled</b> ), Page manager ( <b>enabled</b> ), Advanced_help ( <b>missing</b> )	
<input checked="" type="checkbox"/>	Color	7.18	Allows administrators to change the color scheme of compatible themes. Required by: Stylizer ( <b>enabled</b> )	<a href="#">Help</a>
<input checked="" type="checkbox"/>	Comment	7.18	Allows users to comment on and discuss published content. Requires: Text ( <b>enabled</b> ), Field ( <b>enabled</b> ), Field SQL storage ( <b>enabled</b> ) Required by: Forum ( <b>enabled</b> ), Tracker ( <b>disabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	Contact	7.18	Enables the use of both personal and site-wide contact forms. Required by: Contact Forms ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	Contact Forms	7.x-1.3	Creates individual contact pages from contact form categories. Requires: Contact ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	Content Access	7.x-1.2-beta1	Provides flexible content access control. Required by: Content Access Rules Integrations ( <b>enabled</b> ), LoginToboggan Content Access Integration ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a>
<input checked="" type="checkbox"/>	Content Access Rules Integrations	7.x-1.2-beta1	Integrates Rules with Content access. Allows to act on access events, conditions, and actions. Requires: Content Access ( <b>enabled</b> ), Rules ( <b>enabled</b> ), Entity tokens ( <b>enabled</b> ), Entity API ( <b>enabled</b> )	
<input type="checkbox"/>	Content translation	7.18	Allows content to be translated into different languages. Requires: Locale ( <b>disabled</b> )	
<input checked="" type="checkbox"/>	Contextual links	7.18	Provides contextual links to perform actions related to elements on a page.	<a href="#">Help</a> <a href="#">Permissions</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input checked="" type="checkbox"/>	<b>Custom content panes</b>	7.x-1.2	Create custom, exportable, reusable content panes for applications like Panels. Requires: Chaos tools ( <b>enabled</b> )	<a href="#">Permissions</a>
<input checked="" type="checkbox"/>	<b>Custom rulesets</b>	7.x-1.2	Create custom, exportable, reusable access rulesets for applications like Panels. Requires: Chaos tools ( <b>enabled</b> )	<a href="#">Permissions</a>
<input checked="" type="checkbox"/>	<b>Dashboard</b>	7.18	Provides a dashboard page in the administrative interface for organizing administrative tasks and tracking information within your site. Requires: Block ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Database logging</b>	7.18	Logs and records system events to the database.	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>Disable messages</b>	7.x-1.1	Add options to filter messages shown to the end users	<a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Empty Fields</b>	7.x-2.0-rc1	Provides options for displaying empty fields. Requires: Field ( <b>enabled</b> ), Field SQL storage ( <b>enabled</b> ), Field formatter settings API ( <b>enabled</b> ), Field UI ( <b>enabled</b> )	
<input checked="" type="checkbox"/>	<b>Entity API</b>	7.x-1.0	Enables modules to work with any entity type and to provide entities. Required by: Entity tokens ( <b>enabled</b> ), Rules ( <b>enabled</b> ), Content Access Rules Integrations ( <b>enabled</b> ), Entity Reference ( <b>enabled</b> ), Entity Reference Behavior Example ( <b>disabled</b> ), Field collection ( <b>enabled</b> ), LoginToboggan Rules Integration ( <b>enabled</b> ), Organic groups ( <b>enabled</b> ), Organic groups access control ( <b>enabled</b> ), Organic groups context ( <b>disabled</b> ), Views Bulk Operations ( <b>enabled</b> ), Organic groups UI ( <b>enabled</b> ), OG example ( <b>disabled</b> ),	

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			<p>Organic groups field access (<b>disabled</b>), Organic groups register (<b>enabled</b>), Profile2 (<b>enabled</b>), Profile2 translation (<b>disabled</b>), Profile2 group access (<b>disabled</b>), Profile2 pages (<b>enabled</b>), Profile2 Registration Path (<b>enabled</b>), Property Validation (<b>disabled</b>), Rules UI (<b>enabled</b>), Rules translation (<b>disabled</b>), Rules Scheduler (<b>enabled</b>), Workflow rules (<b>disabled</b>)</p>	
<input checked="" type="checkbox"/>	<b>Entity cache</b>	7.x-1.1+6-dev	Provides caching for core entities including nodes and taxonomy terms.	
<input checked="" type="checkbox"/>	<b>Entity Reference</b>	7.x-1.0	<p>Provides a field that can reference other entities.</p> <p>Requires: Entity API (<b>enabled</b>), Chaos tools (<b>enabled</b>)</p> <p>Required by: Drupal (Field type(s) in use – see <a href="#">Field list</a>), Entity Reference Behavior Example (<b>disabled</b>), Organic groups (<b>enabled</b>), Organic groups access control (<b>enabled</b>), Organic groups context (<b>disabled</b>), Organic groups UI (<b>enabled</b>), OG example (<b>disabled</b>), Organic groups field access (<b>disabled</b>), Organic groups register (<b>enabled</b>), Profile2 group access (<b>disabled</b>)</p>	
<input type="checkbox"/>	<b>Entity Reference Behavior Example</b>	7.x-1.0	<p>Provides some example code for implementing Entity Reference behaviors.</p> <p>Requires: Entity Reference (<b>enabled</b>), Entity API (<b>enabled</b>), Chaos tools (<b>enabled</b>)</p>	
<input checked="" type="checkbox"/>	<b>Entity tokens</b>	7.x-1.0	<p>Provides token replacements for all properties that have no tokens and are known to the entity API.</p> <p>Requires: Entity API (<b>enabled</b>)</p> <p>Required by: Rules (<b>enabled</b>), Content Access Rules Integrations (<b>enabled</b>),</p>	

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			LoginToboggan Rules Integration (enabled), OG example (disabled), Rules UI (enabled), Rules translation (disabled), Rules Scheduler (enabled), Workflow rules (disabled)	
<input checked="" type="checkbox"/>	<b>Field</b>	7.18	<p>Field API to add fields to entities like nodes and users.</p> <p>Requires: Field SQL storage (enabled), Field (enabled)</p> <p>Required by: Drupal, Field SQL storage (enabled), Field (enabled), Text (enabled), Comment (enabled), Field UI (enabled), Field formatter settings API (enabled), Empty Fields (enabled), Field formatter conditions (enabled), Field Formatter Class (enabled), Fieldgroup (enabled), Field group multiple (enabled), Views Field (enabled), Fieldgroup views (enabled), Field injector (enabled), Field Multiple Limit (enabled), Field Validation (disabled), Field validation extras (disabled), Field Validation UI (disabled), Field Word Boundary (disabled), File (enabled), Options (enabled), Taxonomy (enabled), Forum (enabled), Image (enabled), Linked Field (enabled), List (enabled), Multistep (enabled), References (enabled), Node Reference (enabled), Number (enabled), Organic groups (enabled), Organic groups access control (enabled), Organic groups context (disabled), Organic groups UI (enabled), OG example (disabled), Organic groups field access (disabled), Organic groups register (enabled), Profile2 group access (disabled), Property Validation (disabled), Static field (enabled), Tracker (disabled), User Reference (enabled)</p>	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>Field collection</b>	7.x-	Provides a field collection field, to	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
		1.0–beta5	which any number of fields can be attached. Requires: Entity API ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Field Formatter Class</b>	7.x–1.0	Allows custom HTML classes for field formatters. Requires: Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ), Field formatter settings API ( <a href="#">enabled</a> ), Field UI ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Field formatter conditions</b>	7.x–1.0–beta1	Adds conditional functionality to fields. Requires: Field formatter settings API ( <a href="#">enabled</a> ), Field UI ( <a href="#">enabled</a> ), Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Field formatter settings API</b>	7.x–1.0	Provides missing alter hooks for field formatter settings and summaries Requires: Field UI ( <a href="#">enabled</a> ), Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ) Required by: Empty Fields ( <a href="#">enabled</a> ), Field formatter conditions ( <a href="#">enabled</a> ), Field Formatter Class ( <a href="#">enabled</a> ), Field injector ( <a href="#">enabled</a> ), Field Multiple Limit ( <a href="#">enabled</a> ), Field Word Boundary ( <a href="#">disabled</a> ), Linked Field ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Field group multiple</b>	7.x–1.0–beta2	Widget and display formatter for transposed grouping of multiple value fields. Requires: Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ), Chaos tools ( <a href="#">enabled</a> ), Fieldgroup ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Field injector</b>	7.x–1.0–beta3	Injects fields into other fields. Requires: Field formatter settings API ( <a href="#">enabled</a> ), Field UI ( <a href="#">enabled</a> ), Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Field Multiple Limit</b>	7.x–1.0–alpha3	Provides extra field formatter settings to specify the number of values to display on multi–value	

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			<p>fields.</p> <p>Requires: Field formatter settings API (<a href="#">enabled</a>), Field UI (<a href="#">enabled</a>), Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>)</p>	
<input checked="" type="checkbox"/>	<b>Field SQL storage</b>	7.18	<p>Stores field data in an SQL database.</p> <p>Requires: Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>)</p> <p>Required by: Drupal, Field SQL storage (<a href="#">enabled</a>), Field (<a href="#">enabled</a>), Text (<a href="#">enabled</a>), Comment (<a href="#">enabled</a>), Field UI (<a href="#">enabled</a>), Field formatter settings API (<a href="#">enabled</a>), Empty Fields (<a href="#">enabled</a>), Field formatter conditions (<a href="#">enabled</a>), Field Formatter Class (<a href="#">enabled</a>), Fieldgroup (<a href="#">enabled</a>), Field group multiple (<a href="#">enabled</a>), Views Field (<a href="#">enabled</a>), Fieldgroup views (<a href="#">enabled</a>), Field injector (<a href="#">enabled</a>), Field Multiple Limit (<a href="#">enabled</a>), Field Validation (<a href="#">disabled</a>), Field validation extras (<a href="#">disabled</a>), Field Validation UI (<a href="#">disabled</a>), Field Word Boundary (<a href="#">disabled</a>), File (<a href="#">enabled</a>), Options (<a href="#">enabled</a>), Taxonomy (<a href="#">enabled</a>), Forum (<a href="#">enabled</a>), Image (<a href="#">enabled</a>), Linked Field (<a href="#">enabled</a>), List (<a href="#">enabled</a>), Multistep (<a href="#">enabled</a>), References (<a href="#">enabled</a>), Node Reference (<a href="#">enabled</a>), Number (<a href="#">enabled</a>), Organic groups (<a href="#">enabled</a>), Organic groups access control (<a href="#">enabled</a>), Organic groups context (<a href="#">disabled</a>), Organic groups UI (<a href="#">enabled</a>), OG example (<a href="#">disabled</a>), Organic groups field access (<a href="#">disabled</a>), Organic groups register (<a href="#">enabled</a>), Profile2 group access (<a href="#">disabled</a>), Property Validation (<a href="#">disabled</a>), Static field (<a href="#">enabled</a>), Tracker (<a href="#">disabled</a>), User Reference (<a href="#">enabled</a>)</p>	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>Field UI</b>	7.18	<p>User interface for the Field API.</p> <p>Requires: Field (<a href="#">enabled</a>), Field SQL</p>	<a href="#">Help</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			<p>storage (<a href="#">enabled</a>)</p> <p>Required by: Field formatter settings API (<a href="#">enabled</a>), Empty Fields (<a href="#">enabled</a>), Field formatter conditions (<a href="#">enabled</a>), Field Formatter Class (<a href="#">enabled</a>), Field injector (<a href="#">enabled</a>), Field Multiple Limit (<a href="#">enabled</a>), Field Word Boundary (<a href="#">disabled</a>), Linked Field (<a href="#">enabled</a>)</p>	
<input type="checkbox"/>	<b>Field Validation</b>	7.x-2.2	<p>Add validation rules to fields.</p> <p>Requires: Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>)</p> <p>Required by: Field validation extras (<a href="#">disabled</a>), Field Validation UI (<a href="#">disabled</a>)</p>	
<input type="checkbox"/>	<b>Field validation extras</b>	7.x-2.2	<p>Extra validators for Field validation 7.x-2.x.</p> <p>Requires: Field Validation (<a href="#">disabled</a>), Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>)</p>	
<input type="checkbox"/>	<b>Field Validation UI</b>	7.x-2.2	<p>UI for Field Validation.</p> <p>Requires: Field Validation (<a href="#">disabled</a>), Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>)</p>	
<input type="checkbox"/>	<b>Field Word Boundary</b>	7.x-1.0-beta3	<p>Extends the settings for trimmed text fields, that allows us to trim on word boundary rather than sentences.</p> <p>Requires: Field formatter settings API (<a href="#">enabled</a>), Field UI (<a href="#">enabled</a>), Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>)</p>	
<input checked="" type="checkbox"/>	<b>Fieldgroup</b>	7.x-1.1	<p>Fieldgroup</p> <p>Requires: Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>)</p> <p>Required by: Field group multiple (<a href="#">enabled</a>), Fieldgroup views (<a href="#">enabled</a>), Multistep (<a href="#">enabled</a>)</p>	<a href="#">Permissions</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input checked="" type="checkbox"/>	<b>Fieldgroup views</b>	7.x-1.1	Provides view format for fieldgroup. Requires: Fieldgroup ( <a href="#">enabled</a> ), Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ), Chaos tools ( <a href="#">enabled</a> ), Views Field ( <a href="#">enabled</a> ), Views ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Fieldset helper</b>	7.x-2.1	Saves the state of Drupal's collapsible fieldsets.	<a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>File</b>	7.18	Defines a file field type. Requires: Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ) Required by: Drupal (Field type(s) in use – see <a href="#">Field list</a> ), Image ( <a href="#">enabled</a> )	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>Filter</b>	7.18	Filters content in preparation for display. Required by: Drupal	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>Forum</b>	7.18	Provides discussion forums. Requires: Taxonomy ( <a href="#">enabled</a> ), Options ( <a href="#">enabled</a> ), Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ), Comment ( <a href="#">enabled</a> ), Text ( <a href="#">enabled</a> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>Help</b>	7.18	Manages the display of online help.	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>Hide the Toolbar</b>	7.x-1.0	Hides Drupal's core Toolbar for users with the Administration Menu. Requires: Administration menu ( <a href="#">enabled</a> ), System ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Image</b>	7.18	Provides image manipulation tools. Requires: File ( <a href="#">enabled</a> ), Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ) Required by: Drupal (Field type(s) in use – see <a href="#">Field list</a> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>jQuery File Upload</b>	7.x-1.x-dev	A File Uploader using the jQuery File Upload project Requires: jQuery Update ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>jQuery Update</b>	7.x-2.2	Updates jQuery to jQuery 1.5.2 and	<a href="#">Cont</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			jQuery UI 1.8.11. Required by: jQuery File Upload ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Libraries</b>	7.x-2.0	Allows version dependent and shared usage of external libraries. Required by: Superfish ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Linked Field</b>	7.x-1.7	Adds the functionality to link fields to a specific destination. Requires: Field formatter settings API ( <a href="#">enabled</a> ), Field UI ( <a href="#">enabled</a> ), Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ), Token ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>List</b>	7.18	Defines list field types. Use with Options to create selection lists. Requires: Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ), Options ( <a href="#">enabled</a> ) Required by: Drupal (Field type(s) in use – see <a href="#">Field list</a> ), Organic groups ( <a href="#">enabled</a> ), Organic groups access control ( <a href="#">enabled</a> ), Organic groups context ( <a href="#">disabled</a> ), Organic groups UI ( <a href="#">enabled</a> ), OG example ( <a href="#">disabled</a> ), Organic groups field access ( <a href="#">disabled</a> ), Organic groups register ( <a href="#">enabled</a> ), Profile2 group access ( <a href="#">disabled</a> )	<a href="#">Help</a>
<input type="checkbox"/>	<b>Locale</b>	7.18	Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Content translation ( <a href="#">disabled</a> )	
<input checked="" type="checkbox"/>	<b>LoginToboggan</b>	7.x-1.3	Improves Drupal's login system. Required by: LoginToboggan Content Access Integration ( <a href="#">enabled</a> ), LoginToboggan Rules Integration ( <a href="#">enabled</a> ), LoginToboggan Variable Integration ( <a href="#">disabled</a> )	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>LoginToboggan</b>	7.x-1.3	Integrates LoginToboggan with	<a href="#">Cont</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
	<b>Content Access Integration</b>		Content Access module, so that Non-validated users are handled correctly Requires: LoginToboggan ( <b>enabled</b> ), Content Access ( <b>enabled</b> )	
<input checked="" type="checkbox"/>	<b>LoginToboggan Rules Integration</b>	7.x-1.3	Integrates LoginToboggan with Rules module Requires: LoginToboggan ( <b>enabled</b> ), Rules ( <b>enabled</b> ), Entity tokens ( <b>enabled</b> ), Entity API ( <b>enabled</b> )	
<input type="checkbox"/>	<b>LoginToboggan Variable Integration</b>	7.x-1.3	Integrates LoginToboggan with Variable module Requires: LoginToboggan ( <b>enabled</b> ), Variable ( <b>missing</b> )	
<input checked="" type="checkbox"/>	<b>Menu</b>	7.18	Allows administrators to customize the site navigation menu. Required by: Nice Menus ( <b>enabled</b> ), Superfish ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Mini panels</b>	7.x-3.3	Create mini panels that can be used as blocks by Drupal and panes by other panel modules. Requires: Panels ( <b>enabled</b> ), Chaos tools ( <b>enabled</b> )	<a href="#">Permissions</a>
<input checked="" type="checkbox"/>	<b>Module filter</b>	7.x-1.7	Filter the modules list.	<a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Multistep</b>	7.x-1.x-dev	Adds multistep functionality to content types. Requires: Field ( <b>enabled</b> ), Field SQL storage ( <b>enabled</b> ), Fieldgroup ( <b>enabled</b> ), Chaos tools ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Nice Menus</b>	7.x-2.1	CSS/jQuery drop-down, drop-right and drop-left menus to be placed in blocks Requires: Menu ( <b>enabled</b> )	<a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Node</b>	7.18	Allows content to be submitted to the site and displayed on pages. Required by: Drupal	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input checked="" type="checkbox"/>	<b>Node Reference</b>	7.x-2.0	<p>Defines a field type for referencing one node from another.</p> <p>Requires: Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>), References (<a href="#">enabled</a>), Options (<a href="#">enabled</a>)</p>	
<input checked="" type="checkbox"/>	<b>Number</b>	7.18	<p>Defines numeric field types.</p> <p>Requires: Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>)</p>	<a href="#">Help</a>
<input type="checkbox"/>	<b>OG example</b>	7.x-2.0-rc1	<p>Example module to show Organic groups configuration that can be used as building block.</p> <p>Requires: Chaos tools (<a href="#">enabled</a>), Entityreference_prepopulate (<a href="#">missing</a>), Features (<a href="#">missing</a>), List (<a href="#">enabled</a>), Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>), Options (<a href="#">enabled</a>), Message_notify (<a href="#">missing</a>), Organic groups (<a href="#">enabled</a>), Text (<a href="#">enabled</a>), Entity API (<a href="#">enabled</a>), Entity Reference (<a href="#">enabled</a>), Organic groups UI (<a href="#">enabled</a>), Views Bulk Operations (<a href="#">enabled</a>), Views (<a href="#">enabled</a>), Page manager (<a href="#">enabled</a>), Panels (<a href="#">enabled</a>), Rules (<a href="#">enabled</a>), Entity tokens (<a href="#">enabled</a>), Views content panes (<a href="#">enabled</a>)</p>	
<input type="checkbox"/>	<b>OpenID</b>	7.18	<p>Allows users to log into your site using OpenID.</p>	
<input checked="" type="checkbox"/>	<b>Options</b>	7.18	<p>Defines selection, check box and radio button widgets for text and numeric fields.</p> <p>Requires: Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>)</p> <p>Required by: Taxonomy (<a href="#">enabled</a>), Forum (<a href="#">enabled</a>), List (<a href="#">enabled</a>), References (<a href="#">enabled</a>), Node Reference (<a href="#">enabled</a>), Organic groups (<a href="#">enabled</a>), Organic groups access control (<a href="#">enabled</a>), Organic groups context (<a href="#">disabled</a>), Organic groups UI (<a href="#">enabled</a>), OG example (<a href="#">disabled</a>),</p>	<a href="#">Help</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			<p>Organic groups field access (<b>disabled</b>),  Organic groups register (<b>enabled</b>),  Profile2 group access (<b>disabled</b>), User  Reference (<b>enabled</b>)</p>	
<input checked="" type="checkbox"/>	<b>Organic groups</b>	7.x- 2.0-rc1	<p><b>API to allow associating content with groups.</b>  Requires: Options (<b>enabled</b>), Field (<b>enabled</b>), Field SQL storage (<b>enabled</b>), List (<b>enabled</b>), Text (<b>enabled</b>), Entity API (<b>enabled</b>), Entity Reference (<b>enabled</b>), Chaos tools (<b>enabled</b>)  Required by: Organic groups access control (<b>enabled</b>), Organic groups context (<b>disabled</b>), Organic groups UI (<b>enabled</b>), OG example (<b>disabled</b>), Organic groups field access (<b>disabled</b>), Organic groups register (<b>enabled</b>), Profile2 group access (<b>disabled</b>)</p>	<a href="#">Help</a> <a href="#">Permissions</a>
<input checked="" type="checkbox"/>	<b>Organic groups access control</b>	7.x- 2.0-rc1	<p><b>Enable access control for private and public groups and group content.</b>  Requires: Organic groups (<b>enabled</b>), Options (<b>enabled</b>), Field (<b>enabled</b>), Field SQL storage (<b>enabled</b>), List (<b>enabled</b>), Text (<b>enabled</b>), Entity API (<b>enabled</b>), Entity Reference (<b>enabled</b>), Chaos tools (<b>enabled</b>)</p>	
<input type="checkbox"/>	<b>Organic groups context</b>	7.x- 2.0-rc1	<p><b>Get a group from a viewed page.</b>  Requires: Organic groups (<b>enabled</b>), Options (<b>enabled</b>), Field (<b>enabled</b>), Field SQL storage (<b>enabled</b>), List (<b>enabled</b>), Text (<b>enabled</b>), Entity API (<b>enabled</b>), Entity Reference (<b>enabled</b>), Chaos tools (<b>enabled</b>)</p>	
<input type="checkbox"/>	<b>Organic groups field access</b>	7.x- 2.0-rc1	<p><b>Provide field access based on group.</b>  Requires: Organic groups (<b>enabled</b>), Options (<b>enabled</b>), Field (<b>enabled</b>), Field SQL storage (<b>enabled</b>), List (<b>enabled</b>), Text (<b>enabled</b>), Entity API</p>	

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			( <a href="#">enabled</a> ), Entity Reference ( <a href="#">enabled</a> ), Chaos tools ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Organic groups register</b>	7.x-2.0-rc1	<p>Allow subscribing to groups during the user registration.</p> <p>Requires: Organic groups (<a href="#">enabled</a>), Options (<a href="#">enabled</a>), Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>), List (<a href="#">enabled</a>), Text (<a href="#">enabled</a>), Entity API (<a href="#">enabled</a>), Entity Reference (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>)</p>	
<input checked="" type="checkbox"/>	<b>Organic groups UI</b>	7.x-2.0-rc1	<p>Organic groups UI.</p> <p>Requires: Organic groups (<a href="#">enabled</a>), Options (<a href="#">enabled</a>), Field (<a href="#">enabled</a>), Field SQL storage (<a href="#">enabled</a>), List (<a href="#">enabled</a>), Text (<a href="#">enabled</a>), Entity API (<a href="#">enabled</a>), Entity Reference (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>), Views Bulk Operations (<a href="#">enabled</a>), Views (<a href="#">enabled</a>)</p> <p>Required by: OG example (<a href="#">disabled</a>)</p>	<a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Overlay</b>	7.18	Displays the Drupal administration interface in an overlay.	<a href="#">Help</a> <a href="#">Permissions</a>
<input checked="" type="checkbox"/>	<b>Page manager</b>	7.x-1.2	<p>Provides a UI and API to manage pages within the site.</p> <p>Requires: Chaos tools (<a href="#">enabled</a>)</p> <p>Required by: Chaos Tools (CTools) Plugin Example (<a href="#">disabled</a>), OG example (<a href="#">disabled</a>), Panelizer (<a href="#">enabled</a>)</p>	<a href="#">Permissions</a>
<input checked="" type="checkbox"/>	<b>Panel nodes</b>	7.x-3.3	<p>Create nodes that are divided into areas with selectable content.</p> <p>Requires: Panels (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>)</p>	<a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Panelizer</b>	7.x-2.0	<p>Allow any node type to have custom panel displays, similar to the panel node type.</p> <p>Requires: Panels (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>), Page manager (<a href="#">enabled</a>)</p>	<a href="#">Permissions</a> <a href="#">Conf</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input checked="" type="checkbox"/>	<b>Panels</b>	7.x-3.3	<p>Core Panels display functions; provides no external UI, at least one other Panels module should be enabled.</p> <p>Requires: Chaos tools (<a href="#">enabled</a>)            Required by: Chaos Tools (CTools) Plugin Example (<a href="#">disabled</a>), OG example (<a href="#">disabled</a>), Panelizer (<a href="#">enabled</a>), Panels In-Place Editor (<a href="#">enabled</a>), Mini panels (<a href="#">enabled</a>), Panel nodes (<a href="#">enabled</a>)</p>	<a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>Panels In-Place Editor</b>	7.x-3.3	<p>Provide a UI for managing some Panels directly on the frontend, instead of having to use the backend.</p> <p>Requires: Panels (<a href="#">enabled</a>), Chaos tools (<a href="#">enabled</a>)</p>	<a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>Path</b>	7.18	<p>Allows users to rename URLs.</p> <p>Required by: Pathauto (<a href="#">enabled</a>)</p>	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>Pathauto</b>	7.x-1.2	<p>Provides a mechanism for modules to automatically generate aliases for the content they manage.</p> <p>Requires: Path (<a href="#">enabled</a>), Token (<a href="#">enabled</a>)</p>	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>Permission Select</b>	7.x-1.1	<p>Gives select all/deselect all options on the permissions section of the Drupal admin.</p>	
<input checked="" type="checkbox"/>	<b>Permissions grid</b>	7.x-1.2	<p>Provides an administrative page showing related permissions in grid format.</p>	
<input type="checkbox"/>	<b>PHP filter</b>	7.18	<p>Allows embedded PHP code/snippets to be evaluated.</p>	
<input checked="" type="checkbox"/>	<b>Poll</b>	7.18	<p>Allows your site to capture votes on different topics in the form of multiple choice questions.</p>	<a href="#">Help</a> <a href="#">Permissions</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input checked="" type="checkbox"/>	Profile2	7.x-1.3	<p>Supports configurable user profiles.</p> <p>Requires: Entity API (<b>enabled</b>)</p> <p>Required by: Profile2 translation (<b>disabled</b>), Profile2 group access (<b>disabled</b>), Profile2 pages (<b>enabled</b>), Profile2 Registration Path (<b>enabled</b>)</p>	<a href="#">Permissions</a> <a href="#">Cont</a>
<input type="checkbox"/>	Profile2 group access	7.x-1.3	<p>Adds Organic groups permissions to control profile access on the group level.</p> <p>Requires: Profile2 (<b>enabled</b>), Entity API (<b>enabled</b>), Organic groups (<b>enabled</b>), Options (<b>enabled</b>), Field (<b>enabled</b>), Field SQL storage (<b>enabled</b>), List (<b>enabled</b>), Text (<b>enabled</b>), Entity Reference (<b>enabled</b>), Chaos tools (<b>enabled</b>)</p>	
<input checked="" type="checkbox"/>	Profile2 pages	7.x-1.3	<p>Adds separate pages for viewing and editing profiles.</p> <p>Requires: Profile2 (<b>enabled</b>), Entity API (<b>enabled</b>)</p>	
<input checked="" type="checkbox"/>	Profile2 Registration Path	7.x-1.12	<p>Attach profile2 profile forms to profile-specific registration urls.</p> <p>Requires: Profile2 (<b>enabled</b>), Entity API (<b>enabled</b>)</p>	<a href="#">Permissions</a>
<input type="checkbox"/>	Profile2 translation	7.x-1.3	<p>Translate profile2 types.</p> <p>Requires: Profile2 (<b>enabled</b>), Entity API (<b>enabled</b>), l18n_string (<b>missing</b>)</p>	
<input type="checkbox"/>	Property Validation	7.x-2.2	<p>Add validation rules to properties.</p> <p>Requires: Field (<b>enabled</b>), Field SQL storage (<b>enabled</b>), Chaos tools (<b>enabled</b>), Entity API (<b>enabled</b>)</p>	
<input checked="" type="checkbox"/>	Quizzler	7.x-1.15	<p>Create quizzes and attach them to nodes</p> <p>Required by: Quizzler multiple choice field (<b>enabled</b>)</p>	<a href="#">Permissions</a>
<input checked="" type="checkbox"/>	Quizzler	7.x-	Adds multiple choice fields to	

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
	<b>multiple choice field</b>	1.15	Quizzler Requires: Quizzler ( <b>enabled</b> )	
<input checked="" type="checkbox"/>	<b>Rate</b>	7.x-1.6	Flexible voting options for nodes and comments Requires: Voting API ( <b>enabled</b> ) Required by: Rate Expiration ( <b>disabled</b> ), Rate Slider ( <b>enabled</b> )	<a href="#">Permissions</a>
<input type="checkbox"/>	<b>Rate Expiration</b>	7.x-1.6	Add an expiration time to rate widgets Requires: Rate ( <b>enabled</b> ), Voting API ( <b>enabled</b> ), Date ( <b>missing</b> )	
<input checked="" type="checkbox"/>	<b>Rate Slider</b>	7.x-1.6	Add a slider widget type Requires: Rate ( <b>enabled</b> ), Voting API ( <b>enabled</b> )	
<input checked="" type="checkbox"/>	<b>RDF</b>	7.18	Enriches your content with metadata to let other applications (e.g. search engines, aggregators) better understand its relationships and attributes.	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>References</b>	7.x-2.0	Defines common base features for the various reference field types. Requires: Field ( <b>enabled</b> ), Field SQL storage ( <b>enabled</b> ), Options ( <b>enabled</b> ) Required by: Node Reference ( <b>enabled</b> ), User Reference ( <b>enabled</b> )	
<input checked="" type="checkbox"/>	<b>Registration role</b>	7.x-1.0	Automatically assign a role to all new users who register.	<a href="#">Help</a>
<input checked="" type="checkbox"/>	<b>Rules</b>	7.x-2.2	React on events and conditionally evaluate actions. Requires: Entity tokens ( <b>enabled</b> ), Entity API ( <b>enabled</b> ) Required by: Content Access Rules Integrations ( <b>enabled</b> ), LoginToboggan Rules Integration ( <b>enabled</b> ), OG example ( <b>disabled</b> ), Rules UI ( <b>enabled</b> ), Rules translation ( <b>disabled</b> ), Rules Scheduler ( <b>enabled</b> ), Workflow rules	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			(disabled)	
<input checked="" type="checkbox"/>	Rules Scheduler	7.x-2.2	Schedule the execution of Rules components using actions. Requires: Rules (enabled), Entity tokens (enabled), Entity API (enabled)	<a href="#">Cont</a>
<input type="checkbox"/>	Rules translation	7.x-2.2	Allows translating rules. Requires: Rules (enabled), Entity tokens (enabled), Entity API (enabled), I18n_string (missing)	
<input checked="" type="checkbox"/>	Rules UI	7.x-2.2	Administrative interface for managing rules. Requires: Rules (enabled), Entity tokens (enabled), Entity API (enabled)	
<input checked="" type="checkbox"/>	Search	7.18	Enables site-wide keyword searching.	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	Shortcut	7.18	Allows users to manage customizable lists of shortcut links.	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	Spamicide	7.x-1.0-beta3	Provides yet another tool in the arsenal against spam.	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	Static field	7.x-1.0	Add a static configurable field to entities. Requires: Field (enabled), Field SQL storage (enabled)	
<input type="checkbox"/>	Statistics	7.18	Logs access statistics for your site.	
<input checked="" type="checkbox"/>	Stylizer	7.x-1.2	Create custom styles for applications such as Panels. Requires: Chaos tools (enabled), Color (enabled)	<a href="#">Permissions</a>
<input checked="" type="checkbox"/>	Superfish	7.x-1.8	jQuery Superfish plugin for your Drupal menus. Requires: Menu (enabled), Libraries (enabled)	<a href="#">Cont</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Syslog	7.18	Logs and records system events to syslog.	
<input checked="" type="checkbox"/>	System	7.18	Handles general site configuration for administrators. Required by: Drupal, Administration menu ( <b>enabled</b> ), Administration menu Toolbar style ( <b>enabled</b> ), Hide the Toolbar ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	Taxonomy	7.18	Enables the categorization of content. Requires: Options ( <b>enabled</b> ), Field ( <b>enabled</b> ), Field SQL storage ( <b>enabled</b> ) Required by: Drupal (Field type(s) in use – see <a href="#">Field list</a> ), Forum ( <b>enabled</b> )	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Conf</a>
<input type="checkbox"/>	Testing	7.18	Provides a framework for unit and functional testing.	
<input checked="" type="checkbox"/>	Text	7.18	Defines simple text field types. Requires: Field ( <b>enabled</b> ), Field SQL storage ( <b>enabled</b> ) Required by: Drupal (Field type(s) in use – see <a href="#">Field list</a> ), Comment ( <b>enabled</b> ), Forum ( <b>enabled</b> ), Organic groups ( <b>enabled</b> ), Organic groups access control ( <b>enabled</b> ), Organic groups context ( <b>disabled</b> ), Organic groups UI ( <b>enabled</b> ), OG example ( <b>disabled</b> ), Organic groups field access ( <b>disabled</b> ), Organic groups register ( <b>enabled</b> ), Profile2 group access ( <b>disabled</b> ), Tracker ( <b>disabled</b> )	<a href="#">Help</a>
<input checked="" type="checkbox"/>	Token	7.x-1.4	Provides a user interface for the Token API and some missing core tokens. Required by: Linked Field ( <b>enabled</b> ), Pathauto ( <b>enabled</b> )	<a href="#">Help</a>
<input checked="" type="checkbox"/>	Toolbar	7.18	Provides a toolbar that shows the top-level administration menu items and links from other	<a href="#">Help</a> <a href="#">Permissions</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			modules.	
<input type="checkbox"/>	Tracker	7.18	Enables tracking of recent content for users. Requires: Comment ( <a href="#">enabled</a> ), Text ( <a href="#">enabled</a> ), Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	Trigger	7.18	Enables actions to be fired on certain system events, such as when new content is created. Required by: Workflow actions and triggers ( <a href="#">disabled</a> )	<a href="#">Help</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	Update manager	7.18	Checks for available updates, and can securely install or update modules and themes via a web interface.	<a href="#">Help</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	User	7.18	Manages the user registration and login system. Required by: Drupal	<a href="#">Help</a> <a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	User ReadOnly	7.x-1.4	Set user profile fields to read-only in the user/#/edit screens.	<a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	User Reference	7.x-2.0	Defines a field type for referencing a user from a node. Requires: Field ( <a href="#">enabled</a> ), Field SQL storage ( <a href="#">enabled</a> ), References ( <a href="#">enabled</a> ), Options ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	Views	7.x-3.5	Create customized lists and queries from your database. Requires: Chaos tools ( <a href="#">enabled</a> ) Required by: Views Field ( <a href="#">enabled</a> ), Fieldgroup views ( <a href="#">enabled</a> ), Views Bulk Operations ( <a href="#">enabled</a> ), Organic groups UI ( <a href="#">enabled</a> ), Views content panes ( <a href="#">enabled</a> ), OG example ( <a href="#">disabled</a> ), Views UI ( <a href="#">enabled</a> ), Workflow views ( <a href="#">enabled</a> )	<a href="#">Permissions</a>
<input checked="" type="checkbox"/>	Views Bulk	7.x-3.1	Provides a way of selecting	

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
	<b>Operations</b>		<p>multiple rows and applying operations to them.</p> <p>Requires: Entity API (<b>enabled</b>), Views (<b>enabled</b>), Chaos tools (<b>enabled</b>)</p> <p>Required by: Organic groups UI (<b>enabled</b>), OG example (<b>disabled</b>)</p>	
<input checked="" type="checkbox"/>	<b>Views content panes</b>	7.x-1.2	<p>Allows Views content to be used in Panels, Dashboard and other modules which use the CTools Content API.</p> <p>Requires: Chaos tools (<b>enabled</b>), Views (<b>enabled</b>)</p> <p>Required by: OG example (<b>disabled</b>)</p>	
<input checked="" type="checkbox"/>	<b>Views Field</b>	7.x-1.2	<p>Defines selected field tables as base tables to views and selected columns as fields.</p> <p>Requires: Field (<b>enabled</b>), Field SQL storage (<b>enabled</b>), Views (<b>enabled</b>), Chaos tools (<b>enabled</b>)</p> <p>Required by: Fieldgroup views (<b>enabled</b>)</p>	
<input checked="" type="checkbox"/>	<b>Views UI</b>	7.x-3.5	<p>Administrative interface to views. Without this module, you cannot create or edit your views.</p> <p>Requires: Views (<b>enabled</b>), Chaos tools (<b>enabled</b>)</p>	<a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>Voting API</b>	7.x-2.10	<p>Provides a shared voting API for other modules.</p> <p>Required by: Rate (<b>enabled</b>), Rate Expiration (<b>disabled</b>), Rate Slider (<b>enabled</b>)</p>	<a href="#">Permissions</a> <a href="#">Cont</a>
<input checked="" type="checkbox"/>	<b>Workflow</b>	7.x-1.0	<p>Allows the creation and assignment of arbitrary workflows to node types.</p> <p>Required by: Workflow access (<b>enabled</b>), Workflow actions and triggers (<b>disabled</b>), Workflow UI (<b>enabled</b>), Workflow rules (<b>disabled</b>), Workflow views (<b>enabled</b>)</p>	<a href="#">Permissions</a>

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input checked="" type="checkbox"/>	<b>Workflow access</b>	7.x-1.0	Content access control based on workflows and roles. Requires: Workflow ( <a href="#">enabled</a> )	
<input type="checkbox"/>	<b>Workflow actions and triggers</b>	7.x-1.0	Provides actions and triggers for workflows. Requires: Workflow ( <a href="#">enabled</a> ), Trigger ( <a href="#">enabled</a> )	
<input type="checkbox"/>	<b>Workflow rules</b>	7.x-1.0	Provides rules integration for workflows. Requires: Workflow ( <a href="#">enabled</a> ), Rules ( <a href="#">enabled</a> ), Entity tokens ( <a href="#">enabled</a> ), Entity API ( <a href="#">enabled</a> )	
<input checked="" type="checkbox"/>	<b>Workflow UI</b>	7.x-1.0	Provides administrative UI for workflow. Requires: Workflow ( <a href="#">enabled</a> )	<a href="#">Permissions</a> <a href="#">Conf</a>
<input checked="" type="checkbox"/>	<b>Workflow views</b>	7.x-1.0	Provides views integration for workflows. Requires: Workflow ( <a href="#">enabled</a> ), Views ( <a href="#">enabled</a> ), Chaos tools ( <a href="#">enabled</a> )	<a href="#">Permissions</a>
<input checked="" type="checkbox"/>	<b>Wysiwyg</b>	7.x-2.2	Allows to edit content with client-side editors.	<a href="#">Conf</a>