

PHP Version 5.2.14



System	Linux lux3.uits.indiana.edu 2.6.9-101.ELsmp #1 SMP Fri May 27 18:57:30 EDT 2011 i686
Build Date	Aug 16 2010 16:42:06
Configure Command	'./configure' '--prefix=/usr/local/php5.2.14' '--with-config-file-path=/usr/local/php5.2.14' '--enable-discard-path' '--enable-magic-quotes' '--enable-calendar' '--with-gd' '--with-png-dir=/usr/local/' '--with-jpeg-dir=/usr/local/' '--with-freetype-dir=/usr/local/' '--enable-gd-native-ttf' '--with-zlib-dir=/usr/local/' '--with-mcrypt=/usr/local/' '--with-openssl=/usr/local/ssl' '--with-mysql=/usr/local/mysql-5.0.45' '--with-gdbm' '--with-curl' '--with-iconv-dir=/usr/local/' '--with-libxml-dir=/usr/local/' '--with-xsl=/usr/local/' '--with-ldap' '--with-ldap-sasl' '--with-oci8=instantclient,/usr/local/instantclient/instantclient10_1' '--with-pdo-mysql=/usr/local/mysql-5.0.45' '--with-mysqli=/usr/local/mysql-5.0.45/bin/mysql_config' '--enable-soap' '--enable-mbstring=all'
Server API	CGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/php5.2.14
Loaded Configuration File	/ip/liblatam/www/researching-brazil/drupal/php.ini
Scan this dir for additional .ini files	(none)
additional .ini files parsed	(none)
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, data, http, ftp
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.2.0, Copyright (c) 1998-2010 Zend Technologies

PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	STDOUT	STDOUT
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	<i>no value</i>	<i>no value</i>
expose_php	On	On
extension_dir	/usr/local/php5.2.14/lib/php/extensions/no-debug-non-zts-20060613	/usr/local/php5.2.14/lib/php/extensions/no-debug-non-zts-20060613
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off

include_path	./usr/local/php5.2.14/lib/php	./usr/local/php5.2.14/lib/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	-1	-1
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	0	0
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	/usr/local/php/bin	/usr/local/php/bin
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	12M	12M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

calendar

--	--

Calendar support	enabled
------------------	---------

cgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.fix_pathinfo	1	1
cgi.nph	0	0
cgi.rfc2616_headers	0	0

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.15.0 OpenSSL/0.9.8a zlib/1.2.3

date

date/time support	enabled
"Olson" Timezone Database Version	2010.9
Timezone Database	internal
Default timezone	America/New_York

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dba

DBA support	enabled
Supported handlers	gdbm cdb cdb_make inifile flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.26
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled

RelaxNG Support	enabled
-----------------	---------

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.1.10
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.3.4

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c 293036 2010-01-03 09:23:27Z sebastian \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20213
SASL Support	Enabled

libxml

libXML support	active
libXML Version	2.6.26
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.7
Api No	20021217
Supported ciphers	threeway cast-128 gost rijndael-128 safer-sk64 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 safer-sk128 tripledes

Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream
------------------------	--------------------------------------

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.45
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-I/usr/local/mysql-5.0.45/include/mysql
MYSQL_LIBS	-L/usr/local/mysql-5.0.45/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.45
Client API header version	5.0.45
MYSQLI_SOCKET	/tmp/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

oci8

--	--

OCI8 Support	enabled
Version	1.2.5
Revision	\$Revision: 293036 \$
Active Persistent Connections	0
Active Connections	0
Temporary Lob support	enabled
Collections support	enabled

Directive	Local Value	Master Value
oci8.default_prefetch	10	10
oci8.max_persistent	-1	-1
oci8.old_oci_close_semantics	0	0
oci8.persistent_timeout	-1	-1
oci8.ping_interval	60	60
oci8.privileged_connect	Off	Off
oci8.statement_cache_size	20	20

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.7j 04 May 2006

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.02 2010-03-19

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL, client library version	5.0.45
---	--------

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	(bundled) 1.0.1 \$Id: pdo_sqlite.c 293036 2010-01-03 09:23:27Z sebastian \$
SQLite Library	3.3.7

posix

Revision	\$Revision: 293036 \$
----------	-----------------------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c 300129 2010-06-03 00:43:37Z felipe \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299016 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60

safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.15
libxslt compiled against libxml Version	2.6.26
EXSLT	enabled
libexslt Version	1.1.15

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Environment

Variable	Value
DOCUMENT_ROOT	/ip/iuhome/www/
GATEWAY_INTERFACE	CGI/1.1
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.3
HTTP_ACCEPT_ENCODING	gzip,deflate,sdch
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.8
HTTP_CONNECTION	keep-alive
HTTP_COOKIE	__qca=P0-2113614825-1325097540202; referer=http://www.libraries.iub.edu/scripts/countResources.php?resourceId=85; __qseg=Q_D Q_T Q_2886 Q_1345; __utma=189522035.2068416681.1327029415.1327029415.1327029415.1; __utmz=189522035.1327029415.1.1.utmcsr=webmaster.iu.edu utmccn=(referral) utmcmd=referral utmcct=/tool_guide_info/mysql/mysqlfaq.shtml; SESS349d9ed61e7781e03058e3e2d2a54efa=ffbd9ea420f8edd912cfc8ed6a5de0cd; Apache=50.129.83.19.37981327282763742; 5f5cebc954e23ed4e8a9b44c855f7577=85ea90c53003eaf91d09607cf5ccc69d; SESSfd45cf00f7a1ac7d08195a66377b2d2c=7741dcb21abf5034093a5dfa5435e96f; has_js=1
HTTP_HOST	www.indiana.edu
HTTP_REFERER	http://drupal.org/node/add/project-issue/biblio
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/535.7 (KHTML, like Gecko) Chrome/16.0.912.75 Safari/535.7
HTTP_X_CLUSTER_CLIENT_IP	156.56.194.244
PATH	/bin:/usr/bin:/usr/local/bin
QUERY_STRING	<i>no value</i>
REDIRECT_STATUS	200
REMOTE_ADDR	156.56.194.244
REMOTE_PORT	37874
REQUEST_METHOD	GET
REQUEST_URI	/~liblatam/researching-brazil/drupal/phpinfo.php
SCRIPT_FILENAME	/ip/liblatam/www/researching-brazil/drupal/phpinfo.php
SCRIPT_NAME	/~liblatam/researching-brazil/drupal/phpinfo.php
SCRIPT_URI	http://www.indiana.edu/~liblatam/researching-brazil/drupal/phpinfo.php
SCRIPT_URL	/~liblatam/researching-brazil/drupal/phpinfo.php
SERVER_ADDR	129.79.78.210
SERVER_ADMIN	wmhelp@indiana.edu
SERVER_NAME	www.indiana.edu
SERVER_PORT	80
SERVER_PROTOCOL	HTTP/1.1
SERVER_SIGNATURE	<ADDRESS>Apache/1.3.39 Server at www.indiana.edu Port 80</ADDRESS>
SERVER_SOFTWARE	Apache
ZEUS_LOAD_BALANCER_ADDR	129.79.78.45

PHP Variables

Variable	Value

_REQUEST["__qca"]	P0-2113614825-1325097540202
_REQUEST["referer"]	http://www.libraries.iub.edu/scripts/countResources.php?resourceId=85
_REQUEST["__qseg"]	Q_D Q_T Q_2886 Q_1345
_REQUEST["__utma"]	189522035.2068416681.1327029415.1327029415.1327029415.1
_REQUEST["__utmz"]	189522035.1327029415.1.1.utmcsr=webmaster.iu.edu utmccn=(referral) utmcmd=referral utmctt=/tool_guide_info/mysql/mysqlfaq.shtml
_REQUEST["SESS349d9ed61e7781e03058e3e2d2a54efa"]	ffb9ea420f8edd912cfc8ed6a5de0cd
_REQUEST["Apache"]	50.129.83.19.37981327282763742
_REQUEST["5f5cebc954e23ed4e8a9b44c855f7577"]	85ea90c53003eaf91d09607cf5ccc69d
_REQUEST["SESSfd45cf00f7a1ac7d08195a66377b2d2c"]	7741dcb21abf5034093a5dfa5435e96f
_REQUEST["has_js"]	1
_COOKIE["__qca"]	P0-2113614825-1325097540202
_COOKIE["referer"]	http://www.libraries.iub.edu/scripts/countResources.php?resourceId=85
_COOKIE["__qseg"]	Q_D Q_T Q_2886 Q_1345
_COOKIE["__utma"]	189522035.2068416681.1327029415.1327029415.1327029415.1
_COOKIE["__utmz"]	189522035.1327029415.1.1.utmcsr=webmaster.iu.edu utmccn=(referral) utmcmd=referral utmctt=/tool_guide_info/mysql/mysqlfaq.shtml
_COOKIE["SESS349d9ed61e7781e03058e3e2d2a54efa"]	ffb9ea420f8edd912cfc8ed6a5de0cd
_COOKIE["Apache"]	50.129.83.19.37981327282763742
_COOKIE["5f5cebc954e23ed4e8a9b44c855f7577"]	85ea90c53003eaf91d09607cf5ccc69d
_COOKIE["SESSfd45cf00f7a1ac7d08195a66377b2d2c"]	7741dcb21abf5034093a5dfa5435e96f
_COOKIE["has_js"]	1
_SERVER["DOCUMENT_ROOT"]	/ip/iuhome/www/
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.8
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_COOKIE"]	__qca=P0-2113614825-1325097540202; referer=http://www.libraries.iub.edu/scripts/countResources.php?resourceId=85; __qseg=Q_D Q_T Q_2886 Q_1345; __utma=189522035.2068416681.1327029415.1327029415.1327029415.1; __utmz=189522035.1327029415.1.1.utmcsr=webmaster.iu.edu utmccn=(referral) utmcmd=referral utmctt=/tool_guide_info/mysql/mysqlfaq.shtml; SESS349d9ed61e7781e03058e3e2d2a54efa=ffb9ea420f8edd912cfc8ed6a5de0cd; Apache=50.129.83.19.37981327282763742; 5f5cebc954e23ed4e8a9b44c855f7577=85ea90c53003eaf91d09607cf5ccc69d; SESSfd45cf00f7a1ac7d08195a66377b2d2c=7741dcb21abf5034093a5dfa5435e96f; has_js=1
_SERVER["HTTP_HOST"]	www.indiana.edu
_SERVER["HTTP_REFERER"]	http://drupal.org/node/add/project-issue/biblio
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/535.7 (KHTML, like Gecko) Chrome/16.0.912.75 Safari/535.7
_SERVER["HTTP_X_CLUSTER_CLIENT_IP"]	156.56.194.244
_SERVER["PATH"]	/bin:/usr/bin:/usr/local/bin
_SERVER["QUERY_STRING"]	no value
_SERVER["REDIRECT_STATUS"]	200
_SERVER["REMOTE_ADDR"]	156.56.194.244
_SERVER["REMOTE_PORT"]	37874
_SERVER["REQUEST_METHOD"]	GET
_SERVER["REQUEST_URI"]	/-liblatam/researching-brazil/drupal/phpinfo.php
_SERVER["SCRIPT_FILENAME"]	/ip/liblatam/www/researching-brazil/drupal/phpinfo.php
_SERVER["SCRIPT_NAME"]	/-liblatam/researching-brazil/drupal/phpinfo.php

_SERVER["SCRIPT_URI"]	http://www.indiana.edu/~liblatam/researching-brazil/drupal/phpinfo.php
_SERVER["SCRIPT_URL"]	/~liblatam/researching-brazil/drupal/phpinfo.php
_SERVER["SERVER_ADDR"]	129.79.78.210
_SERVER["SERVER_ADMIN"]	wmhelp@indiana.edu
_SERVER["SERVER_NAME"]	www.indiana.edu
_SERVER["SERVER_PORT"]	80
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["SERVER_SIGNATURE"]	<ADDRESS>Apache/1.3.39 Server at www.indiana.edu Port 80</ADDRESS>
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["ZEUS_LOAD_BALANCER_ADDR"]	129.79.78.45
_SERVER["PHP_SELF"]	/~liblatam/researching-brazil/drupal/phpinfo.php
_SERVER["REQUEST_TIME"]	1327348553
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["DOCUMENT_ROOT"]	/ip/iuhome/www/
_ENV["GATEWAY_INTERFACE"]	CGI/1.1
_ENV["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_ENV["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.3
_ENV["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
_ENV["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.8
_ENV["HTTP_CONNECTION"]	keep-alive
_ENV["HTTP_COOKIE"]	__qca=P0-2113614825-1325097540202; referer=http://www.libraries.iub.edu/scripts/countResources.php?resourceId=85; __qseg=Q_D Q_T Q_2886 Q_1345; __utma=189522035.2068416681.1327029415.1327029415.1327029415.1; __utmz=189522035.1327029415.1.1.utmcsr=webmaster.iu.edu utmccn=(referral) utmcmd=referral utmcct=/tool_guide_info/mysql/mysqlfaq.shtml; SESS349d9ed61e7781e03058e3e2d2a54efa=ffbd9ea420f8edd912cfc8ed6a5de0cd; Apache=50.129.83.19.37981327282763742; 5f5cebc954e23ed4e8a9b44c855f7577=85ea90c53003eaf91d09607cf5ccc69d; SESSfd45cf00f7a1ac7d08195a66377b2d2c=7741dcb21abf5034093a5dfa5435e96f; has_js=1
_ENV["HTTP_HOST"]	www.indiana.edu
_ENV["HTTP_REFERER"]	http://drupal.org/node/add/project-issue/biblio
_ENV["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/535.7 (KHTML, like Gecko) Chrome/16.0.912.75 Safari/535.7
_ENV["HTTP_X_CLUSTER_CLIENT_IP"]	156.56.194.244
_ENV["PATH"]	/bin:/usr/bin:/usr/local/bin
_ENV["QUERY_STRING"]	no value
_ENV["REDIRECT_STATUS"]	200
_ENV["REMOTE_ADDR"]	156.56.194.244
_ENV["REMOTE_PORT"]	37874
_ENV["REQUEST_METHOD"]	GET
_ENV["REQUEST_URI"]	/~liblatam/researching-brazil/drupal/phpinfo.php
_ENV["SCRIPT_FILENAME"]	/ip/liblatam/www/researching-brazil/drupal/phpinfo.php
_ENV["SCRIPT_NAME"]	/~liblatam/researching-brazil/drupal/phpinfo.php
_ENV["SCRIPT_URI"]	http://www.indiana.edu/~liblatam/researching-brazil/drupal/phpinfo.php
_ENV["SCRIPT_URL"]	/~liblatam/researching-brazil/drupal/phpinfo.php
_ENV["SERVER_ADDR"]	129.79.78.210
_ENV["SERVER_ADMIN"]	wmhelp@indiana.edu
_ENV["SERVER_NAME"]	www.indiana.edu
_ENV["SERVER_PORT"]	80

_ENV["SERVER_PROTOCOL"]	HTTP/1.1
_ENV["SERVER_SIGNATURE"]	<ADDRESS>Apache/1.3.39 Server at www.indiana.edu Port 80</ADDRESS>
_ENV["SERVER_SOFTWARE"]	Apache
_ENV["ZEUS_LOAD_BALANCER_ADDR"]	129.79.78.45

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.